




Glass Sliding Solutions


ASSA ABLOY is the global leader in door opening solutions

Since its formation in 1994, ASSA ABLOY has grown rapidly over the last 20 years, from a regional company to an international Group with around 44,000 employees.

ASSA ABLOY is represented on both mature and emerging markets world-wide with leading positions in Europe, North America and Asia Pacific.

ASSA ABLOY's leading market presence in the Asia Pacific region is based on the industry's largest and most valuable brand portfolio.

ASSA ABLOY recently acquired major stake in ENOX Hardware India Private Limited, a privately owned company with deep rooted family values.



ASSA ABLOY

ENOX in brief

ENOX as a brand is extensively used in mid level markets across all sectors of the industry like Hospitality, Commercial, Residential, Infrastructure and Healthcare. ENOX Hardware has a diversified product portfolio ranging from door controls' hardware to aluminum profiles to furniture fittings but our major business churning products are Glass Architectural Hardware and Glass Sliding Solutions. With the continuous support of and untiring efforts of our in-house product management team, we've developed an entire range of sliding systems be it manual or automatic, wood or glass.

ENOX in India, started its journey from selling door hardware in 2007 and now has successfully managed to grow exponentially with about 225 employees.

Mission Statement

Superior customer service, Quality and Commitment with Profitable Growth

Vision

- To be India's leading consumer company for Glass Hardware and Sliding Solutions
- To be the company that best understands and satisfies the product, service and self-fulfillment needs of our customers.
- To offer a pleasant working environment to our employees.



CONTENT

005

..... Cabinet
Sliding Fittings

026

..... Wardrobe
Sliding Fittings

035



..... Glass
Sliding Fittings



Cabinet Sliding Fitting

Cabinet Sliding Solution
Glass Sliding Fitting

EGSF - 001 A





EGSF - 001 A (6mm Glass)
Glass Sliding Fitting for Small Cabinet

Features :


- Top & bottom track, groove mounted.
- With bottom running track.
- Without fascia.
- With running gear for concealed fixing.
- For 2 glass doors.
- Aluminium glass fixing profile 25/10 mm.
- Maximum glass weight : 15kgs/Panel.



Mounting example




Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / ICH - Internal Cabinet Height




EGSF - 007 - 2 Doors kit

EGSF - 007
Maximum glass weight : 15kgs/Panel.




EGSF - 001 A

EGSF - 001 A
Aluminium anodized top track,
bottom track and glass fixing profile.
Features :
• Finish : Aluminium anodized.
• Size : 3000 mm.



EGSF - 008

EGSF - 008
Push lock for cabinet glass sliding
fitting on bottom fixing profile





Ordering Information - for EGSF - 001 A (6mm Glass)

Product code	Egsf - 007	Egsf - 001 A	Egsf - 008		
Quantity for 2 doors	1 Set	1 Set	Optional		

Cabinet Sliding Solution

EGSF - 004 A





EGSF - 004 A (8mm Glass)
Glass Sliding Fitting for Small Cabinet


- Features :
- Top & bottom track, groove mounted.
 - With bottom running track.
 - Without fascia.
 - With running gear for concealed fixing.
 - For 2 glass doors.
 - Aluminium glass fixing profile 25/10 mm.
 - Maximum glass weight : 15kgs/Panel.



Mounting example




Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / ICH - Internal Cabinet Height



EGSF - 007 - 2 Doors kit

EGSF - 007
Maximum glass weight : 15kgs/Panel.




EGSF - 004 A

EGSF - 004 A
Aluminium anodized top track,
bottom track and glass fixing profile.


Features :

- Finish : Aluminium anodized.
- Size : 3000 mm.



EGSF - 008

EGSF - 008
Push lock for cabinet glass sliding
fitting on bottom fixing profile





Ordering Information - for EGSF - 004 A (8mm Glass)

Product code	Egsf - 007	Egsf - 004 A	Egsf - 008		
Quantity for 2 doors	1 Set	1 Set	Optional		

Cabinet Sliding Solution
Glass Sliding Fitting

EGSF - 015





EGSF - 015
Glass Sliding Fitting for Small Cabinet


- Features :
- Top & bottom track, groove mounted.
 - With bottom running track.
 - Without fascia.
 - With running gear for concealed fixing.
 - For 2 glass doors.
 - Aluminium glass fixing profile 29/10 mm.
 - Maximum glass weight : 15kgs/Panel.



Mounting example




Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / ICH - Internal Cabinet Height



EGSF - 016 - 2 Doors kit

EGSF - 016
Maximum glass weight : 15kgs/Panel.




EGSF - 015

EGSF - 015
Aluminium anodized top track,
bottom track and glass fixing profile.


Features :

- Finish : Aluminium anodized.
- Size : 3000 mm.



EGSF - 008

EGSF - 008
Push lock for cabinet glass sliding
fitting on bottom fixing profile




Ordering Information - for EGSF - 015 (8mm Glass)

Product code	Egsf - 016	Egsf - 015	Egsf - 008		
Quantity for 2 doors	1 Set	1 Set	Optional		

Cabinet Sliding Solution
Glass Sliding Fitting

EGSF - 017





EGSF - 021
Glass Sliding Fitting for Small Cabinet


- Features :
- Top & bottom track, groove mounted.
 - With bottom running track.
 - Without fascia.
 - With running gear for concealed fixing.
 - For 2 glass doors.
 - Aluminium glass fixing profile 30/11.5 mm.
 - Minimum Door Width : 600 mm
 - Maximum glass weight : 25kgs/Panel.



Mounting example




Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / ICH - Internal Cabinet Height



EGSF - 021 - 2 Doors kit


EGSF - 021
Maximum glass weight : 25kgs/Panel.



EGSF - 017

EGSF - 017-1200 MM
EGSF - 017-1500 MM
EGSF - 017-1800 MM
Aluminium anodized top track,
bottom track and glass fixing profile.

- Features :
- Finish : Aluminium anodized / Stainless steel.
 - Size : 1200mm / 1500mm / 1800mm.




Ordering Information - for EGSF - 017 (6mm Glass)

Product code	Egsf - 021	Egsf - 017			
Quantity for 2 doors	1 Set	1 Set			


Cabinet Sliding Solution

Glass Sliding Fitting

EGSF - 018



Mounting example




Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / ICH - Internal Cabinet Height

EGSF - 022

Glass Sliding Fitting for Small Cabinet


Features :

- Top & bottom track, groove mounted.
- With bottom running track.
- Without fascia.
- With running gear for concealed fixing.
- For 2 glass doors.
- Aluminium glass fixing profile 40/11.5 mm.
- Maximum glass weight : 70kgs/Panel.(For 2 roller)
- Maximum glass weight : 140kgs/Panel.(For 4 roller)




10 to 12 mm

For 2 roller






10 to 12 mm

For 4 roller




Mounting for 140kg



EGSF - 022 - 2 Doors kit

EGSF - 022

Maximum glass weight : 70kgs/Panel.



EGSF - 018


EGSF - 018-2000 MM

EGSF - 018-3600 MM

Aluminium anodized top track,
bottom track and glass fixing profile.

Features :

- Finish : Aluminium anodized / Stainless steel.
- Size : 2000mm / 3600mm.




Ordering Information - for EGSF - 018

Product code	Egsf - 022	Egsf - 018		
Quantity for 2 doors (70kg)	1 Set	1 Set		
Quantity for 2 doors (140kg)	2Set	1 Set		

Cabinet Sliding Solution
Glass Sliding Fitting

ESLS - 064





ESLD - 064
Glass Sliding Fitting for Small Cabinet


- Features :
- Running & guide track screw-on.
 - For 1 glass door.
 - Maximum glass weight : 15kgs/Panel.



Mounting example




Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / ICH - Internal Cabinet Height



EGSF - 064 - 1 Doors kit

ESLD - 064
Maximum glass weight : 15kgs/Panel.




ESC - 064

ESC - 064
Aluminium anodized single sliding track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3000 mm.




ESC - 068

ESC - 068
Aluminium anodized double sliding track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3000 mm.




Ordering Information - for ESLD - 064

Product code	Esld - 064	Esc - 064	Esc - 068		
Quantity for 1 doors	1 Set	1 Set	Optional		

Cabinet Sliding Solution
Glass Sliding Fitting

ESLS - 065




ESLD - 065
Profile / Wooden Sliding Fitting
for Small Cabinet

- Features :
- Running & guide track screw-on.
 - For 1 Aluminium frame / wooden door.
 - Maximum glass weight : 15kgs/Panel.




Mounting example



Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / ICH - Internal Cabinet Height

EGSF - 065 - 1 Doors kit


ESLD - 065
Maximum glass weight : 15kgs/Panel.



ESC - 064

ESC - 064
Aluminium anodized single sliding track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 3000 mm.



ESC - 068

ESC - 068
Aluminium anodized double sliding track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3000 mm.




Ordering Information - for ESLD - 065

Product code	Esld - 065	Esc - 064	Esc - 068		
Quantity for 1 doors	1 Set	1 Set	Optional		

Cabinet Sliding Solution
Glass Sliding Fitting

ESLS - 066





ESLD - 066
Profile / Wooden Sliding Fitting
for Small Cabinet

- Features :
- Running & guide track screw-on.
 - For 1 Aluminium frame / wooden door.
 - Maximum glass weight : 15kgs/Panel.




Mounting example



Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / ICH - Internal Cabinet Height

EGSF - 066 - 1 Doors kit

ESLD - 066
Maximum glass weight : 15kgs/Panel.




ESC - 064

ESC - 064
Aluminium anodized single sliding track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3000 mm.




Ordering Information - for ESLD - 066

Product code	Esld - 066	Esc - 064			
Quantity for 1 doors	1 Set	1 Set			

Cabinet Sliding Solution
Glass Sliding Fitting

ESLS - 068




ESLD - 068
Profile / Wooden Sliding Fitting
for Small Cabinet

- Features :
- Running & guide track screw-on.
 - For 1 Aluminium frame / wooden door.
 - Maximum glass weight : 15kgs/Panel.




Mounting example



Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / ICH - Internal Cabinet Height

EGSF - 068 - 1 Doors kit


ESLD - 068
Maximum glass weight : 15kgs/Panel.



ESC - 064

ESC - 064
Aluminium anodized single sliding track non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 3000 mm.



ESC - 068

ESC - 068
Aluminium anodized double sliding track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3000 mm.



Ordering Information - for ESLD - 068

Product code	Esld - 068	Esc - 064	Esc - 068		
Quantity for 1 doors	1 Set	1 Set	Optional		




Wardrobe Glass Sliding Fitting



Wardrobe Sliding Fitting

Glass Sliding Fitting

ESLD - 059





ESLD - 059 Alu Profile Sliding Fitting for Wardrobe Frame Door

Features :



- Overlay sliding door system.
- With bottom guide.
- With running gear for concealed fixing.
- For 2 or 3 Aluminium frame doors.
- Material : Plastic roller with steel ball bearing.
- Maximum glass weight : 50 kgs/Panel.



Mounting example




Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / ICH - Internal Cabinet Height




ESLD - 059 - 2 Doors kit

ESLD - 059
Maximum glass weight : 50kgs/Panel.



ESLD - 059 A - 3 Door kit


ESLD - 059 A
Maximum glass weight : 50 kgs/Panel.



ESC - 058


ESC - 058
Aluminium anodized single top track non-drilled

- Features :
- Finish : Aluminium Anodized.
 - Size : 3000 mm.




ESLD - 060 - 2 Door kit

ESLD - 060
Bottom door guide for base
with deep access for ESLD - 059




ESLD - 060 A - 3 Door kit

ESLD - 060 A
Bottom door guide for base
with deep access for ESLD - 059 A




ESLD - 061 - 2 Door kit

ESLD - 061
Bottom door guide for base
with narrow access for ESLD - 059




ESLD - 061 A - 3 Door kit

ESLD - 061 A
Bottom door guide for base
with narrow access for ESLD - 059 A




ESLD - 062 -2 Door kit

ESLD - 062
Bottom door guide for base
with narrow access for ESLD - 059



ESLD - 062 A -3 Door kit

ESLD - 062 A
Bottom door guide for base
with narrow access for ESLD - 059 A




Ordering Information - for ESLD - 059

Product code	Esld - 059	Esc - 058	Esld - 060 #	Esld - 061 #	Esld - 062 #
Quantity for 2 doors	1 Set	1 Pcs	1 Set	1 Set	1 Set
Product code	Esld - 059 A	Esc - 058	Esld - 060 A #	Esld - 061 A #	Esld - 062 A #
Quantity for 3 doors	1 Set	1 Pcs	1 Set	1 Set	1 Set

Wardrobe Sliding Fitting

ESLD - 057




ESLD - 057
Sliding Folding Fitting for Wardrobe door


- Features :
- Overlay sliding door system.
 - With bottom track.
 - With running gear for concealed fixing.
 - For 2 Aluminium frame doors.
 - Material : Nickel - plated steel with grey plastic.
 - Maximum glass weight : 20 kgs/Panel.






Milling diagram



Mounting example



Drilling pattern




Calculation of door width/door panels
Door width = inside cabinet width + (2 x overlay)
Door panel width = inside cabinet width - (1 x reveal) + (2 x overlay*) ÷ 2
* Overlay : max. 15 mm

Can be used with
EAPS - 001, 002, 003, 019, 069, 075, 078 &
080 Alu Frame Profile.




Glass cutting dimension = as per profile used

Assembly



ESLD - 057 - 2 Doors kit


ESLD - 057
Maximum glass weight : 20 kgs/Panel.

 1X	 5X	 5X	 4X
			

ESC - 056

ESC - 056
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium Anodized.
 - Size : 2000mm.



ESC - 057

ESC - 057
Aluminium anodized single bottom track non-drilled

- Features :
- Finish : Aluminium Anodized.
 - Size : 2000mm.



Ordering Information - for ESLD - 057


Product code	Esld - 057	Esc - 056	Esc - 057		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs		

Glass Sliding Fitting




Glass Sliding Solution

SGSF - 119




SGSF - 119
Swift Glass Sliding Fitting with Bottom Roller

- Features :
- Overlay sliding door system.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - For straight glass sliding door.
 - Trouble free operation.
 - Easy to assemble & dismantle the glass.
 - Maximum glass weight : 80kgs/Panel.




Mounting example




SGSF - 121

- SGSF - 121
Alumnium anodized top track with S.S. cover Fascia non-drilled
- Features :
- Finish : Aluminium anodized.
 - Size : 2000 mm.




SGSF - 122

- SGSF - 122
Top sliding fitting
- Features :
- Material : Stainless steel.
 - Finish : Satin stainless steel.




SGSF - 119

- SGSF - 119
Swift sliding fitting for bottom
- Features :
- Material : Stainless steel.
 - Finish : Satin stainless steel.




SGSF - 120

- SGSF - 120
Sliding bottom track
- Features :
- Material : Stainless steel.
 - Finish : Satin stainless steel.
 - Size : 2000 mm.




SGSF - 123 L/R

- SGSF - 123 L/R
Door stopper
- Features :
- Material : Aluminium.
 - Finish : Aluminium anodized.



SGSF - 124

- SGSF - 124
End bracket
- Features :
- Material : Stainless steel.
 - Finish : Satin stainless steel.




Ordering Information - for SGSF - 119

Product code	Sgsf - 119	Sgsf - 121	Sgsf - 122	Sgsf - 120	Sgsf - 123 R/L	Sgsf - 124
Quantity for 1 door	2 Pcs	1 Pcs	2 Pcs	1 Pcs	2 Pcs	Optional

Glass Sliding Solution
Glass Sliding Fitting


SGSF - 125



SGSF - 125
Glass Sliding Fitting

Features :


- Stainless Steel body.
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- For straight glass sliding door.
- Trouble free operation.
- Easy to assemble & dismantle the glass.
- Maximum glass weight : 100kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height

SGSF - 125


SGSF - 125
Maximum glass weight : 100kgs/Panel.



SGSF - 029

SGSF - 029
Aluminium anodized single top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.



SGSF - 031

SGSF - 031
Aluminium anodized top track with side light fixing track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 2400 / 3600mm.



SGSF - 023

SGSF - 023
Stopper
Features :


- Material : PVC.
- Finish : White.



SGSF - 030

SGSF - 030
Aluminium double top track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600 mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 024

SGSF - 024
End bracket
Features :


- Material : PVC.
- Finish : Black.



SGSF - 132

SGSF - 132
Aluminium anodized single top track with SS cover profile
Features :

- Material of cover profile : Stainless steel.
- Finish of cover profile : Satin stainless steel.
- Size : 3600mm.




Ordering Information - for SGSF - 125

Product code	Sgsf - 125	Sgsf - 029#	Sgsf - 030#	Sgsf - 031#	Sgsf - 007	Sgsf - 023	Sgsf - 024	Sgsf - 132#
Quantity for 1 door	2 Pcs	1 Pcs	1 Pcs	1 Pcs	1 Pcs	2 Pcs	Optional	1 Pcs

Req. any one, one pcs please check accordingly.

Glass Sliding Solution
Glass Sliding Fitting

SGSF - 061




SGSF - 061
Glass Sliding Fitting

Features :

- Stainless Steel body.
- For 10 mm to 12 mm Glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 100kgs/Panel.



Mounting example



Abbreviations : TH - Total Height

SGSF - 061


SGSF - 061
Maximum glass weight : 100kgs/Panel.



SGSF - 062

SGSF - 062
Aluminium anodized single top track with cover non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :


- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 023

SGSF - 023
Stopper
Features :


- Material : PVC.
- Finish : White.



SGSF - 063 - R/L

SGSF - 063 - R/L
End bracket
Features :



- Material : PVC.
- Finish : Black.



SGSF - 026

SGSF - 026
Clamp for fixing sliding track into glass
Features :

- Material : Stainless steel.
- Finish : Satin stainless steel.




Ordering Information - for SGSF - 061

Product code	Sgsf - 061	Sgsf - 062	Sgsf - 007	Sgsf - 023	Sgsf - 063 R/L	Sgsf - 026
Quantity for 1 door	2 Pcs	1 Pcs	1 Pcs	2 Pcs	2 Pcs	Optional

Glass Sliding Solution

Glass Sliding Fitting

SGSF - 064




SGSF - 064

Glass Sliding Fitting (Offset)


Features :

- Stainless Steel body.
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 100kgs/Panel.



Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height


SGSF - 064

SGSF - 064
Maximum glass
weight : 100kgs/Panel.



SGSF - 029

SGSF - 029
Aluminium anodized single top track
non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 2440 / 3600 mm.



SGSF - 023

SGSF - 023
Stopper
Features :
• Material : PVC.
• Finish : White.



SGSF - 024 B
Bracket for fixing sliding track
SGSF - 029 into wall

Features :

- Material : PVC.
- Finish : White.




SGSF - 132

SGSF - 132
Aluminium anodized single top track with SS cover profile

Features :

- Material of cover profile : Stainless steel.
- Finish of cover profile : Satin stainless steel.
- Size : 3600mm.



SGSF - 026

SGSF - 026
Clamp for fixing sliding track into glass

Features :

- Material : Stainless steel.
- Finish : Satin stainless steel.



Ordering Information - for SGSF - 064


Product code	Sgsf - 064	Sgsf - 029 [#]	Sgsf - 030 [#]	Sgsf - 132 [#]	Sgsf - 023 [#]
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	2 Pcs
Sgsf - 024	Sgsf - 024B	Sgsf - 007	Sgsf - 025	Sgsf - 026	
Optional	Optional	1 Pcs	Optional	Optional	

Reg. any one, one pcs please check accordingly.

Glass Sliding Solution

Glass Sliding Fitting

SGSF - 022 H




SGSF - 022H


Glass Sliding Fitting - Synchro

Features :

- Stainless Steel body.
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass synchronized door.
- Maximum glass weight : 80kgs/Panel.




Mounting example



Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening


Mounting example



SGSF - 022 H - 2 Synchronized Doors

SGSF - 022H - Synchro

Maximum glass weight : 90kgs/Panel.




SGSF - 029

SGSF - 029

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.




SGSF - 031

SGSF - 031

Aluminium anodized top track with side light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 023

SGSF - 023

End bracket

Features :

- Material : PVC.
- Finish : Black.




SGSF - 024

SGSF - 024

End bracket

Features :

- Material : PVC.
- Finish : White.




SGSF - 132

SGSF - 132

Aluminium anodized single top track with SS cover profile

Features :

- Material of cover profile : Stainless steel.
- Finish of cover profile : Satin stainless steel.
- Size : 3600mm.



Ordering Information - for SGSF - 022H


Product code	Sgsf - 022H	Sgsf - 029#	Sgsf - 031#	Sgsf - 132#	Sgsf - 007	Sgsf - 023	Sgsf - 024
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	1 Pcs	2 Pcs	2 Pcs	Optional

Req. any one, one pcs please check accordingly.

Glass Sliding Solution

Glass Sliding Fitting

SGSF - 048




SGSF - 048

Glass Sliding Fitting

Features :


- Stainless Steel body.
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 90kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height


SGSF - 048 - 1 Door kit

SGSF - 048
Maximum glass
weight : 90kgs/Panel.



SGSF - 030

SGSF - 030
Aluminium anodized double
top track non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 3600 mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :
• For 10 mm to 12 mm glass.
• Material : White metal (zinc alloy).
• Finish : Brushed nickel (BN).



SGSF - 024

SGSF - 024
End bracket
Features :
• Material : PVC.
• Finish : Black.




SGSF - 025

SGSF - 025
'L' clamp for fixing sliding track into wall
Features :
• Material : Stainless steel.
• Finish : Satin stainless steel.



SGSF - 132

SGSF - 132
Aluminium anodized single top track with SS cover profile
Features :
• Material of cover profile : Stainless steel.
• Finish of cover profile : Satin stainless steel.
• Size : 3600mm.




Ordering Information - for SGSF - 048

Product code	Sgsf - 048	Sgsf - 029 #	Sgsf - 030 #	Sgsf - 031 #	Sgsf - 132 #
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs
Sgsf - 023	Sgsf - 007	Sgsf - 024	Sgsf - 024 B	Sgsf - 025	Sgsf - 026
2 Pcs	1 Pcs	Optional	Optional	Optional	Optional

Req. any one, one pcs please check accordingly.


SGSF - 029

SGSF - 029
Aluminium anodized single top track
non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 2440 / 3600 mm.



SGSF - 031

SGSF - 031
Aluminium anodized top track with
side light fixing track non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 2440 / 3600 mm.



SGSF - 023

SGSF - 023
Stopper
Features :
• Material : PVC.
• Finish : White.




SGSF - 024 B

SGSF - 024 B
Bracket for fixing sliding track
SGSF - 029 into wall
Features :
• Material : PVC.
• Finish : White.



SGSF - 026



SGSF - 026
Clamp for fixing sliding track into glass
Features :
• Material : Stainless steel.
• Finish : Satin stainless steel.



Glass Sliding Solution

Glass Sliding Fitting


SGSF - 048 H




SGSF - 048H
Glass Sliding Fitting - Synchro

Features :

- Stainless Steel body.
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass synchronized door.
- Maximum glass weight : 90kgs/Panel.




Mounting example




Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example



SGSF - 048 H - 2 Synchronized Doors


SGSF - 048H - Synchro
Maximum glass weight : 90kgs/Panel.



SGSF - 029

SGSF - 029
Aluminium anodized single top track
non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440 / 3600 mm.



SGSF - 007 A

SGSF - 007 A
Floor guide


- Features :
- For 10 mm to 12 mm glass.
 - Material : White metal (zinc alloy).
 - Finish : Brushed nickel (BN).



SGSF - 024

SGSF - 024
End bracket


- Features :
- Material : PVC.
 - Finish : White.



SGSF - 132

SGSF - 132
Aluminium anodized single top track with SS cover profile

- Features :
- Material of cover profile : Stainless steel.
 - Finish of cover profile : Satin stainless steel.
 - Size : 3600mm.




Ordering Information - for SGSF - 048H

Product code	Sgsf - 048H	Sgsf - 029 [#]	Sgsf - 031 [#]	Sgsf - 132 [#]	Sgsf - 007	Sgsf - 023	Sgsf - 024
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	1 Pcs	2 Pcs	2 Pcs	Optional

Req. any one, one pcs please check accordingly.

Glass Sliding Solution
Glass Sliding Fitting


ELSD - 011G



ELSD - 011G
Glass Sliding Fitting

Features :


- Stainless Steel body.
- For 8 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 100kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Abbreviations : TH - Total Height

ESLD - 011G - 1 Door kit

ESLD - 011G - 1 Door

Maximum glass weight : 90kgs/Panel.




SGSF - 029

SGSF - 029

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.




SGSF - 031

SGSF - 031

Aluminium anodized top track with side light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.



SGSF - 023

SGSF - 023

Stopper

Features :

- Material : PVC.
- Finish : White.



SGSF - 025

SGSF - 025

'L' clamp for fixing sliding track into wall

Features :

- Material : Stainless steel.
- Finish : Satin stainless steel.




SGSF - 132

SGSF - 132

Aluminium anodized single top track with SS cover profile

Features :

- Material of cover profile : Stainless steel.
- Finish of cover profile : Satin stainless steel.
- Size : 3600mm.



Ordering Information - for ESLD - 011G

Product code	ESLD - 011G	Sgsf - 029 #	Sgsf - 030 #	Sgsf - 031 #	Sgsf - 132 #
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs
Sgsf - 023	Sgsf - 007	Sgsf - 024	Sgsf - 025	Sgsf - 026	
2 Pcs	1 Pcs	Optional	Optional	Optional	

Req. any one, one pcs please check accordingly.


SGSF - 030

SGSF - 030

Aluminium anodized double top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600 mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 024

SGSF - 024

End bracket

Features :

- Material : PVC.
- Finish : Black.




SGSF - 026

SGSF - 026

Clamp for fixing sliding track into glass

Features :


- Material : Stainless steel.
- Finish : Satin stainless steel.



Glass Sliding Solution

Glass Sliding Fitting

ELSD - 011G-H



ELSD - 011G-H


Glass Sliding Fitting - Synchro

Features :


- Stainless Steel body.
- For 8 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass synchronized door.
- Maximum glass weight : 100kgs/Panel.



10 to 12 mm




Mounting example



Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening


Mounting example



ELSD - 011G- H - 2 Synchronized Doors

ELSD - 011G-H - Synchro

Maximum glass weight : 90kgs/Panel.




SGSF - 029

SGSF - 029

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.




SGSF - 031

SGSF - 031

Aluminium anodized top track with side light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 023

SGSF - 023

End bracket

Features :

- Material : PVC.
- Finish : Black.




SGSF - 024

SGSF - 024

End bracket

Features :

- Material : PVC.
- Finish : White.




SGSF - 132

SGSF - 132

Aluminium anodized single top track with SS cover profile

Features :

- Material of cover profile : Stainless steel.
- Finish of cover profile : Satin stainless steel.
- Size : 3600mm.




Ordering Information - for ELSD - 011G-H

Product code	ELSD - 011G-H	Sgsf - 029#	Sgsf - 031#	Sgsf - 132#	Sgsf - 007	Sgsf - 023	Sgsf - 024
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	1 Pcs	2 Pcs	2 Pcs	Optional

Req. any one, one pcs please check accordingly.



Glass Sliding Solution
Glass Sliding Fitting

ELSD - 021G-H




ELSD - 021G-H
Glass Sliding Fitting - Synchro

- Features :
- Metal alloy body with S.S.cover
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass synchronized door.
 - Maximum glass weight : 90kgs/Panel.




Mounting example




Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example



ELSD - 021G- H - 2 Synchronized Doors


ELSD - 021G-H - Synchro
Maximum glass weight : 90kgs/Panel.



SGSF - 029

SGSF - 029
Aluminium anodized single top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.



SGSF - 031

SGSF - 031
Aluminium anodized top track with side light fixing track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 023

SGSF - 023
End bracket
Features :


- Material : PVC.
- Finish : Black.



SGSF - 024

SGSF - 024
End bracket
Features :


- Material : PVC.
- Finish : White.



SGSF - 132

SGSF - 132
Aluminium anodized single top track with SS cover profile
Features :

- Material of cover profile : Stainless steel.
- Finish of cover profile : Satin stainless steel.
- Size : 3600mm.



Ordering Information - for ELSD - 021G-H


Product code	ELSD - 021G-H	Sgsf - 029#	Sgsf - 031#	Sgsf - 132#	Sgsf - 007	Sgsf - 023	Sgsf - 024
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	1 Pcs	2 Pcs	2 Pcs	Optional

Req. any one, one pcs please check accordingly.

Glass Sliding Solution

Glass Sliding Fitting


ELSD - 010G




ELSD - 010G Glass Sliding Fitting

Features :

- Aluminium solid body.
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 75 kgs/Panel.




10 to 12 mm



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height


ESLD - 010G - 1 Door kit

ESLD - 010G - 1 Door
Maximum glass weight : 90kgs/Panel.




SGSF - 029

SGSF - 029
Aluminium anodized single top track non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 2440 / 3600 mm.



SGSF - 031

SGSF - 031
Aluminium anodized top track with side light fixing track non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 2440 / 3600 mm.



SGSF - 023

SGSF - 023
Stopper
Features :
• Material : PVC.
• Finish : White.




SGSF - 025

SGSF - 025
'L' clamp for fixing sliding track into wall
Features :
• Material : Stainless steel.
• Finish : Satin stainless steel.




SGSF - 132

SGSF - 132
Aluminium anodized single top track with SS cover profile
Features :
• Material of cover profile : Stainless steel.
• Finish of cover profile : Satin stainless steel.
• Size : 3600mm.



SGSF - 030

SGSF - 030
Aluminium anodized double top track non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 2440 / 3600 mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :
• For 10 mm to 12 mm glass.
• Material : White metal (zinc alloy).
• Finish : Brushed nickel (BN).




SGSF - 024

SGSF - 024
End bracket
Features :
• Material : PVC.
• Finish : Black.




SGSF - 026

SGSF - 026
Clamp for fixing sliding track into glass
Features :
• Material : Stainless steel.
• Finish : Satin stainless steel.



SGSF - 136

SGSF - 136
Fascia cover panel
Features :
• Material : Aluminium.
• Finish : Satin stainless steel/ Aluminium.
• Size : 3600 mm.




Ordering Information - for ESLD - 010G

Product code	ESLD - 010G	Sgsf - 029 #	Sgsf - 030 #	Sgsf - 031 #	Sgsf - 132 #
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs
Sgsf - 023	Sgsf - 007	Sgsf - 024	Sgsf - 025	Sgsf - 026	
2 Pcs	1 Pcs	Optional	Optional	Optional	

Req. any one, one pcs please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ELSD - 018G



ELSD - 018G
Glass Sliding Fitting


- Features :
- Metal alloy body.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 100kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height

ESLD - 018G - 1 Door kit


ESLD - 018G - 1 Door
Maximum glass weight : 90kgs/Panel.



SGSF - 029

SGSF - 029
Aluminium anodized single top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.



SGSF - 031

SGSF - 031
Aluminium anodized top track with side light fixing track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.



SGSF - 023

SGSF - 023
Stopper
Features :

- Material : PVC.
- Finish : White.



SGSF - 025

SGSF - 025
'L' clamp for fixing sliding track into wall
Features :


- Material : Stainless steel.
- Finish : Satin stainless steel.



SGSF - 132

SGSF - 132
Aluminium anodized single top track with SS cover profile
Features :

- Material of cover profile : Stainless steel.
- Finish of cover profile : Satin stainless steel.
- Size : 3600mm.



Ordering Information - for ESLD - 018G


Product code	ESLD - 018G	Sgsf - 029 #	Sgsf - 030 #	Sgsf - 031 #	Sgsf - 132 #
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs
Sgsf - 023	Sgsf - 007	Sgsf - 024	Sgsf - 025	Sgsf - 026	
2 Pcs	1 Pcs	Optional	Optional	Optional	

Req. any one, one pcs please check accordingly.

SGSF - 030

SGSF - 030
Aluminium anodized double top track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600 mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 024

SGSF - 024
End bracket
Features :


- Material : PVC.
- Finish : Black.



SGSF - 026

SGSF - 026
Clamp for fixing sliding track into glass
Features :


- Material : Stainless steel.
- Finish : Satin stainless steel.



Glass Sliding Solution

Glass Sliding Fitting


ELSD - 018G-H




ELSD - 018G-H Glass Sliding Fitting - Synchro

Features :

- Metal alloy body.
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass synchronized door.
- Maximum glass weight : 100kgs/Panel.




Mounting example




Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example




ELSD - 018G- H - 2 Synchronized Doors

ELSD - 018G-H - Synchro
Maximum glass weight : 90kgs/Panel.




SGSF - 029

SGSF - 029
Aluminium anodized single top track non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 2440 / 3600 mm.



SGSF - 031

SGSF - 031
Aluminium anodized top track with side light fixing track non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 2440 / 3600 mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :
• For 10 mm to 12 mm glass.
• Material : White metal (zinc alloy).
• Finish : Brushed nickel (BN).




SGSF - 023

SGSF - 023
End bracket
Features :
• Material : PVC.
• Finish : Black.




SGSF - 024

SGSF - 024
End bracket
Features :
• Material : PVC.
• Finish : White.



SGSF - 132

SGSF - 132
Aluminium anodized single top track with SS cover profile
Features :
• Material of cover profile : Stainless steel.
• Finish of cover profile : Satin stainless steel.
• Size : 3600mm.




Ordering Information - for ELSD - 018G-H

Product code	ELSD - 018G-H	Sgsf - 029#	Sgsf - 031#	Sgsf - 132#	Sgsf - 007	Sgsf - 023	Sgsf - 024
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	1 Pcs	2 Pcs	2 Pcs	Optional

Req. any one, one pcs please check accordingly.

Glass Sliding Solution
Glass Sliding Fitting


ELSD - 019G



ELSD - 019G
Glass Sliding Fitting

Features :


- Metal alloy body.
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 90kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Abbreviations : TH - Total Height

ESLD - 019G - 1 Door kit

ESLD - 019G - 1 Door

Maximum glass weight : 90kgs/Panel.




SGSF - 029

SGSF - 029

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.




SGSF - 031

SGSF - 031

Aluminium anodized top track with side light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.



SGSF - 023

SGSF - 023

Stopper

Features :

- Material : PVC.
- Finish : White.



SGSF - 025

SGSF - 025

'L' clamp for fixing sliding track into wall

Features :

- Material : Stainless steel.
- Finish : Satin stainless steel.




SGSF - 132

SGSF - 132

Aluminium anodized single top track with SS cover profile

Features :

- Material of cover profile : Stainless steel.
- Finish of cover profile : Satin stainless steel.
- Size : 3600mm.



Ordering Information - for ESLD - 019G

Product code	ESLD - 019G	Sgsf - 029 #	Sgsf - 030 #	Sgsf - 031 #	Sgsf - 132 #
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs
Sgsf - 023	Sgsf - 007	Sgsf - 024	Sgsf - 025	Sgsf - 026	
2 Pcs	1 Pcs	Optional	Optional	Optional	

Req. any one, one pcs please check accordingly.


SGSF - 030

SGSF - 030

Aluminium anodized double top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600 mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 024

SGSF - 024

End bracket

Features :

- Material : PVC.
- Finish : Black.




SGSF - 026

SGSF - 026

Clamp for fixing sliding track into glass

Features :


- Material : Stainless steel.
- Finish : Satin stainless steel.



Glass Sliding Solution

Glass Sliding Fitting



ELSD - 019G-H




ELSD - 019G-H Glass Sliding Fitting - Synchro

Features :

- Metal alloy body.
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass synchronized door.
- Maximum glass weight : 90kgs/Panel.




Mounting example




Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example




ELSD - 019G- H - 2 Synchronized Doors

ELSD - 019G-H - Synchro
Maximum glass weight : 90kgs/Panel.




SGSF - 029

SGSF - 029
Aluminium anodized single top track non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 2440 / 3600 mm.



SGSF - 031

SGSF - 031
Aluminium anodized top track with side light fixing track non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 2440 / 3600 mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :
• For 10 mm to 12 mm glass.
• Material : White metal (zinc alloy).
• Finish : Brushed nickel (BN).




SGSF - 023

SGSF - 023
End bracket
Features :
• Material : PVC.
• Finish : Black.




SGSF - 024

SGSF - 024
End bracket
Features :
• Material : PVC.
• Finish : White.



SGSF - 132

SGSF - 132
Aluminium anodized single top track with SS cover profile
Features :
• Material of cover profile : Stainless steel.
• Finish of cover profile : Satin stainless steel.
• Size : 3600mm.




Ordering Information - for ELSD - 019G-H

Product code	ELSD - 019G-H	Sgsf - 029#	Sgsf - 031#	Sgsf - 132#	Sgsf - 007	Sgsf - 023	Sgsf - 024
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	1 Pcs	2 Pcs	2 Pcs	Optional

Req. any one, one pcs please check accordingly.

Glass Sliding Solution
Glass Sliding Fitting


ELSD - 020G



ELSD - 020G
Glass Sliding Fitting

Features :


- Metal alloy body.
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 90kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height

ESLD - 020G - 1 Door kit


ESLD - 020G - 1 Door
Maximum glass weight : 90kgs/Panel.



SGSF - 029

SGSF - 029
Aluminium anodized single top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.



SGSF - 031

SGSF - 031
Aluminium anodized top track with side light fixing track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600 mm.



SGSF - 023

SGSF - 023
Stopper
Features :

- Material : PVC.
- Finish : White.



SGSF - 025

SGSF - 025
'L' clamp for fixing sliding track into wall
Features :


- Material : Stainless steel.
- Finish : Satin stainless steel.



SGSF - 132

SGSF - 132
Aluminium anodized single top track with SS cover profile
Features :

- Material of cover profile : Stainless steel.
- Finish of cover profile : Satin stainless steel.
- Size : 3600mm.



Ordering Information - for ESLD - 020G


Product code	ESLD - 020G	Sgsf - 029 #	Sgsf - 030 #	Sgsf - 031 #	Sgsf - 132 #
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs
Sgsf - 023	Sgsf - 007	Sgsf - 024	Sgsf - 025	Sgsf - 026	
2 Pcs	1 Pcs	Optional	Optional	Optional	

Req. any one, one pcs please check accordingly.

SGSF - 030

SGSF - 030
Aluminium anodized double top track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600 mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 024

SGSF - 024
End bracket
Features :


- Material : PVC.
- Finish : Black.



SGSF - 026



SGSF - 026
Clamp for fixing sliding track into glass
Features :

- Material : Stainless steel.
- Finish : Satin stainless steel.



Glass Sliding Solution


Glass Sliding Fitting

ESLD - 049 H**ESLD - 049H**



Glass Sliding Fitting - Synchro

Features :

- Stainless steel body.
- For 10 mm to 12 mm glass.
- Polycarbon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass synchronized door.
- Maximum glass weight : 90kgs/Panel.




Mounting example



Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening


Mounting example



ESLD - 049 H - 2 Synchronized Doors

ESLD - 049-H - Synchro

Maximum glass weight : 90kgs/Panel




ESC - 037

ESC - 037

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.




ESC - 037 A

ESC - 037 A

Aluminium anodized top track with side
light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 049-H

Product code	Esld - 049-H	Esc - 037 [#]	Esc - 037 A [#]	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		

Req. any one, one pcs please check accordingly.

Glass Sliding Solution
Glass Sliding Fitting


ESLD - 050



ESLD - 050
Glass Sliding Fitting

Features :


- Stainless steel body.
- For 10 mm to 12 mm glass.
- Polycarbon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 90kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height

ESLD - 050


ESLD - 050
Maximum glass weight : 90kgs/Panel



ESC - 037

ESC - 037
Aluminium anodized single top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.



ESC - 037 B

ESC - 037 B
Aluminium anodized double top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 3600mm.



ESC - 037 A

ESC - 037 A
Aluminium anodized top track with side light fixing track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :


- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 135

SGSF - 135
'L' clamp for fixing sliding track into wall
Features :

- Material : Stainless steel.
- Finish : Satin stainless steel.




Ordering Information - for ESLD - 050

Product code	Esld - 050	Esc - 037 #	Esc - 037 B #	Esc - 037 A #	Sgsf - 007	Sgsf - 135
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	optional

Req. any one, one pcs please check accordingly.

Glass Sliding Solution
Glass Sliding Fitting


ESLD - 050H





ESLD - 050H
Glass Sliding Fitting - Synchro

Features :

- Stainless steel body.
- For 10 mm to 12 mm glass.
- Polycarbon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass synchronized door.
- Maximum glass weight : 90kgs/Panel.




Mounting example




Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example



ESLD - 050 H - 2 Synchronized Doors

ESLD - 050-H - Synchro
Maximum glass weight : 90kgs/Panel




ESC - 037

ESC - 037
Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.




ESC - 037 A

ESC - 037 A
Aluminium anodized top track with side light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 050-H

Product code	Esld - 050-H	Esc - 037 #	Esc - 037 A #	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		

Req. any one, one pcs please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 011 E-H




ESLD - 011E-H
Glass Sliding Fitting - Synchro

- Features :
- Stainless steel body.
 - For 8 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass synchronized door.
 - Maximum glass weight : 100kgs/Panel.




Mounting example




Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example



ESLD - 011E-H - 2 Synchronized Doors


ESLD - 011-H - Synchro
Maximum glass weight : 90kgs/Panel

 4X	 4X	 2X	 2X
 1X	 1X	 1X	 1X

ESC - 037

ESC - 037
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



ESC - 037 A

ESC - 037 A
Aluminium anodized top track with side light fixing track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440 / 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).





Ordering Information - for ESLD - 011E-H

Product code	Esld - 011E-H	Esc - 037 #	Esc - 037 A #	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		

Req. any one, one pcs please check accordingly.

Glass Sliding Solution


Glass Sliding Fitting

ESLD - 021 E-H


ESLD - 021E-H
Glass Sliding Fitting - Synchro

Features :

- Metal alloy body with SS cover.
- For 10 mm to 12 mm glass.
- Polycarbon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass synchronized door.
- Maximum glass weight : 90kgs/Panel.




Mounting example




Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example



ESLD - 021 H - 2 Synchronized Doors

ESLD - 021-H - Synchro
Maximum glass weight : 90kgs/Panel




ESC - 037

ESC - 037

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.




ESC - 037 A

ESC - 037 A

Aluminium anodized top track with side
light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 021E-H

Product code	Esld - 021E-H	Esc - 037 [#]	Esc - 037 A [#]	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		

Req. any one, one pcs please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 010E



ESLD - 010E
Glass Sliding Fitting


- Features :
- Aluminium solid body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 100kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Note : if provide without glass cutout then track to glass distance, please check the above detail

Abbreviations : TH - Total Height

ESLD - 010E - 1 Door kit


ESLD - 010E
Maximum glass weight : 90kgs/Panel



ESC - 037

ESC - 037
Aluminium anodized single top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.



ESC - 037 B

ESC - 037 B
Aluminium anodized double top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.



ESC - 037 A

ESC - 037 A
Aluminium anodized top track with side light fixing track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :


- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 135

SGSF - 135
'L' clamp for fixing sliding track into wall
Features :


- Material : Stainless steel.
- Finish : Satin stainless steel.



SGSF - 136

SGSF - 136
Fascia cover panel
Features :

- Finish : Aluminium anodized / Satin stainless steel.
- Size : 3600mm.




Ordering Information - forESLD - 010E

Product code	Esld - 010E	Esc - 037#	Esc - 037 B#	Esc - 037 A#	Sgsf - 007	Sgsf - 136	Sgsf - 135
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	Optional	Optional

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution

ESLD - 010 E-H





ESLD - 010E-H
Glass Sliding Fitting - Synchro

- Features :
- Aluminium solid body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass synchronized door.
 - Maximum glass weight : 100kgs/Panel.




Mounting example



Note : if provide without glass cutout then track to glass distance, please check the above detail


Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example



ESLD - 010E-H - 2 Synchronized Doors


ESLD - 010E-H - Synchro
Maximum glass weight : 90kgs/Panel



ESC - 037

ESC - 037
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



ESC - 037 A

ESC - 037 A
Aluminium anodized top track with side light fixing track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440 / 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




SGSF - 136

SGSF - 136
Fascia cover panel

Features :

- Finish : Aluminium anodized / Satin stainless steel.
- Size : 3600mm.




Ordering Information - for ESLD - 010E-H

Product code	Esld - 010E-H	Esc - 037 #	Esc - 037 A #	Sgsf - 007	Sgsf - 136	
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs	Optional	

Req. any one, one pcs please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 018E-H




ESLD - 018E-H
Glass Sliding Fitting - Synchro

- Features :
- Metal alloy body with SS cover.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass synchronized door.
 - Maximum glass weight : 90kgs/Panel.




Mounting example




Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example



ESLD - 018E-H - 2 Synchronized Doors


ESLD - 018E-H - Synchro
Maximum glass weight : 90kgs/Panel



ESC - 037

ESC - 037
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



ESC - 037 A

ESC - 037 A
Aluminium anodized top track with side light fixing track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440 / 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 018E-H

Product code	Esld - 018E-H	Esc - 037 #	Esc - 037 A #	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		

Req. any one, one pcs please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 019E-H




ESLD - 019E-H
Glass Sliding Fitting - Synchro

- Features :
- Metal alloy body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass synchronized door.
 - Maximum glass weight : 90kgs/Panel.




Mounting example




Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example



ESLD - 019E-H - 2 Synchronized Doors


ESLD - 019E-H - Synchro
Maximum glass weight : 90kgs/Panel



ESC - 037

ESC - 037
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



ESC - 037 A

ESC - 037 A
Aluminium anodized top track with side light fixing track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440 / 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Material : White metal (zinc alloy).
 - Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 019E-H

Product code	Esld - 019E-H	Esc - 037 #	Esc - 037 A #	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		

Req. any one, one pcs please check accordingly.



Glass Sliding Solution
Glass Sliding Fitting

ESLD - 020E-H




ESLD - 020E-H
Glass Sliding Fitting - Synchro

- Features :
- Metal alloy body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass synchronized door.
 - Maximum glass weight : 90kgs/Panel.




Mounting example




Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example



ESLD - 020E-H - 2 Synchronized Doors


ESLD - 020E-H - Synchro
Maximum glass weight : 90kgs/Panel



ESC - 037

ESC - 037
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



ESC - 037 A

ESC - 037 A
Aluminium anodized top track with side light fixing track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440 / 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Material : White metal (zinc alloy).
 - Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 020E-H

Product code	Esld - 020E-H	Esc - 037 #	Esc - 037 A #	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		

Req. any one, one pcs please check accordingly.

Glass Sliding Solution
Glass Sliding Fitting


ESLD - 051



ESLD - 051
Glass Sliding Fitting

Features :


- Stainless steel body.
- For 10 mm to 12 mm glass.
- Polycarbon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 100 kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Abbreviations : TH - Total Height

ESLD - 051 - 1 Door kit

ESLD - 051

Maximum glass weight : 100kgs/Panel




ESC - 038

ESC - 038

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.




ESC - 038 B

ESC - 038 B

Aluminium anodized double top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.




ESC - 038 A

ESC - 038 A

Aluminium anodized top track with side light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




SGSF - 135

SGSF - 135

'L' clamp for fixing sliding track into wall

Features :

- Material : Stainless steel.
- Finish : Satin stainless steel.



Ordering Information - for ESLD - 051



Product code	Esld - 051	Esc - 038 #	Esc - 038 B #	Esc - 038 A #	Sgsf - 007	Sgsf - 135
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	optional

Req. any one, one pcs, please check accordingly.

Glass Sliding Solution

Glass Sliding Fitting

ESLD - 051 H




ESLD - 051H


Glass Sliding Fitting - Synchro

Features :

- Stainless steel body.
- For 10 mm to 12 mm glass.
- Polycarbon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass synchronized door.
- Maximum glass weight : 100 kgs/Panel.




Mounting example



Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening


Mounting example



ESLD - 051 H - 2 Synchronized Doors

ESLD - 051-H - Synchro

Maximum glass weight : 90kgs/Panel




ESC - 038

ESC - 038

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.




ESC - 038 A

ESC - 038 A

Aluminium anodized top track with side
light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 051-H

Product code	Esld - 051-H	Esc - 038 [#]	Esc - 038 A [#]	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		

Req. any one, one pcs please check accordingly.



Glass Sliding Solution

ESLD - 051 SD / DD Soft




ESLD - 051 SD / DD Soft Glass Sliding Fitting

- Features :
- Stainless Steel body.
 - For 10 mm to 12 mm glass
 - Polycarbon wheels with integrated bearings
 - Easy to assemble & dismantle the glass.
 - Installation heaight 53mm..
 - Trouble free operation.
 - For straught glass sliding door.
 - Maximum glass weight : 70kgs/Panel.




Calculation of Glass weight	
Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



ESLD - 051 SD One Side Softclose




ESLD - 051 DD Two Side Softclose




ESLD - 051 A SD

ESLD - 051 A SD
Maximum glass weight : 70kgs/Panel



ESLD - 051 A DD

ESLD - 051 A DD
Maximum glass weight : 70kgs/Panel




ESC - 038 S

ESC - 038 S
Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.




ESC - 038 A-S

ESC - 038 A-S
Aluminium anodized top track with side light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide


Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Glass Sliding Solution

ESLD - 052 H




ESLD - 052H
Glass Sliding Fitting - Synchro

- Features :
- Stainless steel body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass synchronized door.
 - Maximum glass weight : 100 kgs/Panel.




Mounting example






Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example



ESLD - 052 H - 2 Synchronized Doors


ESLD - 052-H - Synchro
Maximum glass weight : 90kgs/Panel

 4X	 4X	 2X	 2X
 1X	 1X	 1X	 1X

ESC - 038

ESC - 038
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



ESC - 038 A

ESC - 038 A
Aluminium anodized top track with side light fixing track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 052-H

Product code	Esld - 052-H	Esc - 038 #	Esc - 038 A #	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		

Req. any one, one pcs please check accordingly.



Glass Sliding Solution
Glass Sliding Fitting

ESLD - 052 SD / DD Soft






ESLD - 052 SD / DD Soft
Glass Sliding Fitting

- Features :
- Stainless Steel body.
 - For 10 mm to 12 mm glass
 - Polycarbon wheels with integrated bearings
 - Easy to assemble & dismantle the glass.
 - Installation heaight 53mm..
 - Trouble free operation.
 - For straught glass sliding door.
 - Maximum glass weight : 70kgs/Panel.




Calculation of Glass weight	
Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




ESLD - 052 A SD

ESLD - 052 A SD
Maximum glass weight : 70kgs/Panel



ESLD - 051 A DD

ESLD - 051 A DD
Maximum glass weight : 70kgs/Panel




ESC - 038 S

ESC - 038 S
Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.




ESC - 038 A-S

ESC - 038 A-S
Aluminium anodized top track with side light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

Features :


- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



Glass Sliding Solution

Glass Sliding Fitting

ESLD - 011 F




ESLD - 011 F


Glass Sliding Fitting

Features :

- Stainless steel body.
- For 8 mm to 12 mm glass.
- Polycarbon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 120 kgs/Panel.



Mounting example




Abbreviations : TH - Total Height

ESLD - 011F- 1 Door kit

ESLD - 011F

Maximum glass weight : 100kgs/Panel




ESC - 038

ESC - 038

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.




ESC - 038 B

ESC - 038 B

Aluminium anodized double top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.




ESC - 038 A

ESC - 038 A

Aluminium anodized top track with side light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




SGSF - 135

SGSF - 135

'L' clamp for fixing sliding track into wall

Features :

- Material : Stainless steel.
- Finish : Satin stainless steel.




Ordering Information - for ESLD - 011F

Product code	Esld - 011F	Esc - 038 #	Esc - 038 B #	Esc - 038 A #	Sgsf - 007	Sgsf - 135
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	optional

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 011F-H




ESLD - 011F-H
Glass Sliding Fitting - Synchro

- Features :
- Stainless steel body.
 - For 8 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass synchronized door.
 - Maximum glass weight : 120 kgs/Panel.




Mounting example




Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example



ESLD - 011F-H - 2 Synchronized Doors


ESLD - 011F-H - Synchro
Maximum glass weight : 90kgs/Panel



ESC - 038

ESC - 038
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



ESC - 038 A

ESC - 038 A
Aluminium anodized top track with side light fixing track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Material : White metal (zinc alloy).
 - Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 011F-H

Product code	Esld - 011F-H	Esc - 038 #	Esc - 038 A #	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		



Req. any one, one pcs please check accordingly.

Glass Sliding Solution
Glass Sliding Fitting

ESLD - 011 F SD / DD Soft






- ESLD - 011 F SD / DD Soft
Glass Sliding Fitting**
- Features :**
- Stainless Steel body.
 - For 8 mm to 12 mm glass
 - Installation height 55 mm.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 1 Glass door.
 - Maximum door weight : 70kgs/Panel.




Calculation of Glass weight	
Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




ESLD - 011 F SD

ESLD - 011 F SD
Maximum glass weight : 70kgs/Panel



ESLD - 011 F DD

ESLD - 011 F DD
Maximum glass weight : 70kgs/Panel




ESC - 038 S

ESC - 038 S
Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.




ESC - 038 A-S

ESC - 038 A-S
Aluminium anodized top track with side light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide


Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



Glass Sliding Solution
Glass Sliding Fitting


ESLD - 021F




ESLD - 021 F
Glass Sliding Fitting

Features :

- Zinc Alloy body.
- For 10 mm to 12 mm glass.
- Polycarbon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 100 kgs/Panel.




Mounting example



Abbreviations : TH - Total Height

ESLD - 021F- 1 Door kit


ESLD - 021F
Maximum glass weight : 100kgs/Panel



ESC - 038

ESC - 038
Aluminium anodized single top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.



ESC - 038 B

ESC - 038 B
Aluminium anodized double top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 3600mm.



ESC - 038 A

ESC - 038 A
Aluminium anodized top track with side light fixing track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :


- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 135

SGSF - 135
'L' clamp for fixing sliding track into wall
Features :

- Material : Stainless steel.
- Finish : Satin stainless steel.





Ordering Information - for ESLD - 021F

Product code	Esld - 021F	Esc - 038 #	Esc - 038 B #	Esc - 038 A #	Sgsf - 007	Sgsf - 135
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	optional

Req. any one, one pcs, please check accordingly.

Glass Sliding Solution


Glass Sliding Fitting

ESLD - 021F-H



ESLD - 021F-H
Glass Sliding Fitting - Synchro

Features :

- Metal Alloy body with SS cover body.
- For 10 mm to 12 mm glass.
- Polycarbon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass synchronized door.
- Maximum glass weight : 120 kgs/Panel.




Mounting example



Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening


Mounting example



ESLD - 021F-H - 2 Synchronized Doors

ESLD - 021F-H - Synchro

Maximum glass weight : 90kgs/Panel




ESC - 038

ESC - 038

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.




ESC - 038 A

ESC - 038 A

Aluminium anodized top track with side
light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 021F-H

Product code	Esld - 021F-H	Esc - 038 [#]	Esc - 038 ^{A#}	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		

Req. any one, one pcs please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 010 F



ESLD - 010 F
Glass Sliding Fitting


- Features :
- Aluminium solid body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 75kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Note : if provide without glass cutout then track to glass distance, please check the above detail

Abbreviations : TH - Total Height

ESLD - 010F - 1 Door kit


ESLD - 010F
Maximum glass weight : 90kgs/Panel



ESC - 038

ESC - 038
Aluminium anodized single top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 3600mm.



ESC - 038 B

ESC - 037 B
Aluminium anodized double top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 3600mm.



ESC - 038 A

ESC - 037 A
Aluminium anodized top track with side light fixing track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :


- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 135

SGSF - 135
'L' clamp for fixing sliding track into wall
Features :


- Material : Stainless steel.
- Finish : Satin stainless steel.



SGSF - 136

SGSF - 136
Fascia cover panel
Features :

- Finish : Aluminium anodized / Satin stainless steel.
- Size : 3600mm.




Ordering Information - forESLD - 010F

Product code	Esld - 010F	Esc - 037#	Esc - 037 B#	Esc - 037 A#	Sgsf - 007	Sgsf - 136	Sgsf - 135
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	Optional	Optional

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 018F




ESLD - 018 F
Glass Sliding Fitting

- Features :
- Metal alloy body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 100 kgs/Panel.




Mounting example



Abbreviations : TH - Total Height

ESLD - 018F- 1 Door kit


ESLD - 018F
Maximum glass weight : 120kgs/Panel



ESC - 038

ESC - 038
Aluminium anodized single top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.



ESC - 038 B

ESC - 038 B
Aluminium anodized double top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 3600mm.



ESC - 038 A

ESC - 038 A
Aluminium anodized top track with side light fixing track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :


- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 135

SGSF - 135
'L' clamp for fixing sliding track into wall
Features :

- Material : Stainless steel.
- Finish : Satin stainless steel.





Ordering Information - for ESLD - 018F

Product code	Esld - 018F	Esc - 038 [#]	Esc - 038 B [#]	Esc - 038 A [#]	Sgsf - 007	Sgsf - 135
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	optional

[#] Req. any one, one pcs, please check accordingly.

Glass Sliding Solution

Glass Sliding Fitting


ESLD - 018F-H

ESLD - 018F-H



Glass Sliding Fitting - Synchro

Features :

- Metal alloy body.
- For 10 mm to 12 mm glass.
- Polycarbon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass synchronized door.
- Maximum glass weight : 100 kgs/Panel.




Mounting example



Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening


Mounting example



ESLD - 018F-H - 2 Synchronized Doors

ESLD - 018F-H - Synchro

Maximum glass weight : 90kgs/Panel




ESC - 038

ESC - 038

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.




ESC - 038 A

ESC - 038 A

Aluminium anodized top track with side
light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 018F-H

Product code	Esld - 018F-H	Esc - 038 [#]	Esc - 038 A [#]	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		

Req. any one, one pcs please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 019F



ESLD - 019 F
Glass Sliding Fitting


- Features :
- Metal alloy body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 100 kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height

ESLD - 019F- 1 Door kit


ESLD - 019F
Maximum glass weight : 120kgs/Panel



ESC - 038

ESC - 038
Aluminium anodized single top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.



ESC - 038 B

ESC - 038 B
Aluminium anodized double top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 3600mm.



ESC - 038 A

ESC - 038 A
Aluminium anodized top track with side light fixing track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :


- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 135

SGSF - 135
'L' clamp for fixing sliding track into wall
Features :

- Material : Stainless steel.
- Finish : Satin stainless steel.




Ordering Information - for ESLD - 019F

Product code	Esld - 019F	Esc - 038 #	Esc - 038 B #	Esc - 038 A #	Sgsf - 007	Sgsf - 135
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	optional

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution

ESLD - 019F-H




ESLD - 019F-H Glass Sliding Fitting - Synchro

- Features :
- Metal alloy body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass synchronized door.
 - Maximum glass weight : 100 kgs/Panel.




Mounting example




Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example



ESLD - 019F-H - 2 Synchronized Doors


ESLD - 019F-H - Synchro
Maximum glass weight : 90kgs/Panel



ESC - 038

ESC - 038
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



ESC - 038 A

ESC - 038 A
Aluminium anodized top track with side light fixing track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Material : White metal (zinc alloy).
 - Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 019F-H

Product code	Esld - 019F-H	Esc - 038 #	Esc - 038 A #	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		

Req. any one, one pcs please check accordingly.

Glass Sliding Solution
Glass Sliding Fitting


ESLD - 020F



ESLD - 020 F
Glass Sliding Fitting

Features :


- Metal alloy body.
- For 10 mm to 12 mm glass.
- Polycarbon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 100 kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height

ESLD - 020F- 1 Door kit


ESLD - 020F
Maximum glass weight : 120kgs/Panel



ESC - 038

ESC - 038
Aluminium anodized single top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.



ESC - 038 B

ESC - 038 B
Aluminium anodized double top track non-drilled
Features :


- Finish : Aluminium anodized.
- Size : 3600mm.



ESC - 038 A

ESC - 038 A
Aluminium anodized top track with side light fixing track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :


- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 135

SGSF - 135
'L' clamp for fixing sliding track into wall
Features :

- Material : Stainless steel.
- Finish : Satin stainless steel.




Ordering Information - for ESLD - 020F

Product code	Esld - 020F	Esc - 038#	Esc - 038 B#	Esc - 038 A#	Sgsf - 007	Sgsf - 135
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	optional

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution

ESLD - 020F-H




ESLD - 020F-H
Glass Sliding Fitting - Synchro

- Features :
- Metal alloy body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass synchronized door.
 - Maximum glass weight : 100 kgs/Panel.




Mounting example




Abbreviations : TH - Total Height / DW - Door Width / FO - Frame Opening

Mounting example



ESLD - 020F-H - 2 Synchronized Doors


ESLD - 020F-H - Synchro
Maximum glass weight : 90kgs/Panel



ESC - 038

ESC - 038
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



ESC - 038 A

ESC - 038 A
Aluminium anodized top track with side light fixing track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Material : White metal (zinc alloy).
 - Finish : Brushed nickel (BN).



Ordering Information - for ESLD - 020F-H


Product code	Esld - 020F-H	Esc - 038 #	Esc - 038 A #	Sgsf - 007		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	2 Pcs		

Req. any one, one pcs please check accordingly.

Glass Sliding Solution

Glass Sliding Fitting

SGSF - 022A




SGSF - 022A

Glass Sliding Fitting

Features :


- Stainless steel body.
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 80 kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Abbreviations : TH - Total Height

SGSF - 022A- 1 Door kit

SGSF - 022A

Maximum glass weight : 80kgs/Panel



ESC - 007

ESC - 007 (08)


ESC - 007 (12)

ESC - 007 (16)

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Material : White metal (zinc alloy).
 - Finish : Brushed nickel (BN).




Ordering Information - for SGSF- 022A

Product code	SGSF - 022A	Esc - 007	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.



Glass Sliding Solution
Glass Sliding Fitting

ESLD - 022 SD / DD Soft




ESLD - 022 SD / DD Soft
Glass Sliding Fitting

- Features :
- Stainless Steel body.
 - For 10 mm to 12 mm glass
 - Installation height 43 mm.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 1 Glass door.
 - Maximum door weight : 70kgs/Panel.




Calculation of Glass weight	
Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



SGSF - 022 A SD
One Side Softclose




SGSF - 022 A DD
Two Side Softclose




SGSF - 022 A SD

SGSF - 022 A SD
Maximum glass weight : 70kgs/Panel



SGSF - 022 A DD

SGSF - 022 A DD
Maximum glass weight : 70kgs/Panel




ESC - 007 S

ESC - 007 S
Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.




ESC - 007 A-S

ESC - 007 A-S
Aluminium anodized top track with side light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

Features :


- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



Glass Sliding Solution

Glass Sliding Fitting

SGSF - 048A




SGSF - 048A

Glass Sliding Fitting

Features :


- Stainless steel body.
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 80 kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Abbreviations : TH - Total Height

SGSF - 048A- 1 Door kit

SGSF - 048A

Maximum glass weight : 80kgs/Panel



ESC - 007

ESC - 007 (08)


ESC - 007 (12)

ESC - 007 (16)

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



Glass Sliding Fitting


Ordering Information - for SGSF- 048A

Product code	SGSF - 048A	Esc - 007	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.



Glass Sliding Solution
Glass Sliding Fitting

ESLD - 048 SD / DD Soft




ESLD - 048 SD / DD Soft
Glass Sliding Fitting

- Features :
- Stainless Steel body.
 - For 10 mm to 12 mm glass
 - Installation height 43 mm.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 1 Glass door.
 - Maximum door weight : 70kgs/Panel.




Calculation of Glass weight	
Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



SGSF - 048 A SD
One Side Softclose




SGSF - 048 A DD
Two Side Softclose




SGSF - 048 A SD

SGSF - 048 A SD
Maximum glass weight : 70kgs/Panel



SGSF - 048 A DD

SGSF - 048 A DD
Maximum glass weight : 70kgs/Panel




ESC - 007 S

ESC - 007 S
Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.




ESC - 007 A-S

ESC - 007 A-S
Aluminium anodized top track with side light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide


Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



Glass Sliding Solution

Glass Sliding Fitting


ESLD - 011A

ESLD - 011A

Glass Sliding Fitting


Features :

- Stainless steel body.
- For 8 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 80 kgs/Panel.



Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Abbreviations : TH - Total Height

ESLD - 011A- 1 Door kit

ESLD - 011A

Maximum glass weight : 80kgs/Panel



ESC - 007

ESC - 007 (08)


ESC - 007 (12)

ESC - 007 (16)

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



Glass Sliding Fitting


Ordering Information - for ESLD- 011A

Product code	ESLD - 011A	Esc - 007	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.



Glass Sliding Solution
Glass Sliding Fitting

ESLD - 011 SD / DD Soft




ESLD - 011 SD / DD Soft
Glass Sliding Fitting

- Features :
- Stainless Steel body.
 - For 10 mm to 12 mm glass
 - Installation height 45 mm.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 1 Glass door.
 - Maximum door weight : 70kgs/Panel.




Calculation of Glass weight	
Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



ESLD - 011 A SD
One Side Softclose




ESLD - 011 A DD
Two Side Softclose




ESLD - 011 A SD

ESLD - 011 A SD
Maximum glass weight : 70kgs/Panel



ESLD - 011 A DD

ESLD - 011 A DD
Maximum glass weight : 70kgs/Panel




ESC - 007 S

ESC - 007 S
Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.




ESC - 007 A-S

ESC - 007 A-S
Aluminium anodized top track with side light fixing track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

Features :


- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



Glass Sliding Solution

Glass Sliding Fitting

ESLD - 021A




ESLD - 021A


Glass Sliding Fitting

Features :

- Stainless steel body.
- For 8 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 80 kgs/Panel.



Mounting example




Abbreviations : TH - Total Height

ESLD - 021A- 1 Door kit

ESLD - 021A

Maximum glass weight : 80kgs/Panel



ESC - 007

ESC - 007 (08)


ESC - 007 (12)

ESC - 007 (16)

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 021A

Product code	ESLD - 021A	Esc - 007	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 010A



ESLD - 010A
Glass Sliding Fitting


- Features :
- Stainless steel body.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 75 kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Note : if provide without glass cutout then track to glass distance, please check the above detail

Abbreviations : TH - Total Height

ESLD - 010A- 1 Door kit


ESLD - 010A
Maximum glass weight : 80kgs/Panel



ESC - 007

ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




SGSF - 136

SGSF - 136
Fascia cover panel

Features :

- Finish : Satin stainless steel / Aluminium anodized.
- Size : 3600mm.




Ordering Information - for ESLD - 010A

Product code	ESLD - 010A	Esc - 007	Sgsf - 007	Sgsf - 136		
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	Optioanal		



Glass Sliding Solution

ESLD - 010A-H





ESLD - 010A-H
Glass Sliding Fitting - Synchro

- Features :
- Aluminium solid body
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass synchronized door.
 - Maximum glass weight : 75kgs/Panel.




Mounting example



Note : if provide without glass cutout then track to glass distance, please check the above detail




Abbreviations : TH - Total Height

Mounting example



ESLD - 010A-H - 2 Synchronized Doors

ESLD - 010-A-H - Synchro
Maximum glass weight : 80kgs/Panel


 4X	 4X	 2X	 2X
 1X	 1X	 1X	 1X

ESC - 007

ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)

Aluminium anodized single top track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide


- Features :
- For 10 mm to 12 mm glass.
 - Material : White metal (zinc alloy).
 - Finish : Brushed nickel (BN).



SGSF - 136

SGSF - 136
Fascia cover panel

- Features :
- Finish : Satin stainless steel / Aluminium anodized.
 - Size : 3600mm.




Ordering Information - for ESLD - 010A-H

Product code	ESLD - 010A-H	Esc - 007	Sgsf - 007	Sgsf - 136		
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	Optioanal		


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 018A




ESLD - 018A
Glass Sliding Fitting

- Features :
- Metal alloy body.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 80kgs/Panel.




Mounting example



Abbreviations : TH - Total Height

ESLD - 018A- 1 Door kit


ESLD - 018A
Maximum glass weight : 80kgs/Panel



ESC - 007

ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 018A

Product code	ESLD - 018A	Esc - 007	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 019A



ESLD - 019A
Glass Sliding Fitting


- Features :
- Metal alloy body.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 80kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height

ESLD - 019A- 1 Door kit


ESLD - 019A
Maximum glass weight : 80kgs/Panel



ESC - 007

ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 019A

Product code	ESLD - 019A	Esc - 007	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution

ESLD - 020A




ESLD - 020A Glass Sliding Fitting

- Features :
- Metal alloy body.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 80kgs/Panel.




Mounting example



Abbreviations : TH - Total Height

ESLD - 020A- 1 Door kit


ESLD - 020A
Maximum glass weight : 80kgs/Panel



ESC - 007

ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 020A

Product code	ESLD - 020A	Esc - 007	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 011B




ESLD - 011B
Glass Sliding Fitting

- Features :
- Stainless steel body.
 - For 8 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 100kgs/Panel.




Mounting example



Abbreviations : TH - Total Height

ESLD - 011B- 1 Door kit


ESLD - 011B
Maximum glass weight : 80kgs/Panel



ESC - 007

ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 011B

Product code	ESLD - 011B	Esc - 007	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 021B




ESLD - 021B
Glass Sliding Fitting

- Features :
- Metal alloy body with S.S. cover.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 100kgs/Panel.




Mounting example



Abbreviations : TH - Total Height

ESLD - 021B- 1 Door kit


ESLD - 021B
Maximum glass weight : 120kgs/Panel



ESC - 007

ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 021B

Product code	ESLD - 021B	Esc - 007	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 010B



ESLD - 010B
Glass Sliding Fitting


- Features :
- Aluminium solid body.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 75kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Note : if provide without glass cutout then track to glass distance, please check the above detail

Abbreviations : TH - Total Height

ESLD - 010B- 1 Door kit


ESLD - 010B
Maximum glass weight : 120kgs/Panel



ESC - 007

ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




SGSF - 136

SGSF - 136
Fascia cover panel

Features :

- Finish : Satin stainless steel / Aluminium anodized.
- Size : 3600mm.




Ordering Information - for ESLD - 010B

Product code	ESLD - 010B	Esc - 007	Sgsf - 007	Sgsf - 136		
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	Optioanal		

Glass Sliding Solution



Glass Sliding Fitting

ESLD - 010B-H


ESLD - 010B-H
Glass Sliding Fitting - Synchro

Features :

- Aluminium solid body
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass synchronized door.
- Maximum glass weight : 75kgs/Panel.




Mounting example



Note : if provide without glass cutout then track to glass distance, please check the above detail


Abbreviations : TH - Total Height

Mounting example



ESLD - 010B-H - 2 Synchronized Doors

ESLD - 010B-H - Synchro
Maximum glass weight : 80kgs/Panel



ESC - 007

ESC - 007 (08)


ESC - 007 (12)

ESC - 007 (16)

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




SGSF - 136

SGSF - 136

Fascia cover panel

Features :

- Finish : Satin stainless steel / Aluminium anodized.
- Size : 3600mm.




Ordering Information - for ESLD - 010B-H

Product code	ESLD - 010B-H	Esc - 007	Sgsf - 007	Sgsf - 136		
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	Optioanal		


Glass Sliding Solution

ESLD - 018B



ESLD - 018B Glass Sliding Fitting


- Features :
- Metal alloy body with S.S. cover.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 100kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height

ESLD - 018B- 1 Door kit


ESLD - 018B
Maximum glass weight : 120kgs/Panel



ESC - 007

ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 018B

Product code	ESLD - 018B	Esc - 007	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 019B



ESLD - 019B
Glass Sliding Fitting


- Features :
- Metal alloy body with S.S. cover.
 - For 8 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 100kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height

ESLD - 019B- 1 Door kit


ESLD - 019B
Maximum glass weight : 120kgs/Panel



ESC - 007

ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 019B

Product code	ESLD - 019B	Esc - 007	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 020B



ESLD - 020B
Glass Sliding Fitting


- Features :
- Metal alloy body with S.S. cover.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 80kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height

ESLD - 020B- 1 Door kit


ESLD - 020B
Maximum glass weight : 120kgs/Panel



ESC - 007

ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD - 020B

Product code	ESLD - 020B	Esc - 007	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Glass Sliding Solution

Glass Sliding Fitting

SGSF - 022C




SGSF - 022C

Glass Sliding Fitting


Features :

- Stainless steel body.
- For 10 mm to 12 mm glass.
- Updated Nylon wheels with integrated bearings.
- Easy to assemble and dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 80kgs/Panel.



Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Abbreviations : TH - Total Height

ESLD - 022C- 1 Door kit

ESLD - 022C

Maximum glass weight : 80kgs/Panel



ESC - 005


ESC - 005 (12)

ESC - 005 (16)

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for SGSF-022C

Product code	SGSF - 022C	Esc - 005	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

SGSF - 048C



SGSF - 048C
Glass Sliding Fitting


- Features :
- Stainless steel body.
 - For 10 mm to 12 mm glass.
 - Updated Nylon wheels with integrated bearings.
 - Easy to assemble and dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 80kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height

SGSF - 048C- 1 Door kit


SGSF - 048C
Maximum glass weight : 80kgs/Panel



ESC - 005

ESC - 005 (12)
ESC - 005 (16)
Aluminium anodized single top track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for SGSF-048C

Product code	SGSF - 048C	Esc - 005	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution

ESLD - 011C



ESLD - 011C Glass Sliding Fitting


- Features :
- Stainless steel body.
 - For 8 mm to 12 mm glass.
 - Updated Nylon wheels with integrated bearings.
 - Easy to assemble and dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 80kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height

ESLD - 011C- 1 Door kit


ESLD - 011C
Maximum glass weight : 80kgs/Panel



ESC - 005

ESC - 005 (12)
ESC - 005 (16)
Aluminium anodized single top track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD-011C

Product code	ESLD - 011C	Esc - 005	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 021C



ESLD - 021C
Glass Sliding Fitting


- Features :
- Metal alloy body with S.S.Cover
 - For 10 mm to 12 mm glass.
 - Updated Nylon wheels with integrated bearings.
 - Easy to assemble and dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 80kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg


Mounting example



Abbreviations : TH - Total Height

ESLD - 021C- 1 Door kit


ESLD - 021C
Maximum glass weight : 80kgs/Panel



ESC - 005

ESC - 005 (12)
ESC - 005 (16)
Aluminium anodized single top track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Ordering Information - for ESLD-021C

Product code	ESLD - 021C	Esc - 005	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.


Glass Sliding Solution
Glass Sliding Fitting

ESLD - 010C



ESLD - 010C
Glass Sliding Fitting


- Features :
- Aluminium solid body.
 - For 10 mm to 12 mm glass.
 - Updated Nylon wheels with integrated bearings.
 - Easy to assemble and dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 75kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Note : if provide without glass cutout then track to glass distance, please check the above detail

Abbreviations : TH - Total Height

ESLD - 010C- 1 Door kit


ESLD - 010C
Maximum glass weight : 80kgs/Panel



ESC - 005

ESC - 005 (12)
ESC - 005 (16)
Aluminium anodized single top track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A
Floor guide

Features :


- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



SGSF - 136

SGSF - 136
Fascia cover panel

- Features :
- Finish : Satin stainless steel / Aluminium anodized.
 - Size : 3600mm.





Ordering Information - for ESLD-010C

Product code	ESLD - 010C	Esc - 005	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.

Glass Sliding Solution


Glass Sliding Fitting

ESLD - 010C-H


ESLD - 010C-H
Glass Sliding Fitting

Features :

- Aluminium solid body.
- For 10 mm to 12 mm glass.
- Updated Nylon wheels with integrated bearings.
- Easy to assemble and dismantle the glass.
- Trouble free operation.
- For straight glass synchronized door.
- Maximum glass weight : 75kgs/Panel.




Mounting example




Abbreviations : TH - Total Height

Mounting example




ESLD - 010C-H- 1 Door kit

ESLD - 010C-H-Synchro
Maximum glass weight : 90kgs/Panel



ESC - 005

ESC - 005 (12)
ESC - 005 (16)
Aluminium anodized single top track non-drilled



SGSF - 007 A

SGSF - 007 A
Floor guide
Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




SGSF - 136

SGSF - 136
Fascia cover panel

Features :

- Finish : Satin stainless steel / Aluminium anodized.
- Size : 3600mm.




Ordering Information - for ESLD-010C-H

Product code	ESLD - 010C-H	Esc - 005	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.

Glass Sliding Solution

Glass Sliding Fitting


ESLD - 018C

ESLD - 018C

Glass Sliding Fitting

Features :


- Metal alloy body with S.S.Cover
- For 10 mm to 12 mm glass.
- Updated Nylon wheels with integrated bearings.
- Easy to assemble and dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 80kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Abbreviations : TH - Total Height

ESLD - 018C- 1 Door kit

ESLD - 018C

Maximum glass weight : 80kgs/Panel



ESC - 005


ESC - 005 (12)

ESC - 005 (16)

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



Glass Sliding Fitting


Ordering Information - for ESLD-018C

Product code	ESLD - 018C	Esc - 005	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.

Glass Sliding Solution

Glass Sliding Fitting


ESLD - 019C

ESLD - 019C

Glass Sliding Fitting

Features :


- Metal alloy body with S.S.Cover
- For 10 mm to 12 mm glass.
- Updated Nylon wheels with integrated bearings.
- Easy to assemble and dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 80kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Abbreviations : TH - Total Height

ESLD - 019C- 1 Door kit

ESLD - 019C

Maximum glass weight : 80kgs/Panel



ESC - 005


ESC - 005 (12)

ESC - 005 (16)

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).



Glass Sliding Fitting


Ordering Information - for ESLD-019C

Product code	ESLD - 019C	Esc - 005	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one, one pcs, please check accordingly.

Glass Sliding Solution

Glass Sliding Fitting


ESLD - 020C

ESLD - 020C

Glass Sliding Fitting

Features :



- Metal alloy body with S.S.Cover
- For 10 mm to 12 mm glass.
- Updated Nylon wheels with integrated bearings.
- Easy to assemble and dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 80kgs/Panel.



Calculation of Glass weight

Thickness of glass	Approx weight per sq.ft
6mm	1.40kg
8mm	1.85kg
10mm	2.35kg
12mm	2.95kg

Mounting example




Abbreviations : TH - Total Height

ESLD - 020C- 1 Door kit

ESLD - 020C

Maximum glass weight : 80kgs/Panel



ESC - 005


ESC - 005 (12)

ESC - 005 (16)

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm, 4800mm.



SGSF - 007 A

SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Material : White metal (zinc alloy).
- Finish : Brushed nickel (BN).




Glass Sliding Fitting

Ordering Information - for ESLD-020C

Product code	ESLD - 020C	Esc - 005	Sgsf - 007			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Calculation of panel weight

	Glass		
D mm	4 mm	6 mm	8 mm
B x H			
500 x 1200	6.0	9.0	12.0
500 x 1800	9.0	13.5	18.0
600 x 1800	10.8	16.0	21.6
600 x 2200	13.2	19.8	26.4
600 x 2400	14.4	21.6	28.8
800 x 1800	14.4	21.6	28.8
800 x 2200	17.6	26.4	35.2
800 x 2400	19.2	28.8	38.4
1000 x 1200	12.0	18.0	24.0
1000 x 2400	24.0	36.0	48.0
kg m²	10.0	15.0	20.0

- The maximum door weights and door dimensions see respective catalogue pages.
- The maximum door weight may not be exceeded!
- Subject to technical modifications.
- Details without responsibility for correctness.

Product Code	Page No.	Product Code	Page No.
EGSF - 001 - A (6mm Glass)	005	ESLD - 020 - F	139
EGSF - 004 - A (8mm Glass)	007	ESLD - 020 - F - H	141
EGSF - 015	009	ESLD - 020 - G	069
EGSF - 021	011	ESLD - 020 - G - H	071
ESLD - 010 - A	157	ESLD - 021 - A	155
ESLD - 010 - A - H	159	ESLD - 021 - B	169
ESLD - 010 - B	171	ESLD - 021 - C	187
ESLD - 010 - B - H	173	ESLD - 021 - E	085
ESLD - 010 - C	189	ESLD - 021 - E - H	087
ESLD - 010 - C - H	191	ESLD - 021 - F	123
ESLD - 010 - E	089	ESLD - 021 - F - H	125
ESLD - 010 - E - H	091	ESLD - 021 - G	053
ESLD - 010 - F	127	ESLD - 021 - G - H	055
ESLD - 010 - F - H	129	ESLD - 049	073
ESLD - 010 - G	057	ESLD - 049 - H	075
ESLD - 010 - G - H	059	ESLD - 050	079
ESLD - 011 - A	151	ESLD - 050 - H	080
ESLD - 011 - A SD/DD	153	ESLD - 051	105
ESLD - 011 - B	167	ESLD - 051 - H	107
ESLD - 011 - C	185	ESLD - 051 SD/DD	109
ESLD - 011 - E	081	ESLD - 052	111
ESLD - 011 - E - H	083	ESLD - 052 - H	113
ESLD - 011 - F	117	ESLD - 052 SD/DD	115
ESLD - 011 - F - H	119	ESLD - 057	029
ESLD - 011 - F SD/DD	121	ESLD - 059	026
ESLD - 011 - G	050	ESLD - 059 - A	029
ESLD - 011 - G - H	051	ESLD - 064	015
ESLD - 018 - A	161	ESLD - 065	017
ESLD - 018 - B	175	ESLD - 066	019
ESLD - 018 - C	193	ESLD - 068	021
ESLD - 018 - E	093	SGSF - 009	341
ESLD - 018 - E - H	095	SGSF - 022	041
ESLD - 018 - F	131	SGSF - 022 - A	143
ESLD - 018 - F - H	133	SGSF - 022 - C	181
ESLD - 018 - G	061	SGSF - 022 - H	043
ESLD - 018 - G - H	063	SGSF - 022 - SD/DD	145
ESLD - 019 - A	163	SGSF - 048	045
ESLD - 019 - B	177	SGSF - 048 - A	147
ESLD - 019 - C	195	SGSF - 048 - C	183
ESLD - 019 - E	097	SGSF - 048 - H	047
ESLD - 019 - E - H	099	SGSF - 048 - SD/DD	149
ESLD - 019 - F	135	SGSF - 061	038
ESLD - 019 - F - H	137	SGSF - 064	040
ESLD - 019 - G	065	SGSF - 119	033
ESLD - 019 - G - H	067	SGSF - 125	035
ESLD - 020 - A	165		
ESLD - 020 - B	179		
ESLD - 020 - C	197		
ESLD - 020 - E	101		
ESLD - 020 - E - H	103		



ASSA ABLOY

Glass Sliding Solutions

Edition : 1-2021

The technical presentations and dimensions in the illustrations and drawings are non binding. We reserve the right to make changes to specifications at any time. We do not accept any responsibility for any errors which may occur in the production of this catalogue. All sizes in millimeter (mm).

The products in this list are the ones that are currently in the ENOX product range. Since our product range is updated frequently, please feel free to contact us if you cannot find any particular information.

The printed colours indicating the surface finishes are not 100% true, but do provide a useful guide.

Pictures may show designs which are different to the scope of delivery.

Legal Disclaimer

Whilst every effort has been made to ensure that the information contained in this brochure is accurate at the time of publication, ENOX recommends that you consult ENOX or its agents or its authorised dealer or its authorised distributor prior to placing an order to ascertain current information on specific product, as ENOX reserves the right to make changes without prior notice. ENOX will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. This brochure does not constitute an offer for the sale of any particular product.

MUMBAI

EcoStar, 11th Floor, 1101 / 1103,
Off Aarey Road, Vishweshwar Nagar
Goregoan (East), Mumbai - 400063,
Tel : +91-22-6180 5555
displaycentre@enox.in

PUNE

Sr. No.36, Hissa No.1, Plot No.11,
Village Pisoli Haveli Kondhwa,
Pune - 411 028, Maharashtra
Tel : +91-9702203659/63
displaycentre.pun@enox.in

SURAT

Plote No.11, 1St Floor, Shiv Ashish
Industrail Estate, Off Udhana/
Magadal Road, Nr.Hyundai Showrrom,
Surat, Gujarat
Tel : +91-8511148472
displaycentre.sur@enox.in

BENGALURU

#36/2, Third & Fourth Floor,
Patalamma Temple Street,
Near South-end Circle, Basavanagudi,
Bengaluru-560 004, Karnataka
Tel : +91-7207217088/92
displaycentre.blr@enox.in

HYDERABAD

2nd Floor, Alcazar Mall, Plot No. 497/498,
Road No. 36, Jubilee Hills,
Hyderabad-500 033, Telangana
Tel : +91-7207217085
displaycentre.hyd@enox.in

CHENNAI

23-2, Old No 39-2, Cenotaph Road,
1st Lane, Near to Crown Plaza Hotel,
Opp Canara Bank, Teynampet,
Chennai-600 018
Tel : +91-9940360525 / 9840330292
displaycentre.che@enox.in

Website

Android App

IOS App

