

ENOX **E**

ASSA ABLOY



Glass Wall Partition Solution



CO CONTENT

SGSF - 064	01
SGSF - 022	04
ESLD - 049	07
ESLD - 050	09
ESLD - 011 E	11
ESLD - 019 E	13
ESLD - 051	15
ESLD - 051 SD / DD Soft	17
ESLD - 052	19
ESLD - 052 SD / DD Soft	21
ESLD - 011 F	23
ESLD - 011F-H	25
ESLD - 011 F SD / DD Soft	27
SGSF - 022A	29
SGSF - 022 A SD / DD Soft	31
SGSF - 048A	33
ESLD - 011A	35
ESLD - 011A	35



Glass Sliding

Glass Sliding Solution


Glass sliding fitting




SGSF - 064

Glass Sliding Fitting (Offset)

- Features :
- Stainless Steel body.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 100kgs/Panel.



Installation Details



Abbreviations : TH - Total Height


Glass Sliding Solution

Glass sliding fitting



SGSF - 064


Maximum glass weight : 100kgs/Panel.



SGSF - 029

Aluminium anodized single top track, non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 2440 / 3600 mm.



SGSF - 030

Aluminium anodized double top track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600 mm.



SGSF - 007 A

Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Finish : Brushed nickel (BN).



SGSF - 023

Stopper

- Features :
- Material : PVC.
 - Finish : White.



Glass Sliding Solution

Glass sliding fitting

SGSF - 024

End bracket

- Features :
- Material : PVC.
 - Finish : Black.



SGSF - 024 B

Bracket for fixing sliding track
SGSF - 029 on the wall

- Features :
- Material : PVC.
 - Finish : White.



SGSF - 025

'L' clamp for fixing sliding track



- Features :
- Material : Stainless steel.
 - Finish : Satin stainless steel.



SGSF - 026

Clamp for fixing sliding track on the glass

- Features :
- Material : Stainless steel.
 - Finish : Satin stainless steel.



Ordering Information SGSF - 064					
Product code	SGSF - 064	SGSF - 029 [#]	SGSF - 030 [#]	SGSF - 023 [#]	SGSF - 024
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	2 Pcs	Optional
	SGSF - 024B	SGSF - 007 A	SGSF - 025	SGSF - 026	
	Optional	1 Pcs	Optional	Optional	


Glass Sliding Solution

Glass sliding fitting


SGSF - 022

Glass Sliding Fitting

- Features :
- Stainless Steel body.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 90kgs/Panel.



Installation Details



Red number - door treatment


Abbreviations : TH - Total Height

Glass Sliding Solution


Glass sliding fitting



SGSF - 022 (1 Doors kit)
Maximum glass weight : 90kgs/Panel.



SGSF - 030
Aluminium anodized double,
top track, non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 3600 mm.



SGSF - 007 A
Floor guide
Features :
• For 10 mm to 12 mm glass.
• Finish : Brushed nickel (BN).



SGSF - 024
End bracket
Features :
• Material : PVC.
• Finish : Black.



SGSF - 025
'L' clamp for fixing sliding track
Features :
• Material : Stainless steel.
• Finish : Satin stainless steel.




Glass Sliding Solution


Glass sliding fitting



SGSF - 029
Aluminium anodized single top track,
non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 2440 / 3600 mm.



SGSF - 031
Aluminium anodized top track with
side light fixing track, non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 2440 / 3600 mm.



SGSF - 023
Stopper
Features :
• Material : PVC.
• Finish : White.



SGSF - 024 B
Bracket for fixing sliding track
SGSF - 029 on the wall

Features :
• Material : PVC.
• Finish : White.



SGSF - 026
Clamp for fixing sliding track on the glass
Features :
• Material : Stainless steel.
• Finish : Satin stainless steel.



Ordering Information SGSF - 022


Product code	SGSF - 022	SGSF - 029 [#]	SGSF - 030 [#]	SGSF - 031 [#]	SGSF - 023
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	2 Pcs
	SGSF - 007 A	SGSF - 024	SGSF - 024 B	SGSF - 025	SGSF - 026
	1 Pcs	Optional	Optional	Optional	Optional

[#] Req. any one pcs, please check accordingly.


ESLD - 049

Glass Sliding Fitting

- Features :
- Stainless steel body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 90kgs/Panel.




Installation Details



Abbreviations : TH - Total Height

ESLD - 049


Maximum glass weight : 90kgs/Panel



ESC - 037

Aluminium anodized
single top track, non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



ESC - 037 B

Aluminium anodized
double top track, non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



ESC - 037 A

Aluminium anodized top track with side
light fixing track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440 / 3600mm.



SGSF - 007 A

Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Finish : Brushed nickel (BN).




Ordering Information ESLD - 049

Product code	ESLD - 049	ESC - 037 #	ESC - 037 B #	ESC - 037 A #	SGSF - 007 A	
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	


Req. any one pcs, please check accordingly.

ESLD - 050
Glass Sliding Fitting

- Features :
- Stainless steel body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 90kgs/Panel.




Installation Details




Abbreviations : TH - Total Height

ESLD - 050
Maximum glass weight : 90kgs/Panel




ESC - 037
Aluminium anodized
single top track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.




ESC - 037 B
Aluminium anodized
double top track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



ESC - 037 A
Aluminium anodized top track with side
light fixing track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440 / 3600mm.



SGSF - 007 A
Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Finish : Brushed nickel (BN).



Ordering Information ESLD - 050

Product code	ESLD - 050	ESC - 037 #	ESC - 037 B #	ESC - 037 A #	SGSF - 007 A	
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	

Req. any one pcs, please check accordingly.

Glass sliding fitting


ASSA ABLOY

ESLD - 011 E


Glass Sliding Fitting

Features :

- Stainless steel body.
- For 10 mm to 12 mm glass.
- Polycarbon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 100kgs/Panel.



Installation Details




Abbreviations : TH - Total Height

Glass sliding fitting

ASSA ABLOY

ESLD - 011 E

Maximum glass weight : 100kgs/Panel




ESC - 037

Aluminium anodized
single top track, non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.




ESC - 037 B

Aluminium anodized
double top track, non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.




ESC - 037 A

Aluminium anodized top track with side
light fixing track, non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600mm.



SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Finish : Brushed nickel (BN).





Ordering Information ESLD - 011 E

Product code	ESLD - 050	ESC - 037 [#]	ESC - 037 B [#]	ESC - 037 A [#]	SGSF - 007 A	
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	


Req. any one pcs, please check accordingly.

ESLD - 019 E
Glass Sliding Fitting


- Features :
- Metal alloy body
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 90kgs/Panel.



Installation Details




ESLD - 019 E
Maximum glass weight : 90kgs/Panel




ESC - 037
Aluminium anodized
single top track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.




ESC - 037 B
Aluminium anodized
double top track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



ESC - 037 A
Aluminium anodized top track with side
light fixing track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440 / 3600mm.



SGSF - 007 A
Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Finish : Brushed nickel (BN).




Ordering Information ESLD - 019E

Product code	ESLD - 019E	ESC - 037 #	ESC - 037 B #	ESC - 037 A #	SGSF - 007 A	
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	


Req. any one pcs, please check accordingly.

ESLD - 051
Glass Sliding Fitting

- Features :
- Stainless steel body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 100kgs/Panel.




Installation Details



Abbreviations : TH - Total Height

ESLD - 051
Maximum glass weight : 100kgs/Panel



ESC - 038
Aluminium anodized
single top track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.




Glass Sliding Solution

Glass sliding fitting




ESLD - 051 SD / DD Soft Glass Sliding Fitting

- Features :
- Stainless steel body.
 - For 10 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Installation height 53mm.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 70kgs/Panel.



Installation Details




Glass Sliding Solution

Glass sliding fitting




ESLD - 051 SD

Maximum glass weight : 70kgs/Panel



ESLD - 051 DD


Maximum glass weight : 70kgs/Panel



ESC - 038 S

Aluminium anodized
Single top track, non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



ESC - 038 A-S

Aluminium anodized top track with side
light fixing track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



SGSF - 007 A

Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Finish : Brushed nickel (BN).



Ordering Information ESLD - 051 SD / DD

Product code	ESLD - 051 SD #	ESLD - 051 DD #	ESC - 038 S #	ESC - 038 A-S #	SGSF - 007 A
Quantity for 1 door	1 Set	1 Set	1 Pcs	1 Pcs	1 Pcs

Req. any one pcs, please check accordingly.


Glass sliding fitting

ASSA ABLOY


Glass Sliding Fitting

Features :

- Stainless steel body.
- For 10 mm to 12 mm glass.
- Polycarbon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 100kgs/Panel.



Installation Details




Abbreviations : TH - Total Height

Glass sliding fitting

ASSA ABLOY

Maximum glass weight : 100kgs/Panel




ESC - 038

Aluminium anodized
single top track, non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.




ESC - 038 B

Aluminium anodized
double top track, non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 3600mm.




ESC - 038 A

Aluminium anodized top track with side
light fixing track, non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440 / 3600mm.



SGSF - 007 A

Floor guide

Features :

- For 10 mm to 12 mm glass.
- Finish : Brushed nickel (BN).



Ordering Information ESLD - 052

Product code	ESLD - 052	ESC - 038 [#]	ESC - 038 B [#]	ESC - 038 A [#]	SGSF - 007 A	
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	

Req. any one pcs, please check accordingly.




Glass Sliding Solution

Glass sliding fitting




ESLD - 052 SD / DD Soft Glass Sliding Fitting

- Features :
- Stainless steel body.
 - For 10 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 70kgs/Panel.




Installation Details




Glass Sliding Solution


Glass sliding fitting



ESLD - 052 SD
Maximum glass weight : 70kgs/Panel




ESLD - 052 DD
Maximum glass weight : 70kgs/Panel




ESC - 038 S
Aluminium anodized
Single top track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



ESC - 038 A-S
Aluminium anodized top track with side
light fixing track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



SGSF - 007 A
Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Finish : Brushed nickel (BN).




Ordering Information ESLD - 052 SD / DD

Product code	ESLD - 052 SD #	ESLD - 052 DD #	ESC - 038 S #	ESC - 038 A-S #	SGSF - 007 A
Quantity for 1 door	1 Set	1 Set	1 Pcs	1 Pcs	1 Pcs


Req. any one pcs, please check accordingly.

ESLD - 011 F
Glass Sliding Fitting

- Features :
- Stainless steel body.
 - For 8 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 120kgs/Panel.




Installation Details




Abbreviations : TH - Total Height

ESLD - 011 F
Maximum glass weight : 120kgs/Panel




ESC - 038
Aluminium anodized
single top track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.




ESC - 038 B
Aluminium anodized
double top, track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



ESC - 038 A
Aluminium anodized top track with side
light fixing track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440 / 3600mm.



SGSF - 007 A
Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Finish : Brushed nickel (BN).



Ordering Information ESLD - 011F



Product code	ESLD - 011F	ESC - 038 #	ESC - 038 B #	ESC - 038 A #	SGSF - 007 A	
Quantity for 1 door	1 Set	1 Pcs	1 Pcs	1 Pcs	1 Pcs	

Req. any one pcs, please check accordingly.



ESLD - 011F-H

Glass Sliding Fitting - Synchro System

- Features :
- Stainless steel body.
 - For 10 mm to 12 mm glass.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass synchronized door.
 - Maximum glass weight : 100kgs/Panel.




Installation Details










Abbreviations : TH - Total Height

Mounting example



ESLD - 011F-H - Synchro (2 Synchronised door)


Maximum glass weight : 100kgs/Panel

			
4X	4X	2X	2X
			
1X	1X	1X	1X

ESC - 038

Aluminium anodized
single top track, non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



ESC - 038 A

Aluminium anodized top track with side
light fixing track, non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 2440 / 3600mm.



ESC - 038 B

Aluminium anodized
double top, track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



SGSF - 007 A

Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Finish : Brushed nickel (BN).






Ordering Information ESLD - 011F-H

Product code	ESLD - 011F-H	ESC - 038 #	ESC - 038 A #	ESC - 038 B #	SGSF - 007 A	
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	1 Pcs	2 Pcs	


Req. any one pcs, please check accordingly.

ESLD - 011 F SD / DD Soft
Glass Sliding Fitting


- Features :
- Stainless steel body.
 - For 10 mmglass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 1 Glass door.
 - Maximum door weight : 70kgs/Panel.




Installation Details



ESLD - 011 F SD
Maximum glass weight : 70kgs/Panel




ESLD - 011 F DD
Maximum glass weight : 70kgs/Panel




ESC - 038 S
Aluminium anodized
Single top track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



ESC - 038 A-S
Aluminium anodized top track with side
light fixing track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



SGSF - 007 A
Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Finish : Brushed nickel (BN).




Ordering Information ESLD - 011 F SD / DD

Product code	ESLD - 011 F SD #	ESLD - 011 F DD #	ESC - 038 S #	ESC - 038 A-S #	SGSF - 007 A
Quantity for 1 door	1 Set	1 Set	1 Pcs	1 Pcs	1 Pcs



Req. any one pcs, please check accordingly.

SGSF - 022A
Glass Sliding Fitting

- Features :
- Stainless steel body.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 80 kgs/Panel.



Installation Details




Abbreviations : TH - Total Height

SGSF - 022A (1 Door kit)
Maximum glass weight : 80kgs/Panel



ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track, non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm / 4800mm.



SGSF - 007 A
Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Finish : Brushed nickel (BN).



Ordering Information - for SGSF- 022A

Product code	SGSF - 022A	ESC - 007	SGSF - 007 A			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one pcs, please check accordingly.




Glass Sliding Solution

Glass sliding fitting




SGSF - 022 A SD / DD Soft Glass Sliding Fitting

- Features :
- Stainless steel body.
 - For 10 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 1 Glass door.
 - Maximum door weight : 70kgs/Panel.



Installation Details




Glass Sliding Solution

Glass sliding fitting




SGSF - 022 A SD

Maximum glass weight : 70kgs/Panel



SGSF - 022 A DD


Maximum glass weight : 70kgs/Panel



ESC - 007 S

Aluminium anodized
Single top track, non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



ESC - 007 A -S

Aluminium anodized top track with side
light fixing track, non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm.



SGSF - 007 A

Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Finish : Brushed nickel (BN).



Ordering Information SGSF - 022 A SD / DD

Product code	SGSF - 022 A SD #	SGSF - 022 A DD #	ESC - 007 S #	ESC - 007 A-S #	SGSF - 007 A
Quantity for 1 door	1 Set	1 Set	1 Pcs	1 Pcs	1 Pcs

Req. any one pcs, please check accordingly.

Glass sliding fitting




SGSF - 048A


Glass Sliding Fitting

Features :

- Stainless steel body.
- For 10 mm to 12 mm glass.
- Nylon wheels with integrated bearings.
- Easy to assemble & dismantle the glass.
- Trouble free operation.
- For straight glass sliding door.
- Maximum glass weight : 80 kgs/Panel.



Installation Details




Abbreviations : TH - Total Height

Glass sliding fitting



SGSF - 048A (1 Door kit)
Maximum glass weight : 80kgs/Panel




ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)

Aluminium anodized single top track, non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm / 4800mm.



SGSF - 007 A
Floor guide

Features :

- For 10 mm to 12 mm glass.
- Finish : Brushed nickel (BN).




Ordering Information SGSF- 048A

Product code	SGSF - 048A	ESC - 007	SGSF - 007 A			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			


Req. any one pcs, please check accordingly.

ESLD - 011A
Glass Sliding Fitting

- Features :
- Stainless steel body.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 80 kgs/Panel.




Installation Details




Abbreviations : TH - Total Height

ESLD - 011A (1 Door kit)
Maximum glass weight : 80kgs/Panel



ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track, non-drilled
Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm / 4800mm.



SGSF - 007 A
Floor guide

- Features :
- For 10 mm to 12 mm glass.
 - Finish : Brushed nickel (BN).



Ordering Information ESLD- 011A

Product code	ESLD - 011A	ESC - 007	SGSF - 007 A			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one pcs, please check accordingly.

Glass Sliding Solution


Glass sliding fitting




ESLD - 011B

Glass Sliding Fitting


- Features :
- Stainless steel body.
 - For 10 mm to 12 mm glass.
 - Nylon wheels with integrated bearings.
 - Easy to assemble & dismantle the glass.
 - Trouble free operation.
 - For straight glass sliding door.
 - Maximum glass weight : 100 kgs/Panel.



Installation Details



Red number - door treatment




Abbreviations : TH - Total Height

Glass Sliding Solution


Glass sliding fitting



ESLD - 011B (1 Door kit)
Maximum glass weight : 100kgs/Panel



ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track, non-drilled
Features :
• Finish : Aluminium anodized.
• Size : 2440mm / 3600mm / 4800mm.



SGSF - 007 A
Floor guide
Features :
• For 10 mm to 12 mm glass.
• Finish : Brushed nickel (BN).



Ordering Information - for ESLD - 011B

Product code	ESLD - 011B	ESC - 007	SGSF - 007 A			
Quantity for 1 door	1 Set	1 Pcs	1 Pcs			

Req. any one pcs, please check accordingly.

Legal Disclaimer

Whilst every effort has been made to ensure that the information contained in this brochure is accurate at the time of publication, ENOX recommends that you consult ENOX or its agents or its authorised dealer or its authorised distributor prior to placing an order to ascertain current information on specific product, as ENOX reserves the right to make changes without prior notice. ENOX will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. This brochure does not constitute an offer for the sale of any particular product.



ASSA ABLOY

MUMBAI

EcoStar, 11th Floor, 1101 / 1103,
Off Aarey Road, Vishweshwar Nagar
Goregoan (East), Mumbai - 400063,
Tel : +91-22-6180 5555
displaycentre@enox.in

PUNE

Sr. No.36, Hissa No.1, Plot No.11,
Village Pisoli Haveli Kondhwa,
Pune - 411 028, Maharashtra
Tel : +91-9702203659/63
displaycentre.pun@enox.in

SURAT

Plote No.11, 1St Floor, Shiv Ashish
Industrail Estate, Off Udhana/
Magadal Road, Nr.Hyundai Showrrom,
Surat, Gujarat
Tel : +91-8511148472
displaycentre.sur@enox.in

BENGALURU

#36/2, Third & Fourth Floor,
Patalamma Temple Street,
Near South-end Circle, Basavanagudi,
Bengaluru-560 004, Karnataka
Tel : +91-7207217088/92
displaycentre.blr@enox.in

HYDERABAD

2nd Floor, Alcazar Mall, Plot No. 497/498,
Road No. 36, Jubilee Hills,
Hyderabad-500 033, Telangana
Tel : +91-7207217085
displaycentre.hyd@enox.in

CHENNAI

23-2, Old No 39-2, Cenotaph Road,
1st Lane, Near to Crown Plaza Hotel,
Opp Canara Bank, Teynampet,
Chennai-600 018
Tel : +91-9940360525 / 9840330292
displaycentre.che@enox.in