



Patch Fitting & Lock



CONTENT

Patch Fitting	02
Door Lock Fitting	13
Glass Sliding Door Lock	23
Glass Door Sliding Handle	29
Door Handle	34









EPF 701 Top Patch

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 701	Satin Stainless Steel (SSS)
EPF 701	Polished Stainless Steel (PSS)
FPF 701	Black Matte (BM)






EPF 702 Bottom Patch

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 702	Satin Stainless Steel (SSS)
EPF 702	Polished Stainless Steel (PSS)
EPF 702	Black Matte (BM)







Glass Patch Fittings Patch Fitting





EPF 706 Glass Bottom Lock

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 706	Satin Stainless Steel (SSS)
EPF 706	Polished Stainless Steel (PSS)
EPF 706	Black Matte






EPF 712 Top Pivot

Features:

• Finish of the Cover Plate :

Article No.	Finish
EPF 712	Satin Stainless Steel (SSS)
EPF 712	Black Matte (BM)




EPF 703 - S


Overpanel Pivot Patch with Screw Fixing

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 703 - S	Satin Stainless Steel (SSS)
EPF 703 - S	Polished Stainless Steel (PSS)
EPF 703 - S	Black Matte (BM)






EPF 703 - P


Overpanel Pivot Patch with Plate Fixing

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 703-P	Satin Stainless Steel (SSS)
EPF 703-P	Polished Stainless Steel (PSS)
EPF 703-P	Black Matte (BM)







Glass Patch Fittings Patch Fitting




EPF 704


"L" patch with Pivot for fixing overpanel & side panel glass

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 704	Satin Stainless Steel (SSS)
EPF 704	Polished Stainless Steel (PSS)
EPF 704	Black Matte (BM)






EPF 705

"L" patch without Pivot for fixing overpanel & side panel Glass

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 705	Satin Stainless Steel (SSS)
EPF 705	Polished Stainless Steel (PSS)
EPF 705	Black Matte (BM)



EPF 711 Bottom Pivot

Features :

• Finish: Satin Stainless Steel

Article No.	Finish
EPF 711	Satin Stainless Steel (SSS)






EPF 707 Center Lock

Features :

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 707	Satin Stainless Steel (SSS)
EPF 707	Polished Stainless Steel (PSS)







Glass Patch Fittings Patch Fitting





EPF 708 Strike Box

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 708	Satin Stainless Steel (SSS)
EPF 708	Polished Stainless Steel (PSS)





EPF 715 - S

Connector For Fix Glass Panel

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 715 S	Satin Stainless Steel (SSS)
EPF 715 S	Polished Stainless Steel (PSS)
EPF 715 S	Black Matte (BM)




EPF 713

Connector for 4 Glass Panels

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 713	Satin Stainless Steel (SSS)



EPF 715 - P

Connector For Fix Glass Panel

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 715 P	Satin Stainless Steel (SSS)
EPF 715 P	Polished Stainless Steel (PSS)
EPF 715 P	Black Matte (BM)





Glass Patch Fittings Patch Fitting




EPF 715 - O Connector For Fix Glass Panel

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 715 - O	Satin Stainless Steel (SSS)
EPF 715 - O	Black Matte (BM)




EPF 716 A

Connector For 2 Fix Glass Panels

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 716 A	Satin Stainless Steel (SSS)
EPF 716 A	Polished Stainless Steel (PSS)
EPF 716 A	Black Matte (BM)




EPF 716

Connector For 2 Fix Glass Panels

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate:

Article No.	Finish
EPF 716	Satin Stainless Steel (SSS)
EPF 716	Polished Stainless Steel (PSS)
FPF 716	Black Matte (BM)




EPF 709


Overpanel Patch With Fin Connector (with Pivot)

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 709	Satin Stainless Steel (SSS)
EPF 709	Matte Black





* Prior intimation to be provided for LH and RH product before ordering



Glass Patch Fittings Patch Fitting



EPF 724 Top Door Rail

Features:

- Glass Thickness 10mm / 12mm
- Supply with 10/12mm Gasket
- Available rail length: 900 mm, 1100 mm, 1400 mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 724	Satin Stainless Steel (SSS)



Top Door Rail


EPF 725


Bottom Door Rail with Lock

Features:

- Glass Thickness 10mm / 12mm
- Supply with 10/12mm Gasket
- Available rail length: 900 mm, 1100 mm, 1400 mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 725	Satin Stainless Steel (SSS)







EPF 7001 Top Patch

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 7001	Satin Stainless Steel (SSS)
EPF 7001	Polished Stainless Steel (PSS)
EPF 7001	Black Matte (BM)






EPF 7002 Bottom Patch

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 7002	Satin Stainless Steel (SSS)
EPF 7002	Polished Stainless Steel (PSS)
EPF 7002	Black Matte (BM)







Glass Door LockDoor Lock Fitting





EPF 1706 Glass Bottom Lock

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 1706	Satin Stainless Steel (SSS)
EPF 1706	Polished Stainless Steel (PSS)
EPF 1706	Black Matte (BM)






EPF - 737

Right / Left Strike Box For Epf-735 (Rectangle Without Handle)

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF - 737	Brushed Nickel (BN)
EPF - 737	Satin Stainless Steel (SSS)




EPF - 735


Right / Left Glass Door Lock (Rectangle) with non retractable handle

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF - 735	Brushed Nickel (BN)
EPF - 735	Satin Stainless Steel (SSS)






EPF - 738 Glass door lock with retractable handle

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF - 738	Satin Stainless Steel (SSS)





Glass Door Lock Door Lock Fitting




EPF 743

Turn Knob Lock With Indicator (coin operation outside)

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 743	Satin Stainless Steel (SSS)




EPF 746 Stike Box For Epf-745 (Round)

Features:

- Glass Thickness 8mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 746	Brushed Nickel (BN)



EPF 745

Turn Knob Lock (Round)

Features:

- Glass Thickness 8mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 745	Brushed Nickel (BN)



EPF 756


Glass Door Lock (Rectangle) With Rolt

Features:

- Glass Thickness 8mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 756	Satin Stainless steel(SSS)
	,







Glass Door Lock Door Lock Fitting




EPF 781


Glass door lock with retractable handle

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 781	Satin Stainless steel(SSS)
EPF 781	Polished Stainless Steel (PSS)






EPF 783 Turn Knob Lock

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
FPF 783	Satin Stainless steel(SSS)




EPF 782


Strike Box For EPF - 781

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 782	Satin Stainless Steel (SSS)
FPF 782	Polished Stainless Steel (PSS)






EPF - 787 Strike Box For EPF-786 & 788

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 787	Satin Stainless Steel (SSS)





Glass Door Lock Door Lock Fitting




EPF - 747


Turn Knob Lock (Square) with bolt (without Cutout In Glass)

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 747	Brushed Nickel (BN)






EPF - 748


Stike Box For EPF-747 (Rectangular) (without Cutout In Glass)

Features:

- Door Thickness: 8mm to 12mm
- Material: White Metal (Zinc Alloy)

Article No.	Finish
EPF 748	Brushed Nickel (BN)





EPF 801


Glass door lock with dual bolt (One side key operation) No Glass cutout required

Features:

- Glass Thickness 10mm / 12mm
- Direct installation without glass cutout
- One side operate lock by key
- 304 stainless steel cover brass lock cylinder, brass ultra keys

Article No.	Finish
EPF 801	Satin Stainless steel(SSS)







EPF 805


Glass door lock with dual bolt (One side knob operation) No Glass cutout required

Features:

- Glass Thickness 10mm / 12mm
- Direct installation without glass cutout
- One side operate lock with knob

Article No.	Finish
EPF 805	Satin Stainless steel(SSS)

Openable Glass Door Lock Without Cutout - One Side Operation (Knob)







Glass Door Lock Door Lock Fitting




EPF 802

Strike Box For EPF - 801/805 Without Cutout

Features:

- Glass Thickness 10mm / 12mm
- Direct installation without glass cutout

Article No.	Finish
EPF 802	Satin Stainless steel(SSS)








EPF 803


Glass door lock with dual bolt on each side (One side key and other side knob operation) No Glass cutout required

Features:

- Glass Thickness 10mm / 12mm
- Direct installation without glass cutout
- One side key and other side knob operation working independently

Article No.	Finish
EPF 803	Satin Stainless steel(SSS)






EPF 804

Strike Box for EPF - 803 Without

Features:

- Glass Thickness 10mm / 12mm
- Direct installation without glass cutout

Article No.	Finish
EPF 801	Satin Stainless steel(SSS)







21

Glass cut-out

Glass Door Lock Glass Sliding Door Lock



Glass Door Lock Glass Sliding Door Lock




EPF 764 Glass Sliding Door Lock with Handle

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 764	Satin Stainless steel(SSS)
EPF / 04	Satin Stainless Steel(333)






EPF 764 A

suitable to mount in wooden frame or concrete wall

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
FPF 764 A	Satin Stainless Steel (SSS)




EPF 765 Strike Box for EPF - 764

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 765	Satin Stainless Steel (SSS)
LFI 105	additi additiess accer (222)





EPF 771Glass Sliding Door Lock with Handle

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 771	Satin Stainless steel(SSS)





Glass Door Lock Glass Sliding Door Lock



Glass Door Lock Glass Sliding Door Lock



EPF 772

Strike Box for EPF - 771

Features:

- Glass Thickness 10mm / 12mm
- Finish of the Cover Plate :

Article No.	Finish
EPF 772	Satin Stainless Steel (SSS)





EPF 806

Glass Sliding Door Lock without Cutout -One Side Knob (Semi-Circle)

Features:

- Glass Thickness: 10mm to 12mm
- Direct installation without glass cutout.
- One side operate lock with knob.

Article No.	Finish
EPF 806	Satin Stainless Steel (SSS)





EPF 799

Glass Sliding Door Lock without Cutout -One Side Operation (Semi - Circle)

Features:

- Glass Thickness: 10mm to 12mm
- Direct installation without glass cutout.
- One side operate lock by key.
- Brass lock cylinder, along with brass keys

Article No.	Finish
EPF 799	Satin Stainless steel(SSS)

Glass Sliding Door Lock without Cutout




EPF 798

Strike Box For EPF - 799 / 806 without Cutout


Features:


- Glass Thickness : 8mm to 12mm
- Direct installation without glass cutout.

Article No.	Finish
EPF 798	Satin Stainless steel(SSS)



Strike Box For EPF - 799 / 806 without Cutout





Glass Door Lock Glass Sliding Door Lock



Glass Door Lock Glass Sliding Door Lock




EPF 797


Glass Sliding Door Lock without Cutout - Both Side Operation with one side key & other side knob

Features:

- Glass Thickness 10mm / 12mm
- Direct installation without glass cutout.
- Both side operate lock one side keys and one side knob.
- Brass lock cylinder, along with brass keys

Article No.	Finish
EPF 797	Satin Stainless steel(SSS)






EPF 800

Strike Box For EPF - 797 without Cutout

Features:

- Glass Thickness 10mm / 12mm
- Direct installation without glass cutout.

Article No.	Finish
EPF 800	Stainless Steel







Glass Door Handle Glass Door Sliding Handle



Glass Door Handle Glass Door Sliding Handle




EHSL 001


Sliding Glass Door Handle - Rectangular

Features:

- Glass Thickness 10mm / 12mm
- Material : Stainless Steel.

Article No.	Finish
EHSL 001	Satin Stainless Steel (SSS).






EHSL 002


Sliding Glass Door Handle - Square

Features:

- Glass Thickness 10mm / 12mm
- Material : Stainless Steel.

Article No.	Finish
EHSL 002	Satin Stainless Steel (SSS).






EHSL 003


Sliding Glass Door Handle - Round

Features :

- Glass Thickness 10mm / 12mm
- Material : Stainless Steel.

Article No.	Finish
EHSL 003	Satin Stainless Steel (SSS).






EHSL 004


Sliding Glass Door Handle - Round

eatures :

- Glass Thickness 10mm / 12mm
- Material : Stainless Steel.

Article No.	Finish
EHSL 004	Satin Stainless Steel (SSS).
EHSL 004	Polished Stainless Steel (PSS).






EHSL 005

Sliding Glass Door Handle - Round

Features:

- Glass Thickness 10mm / 12mm
- Material : Stainless Steel.

ish	Article No.
tin Stainless Steel (SSS).	EHSL 005
tin Stainless Steel (SSS).	EHSL 005






EHSL 014


Sliding Glass Door Handle - Rectangular

Features:

- Glass Thickness 10mm / 12mm
- Material : Stainless Steel.

	
EHSL 014 Sati	n Stainless Steel (SSS).
EHSL 014 Polis	shed Stainless Steel (PSS).





Glass Door Handle Glass Door Sliding Handle



Glass Door Handle Glass Door Sliding Handle



EHSL 015

Sliding Glass Door Handle - Round

Features:

- Glass Thickness 10mm / 12mm
- Material : Stainless Steel.

Article No.	Finish
EHSL 015	Satin Stainless Steel (SSS).






EHSL 016

Sliding Glass Door Handle - Round

Features:

- Glass Thickness 10mm / 12mm
- Material : Stainless Steel.

Article No.	Finish
EHSL 016	Satin Stainless Steel (SSS).
	,






EHSL 018

Sliding Glass Door Handle - Round

Features :

- Glass Thickness 10mm / 12mm
- Material : Stainless Steel.

Article No.	Finish
EHSL 018	Satin Stainless Steel (SSS).






EHSL 022


Sliding Glass Door Handle - Finger Pull

eatures :

- Glass Thickness 10mm / 12mm
- Material : Stainless Steel.

Article No.	Finish
EHSL 022	Satin Stainless Steel (SSS).






EHSL 023

Sliding Glass Door Handle - Finger Pull

Features:

- Glass Thickness 10mm / 12mm
- Material : Stainless Steel.

Article No.	Finish
EHSL 023	Satin Stainless Steel (SSS).









Glass Door Pull Handles Door Handle




ESDH 004 Glass Door Pull Handle With Lock (Square)


• Glass Thickness: 10mm to 12mm


• Material : Stainless Steel

• Size : 1500mm

Article No.	Finish
ESDH 004	Satin Stainless steel(SSS)







ESDH 005 Glass Door Pull Handle With Lock (Round)


Features:


• Glass Thickness: 10mm to 12mm • Material : Stainless Steel

• Size: 1500mm

Article No.	Finish
ESDH 005	Satin Stainless steel(SSS)
ESDH 005	Polished Stainless Steel (PSS)

Glass Door Pull Handle With Lock (Square)





Glass Door Pull Handles Door Handle



Glass Door Pull Handles Door Handle



ESDH 006

Glass Door Pull Handle With Lock (Round)

Features


• Glass Thickness: 10mm to 12mm


• Material : Stainless Steel

• Size : 1340mm

Article No.	Finish
ESDH 006	Satin Stainless steel(SSS)

Glass Door Pull Handle With Lock (Round)





ESDH - 001/002/003 Glass Door Pull Handle


Features:

• Glass Thickness : 10mm to 12mm


• Material : Stainless Steel

Article No.	Finish
ESDH 001-003	Satin Stainless steel(SSS)

Glass Door Pull Handle With Lock (Square)



CODE	SIZE A	SIZE B
ESDH-001-SSS	750MM	450mm
ESDH-002-SSS	900mm	600mm
ESDH-003-PSS	1050mm	750mm



★ CUSTOMISED FITTINGS FOR PROJECTS we are able to organise special purpose fittings for different applications (This is subject to design, quantity and time limitations.)


ESDH 1100 Series Glass Door Pull Handle

Features:


• Glass Thickness: 10mm to 12mm

• Material : Stainless Steel

Article No.	Finish
ESDH 1100	Satin Stainless steel(SSS)
FSDH 1100	Black Matte (BM)



CODE	SIZE A	SIZE B	ØС
ESDH-1110	170MM	250mm	25mm
ESDH-1112	220mm	300mm	25mm
ESDH-1114	305mm	457mm	32mm
ESDH-1115	295mm	375mm	25mm
ESDH-1118	370mm	450mm	25mm
ESDH-1124	520mm	600mm	32mm
ESDH-1136	820mm	900mm	32mm
	•		



ESDH - 1200 Series

Glass Door Pull Handle


Features:

• Glass Thickness : 10mm to 12mm


• Material : Stainless Steel

Article No.	Finish
ESDH 1200	Satin Stainless steel(SSS)
ESDH 1200	Black Matte (BM)

Glass Door Pull Handle



CODE	SIZE A	SIZE B	ØС
ESDH-1208	200MM	222mm	22mm
ESDH-1210	250MM	272mm	22mm
ESDH-1210-PSS	250MM	272mm	22mm
ESDH-1212	300mm	322mm	22mm
ESDH-1212-PSS	300mm	322mm	22mm
ESDH-1215	375mm	397mm	22mm
ESDH-1218	450mm	472mm	22mm
ESDH-1224	600mm	622mm	22mm
ESDH-1236	900mm	922mm	22mm



36

★ CUSTOMISED FITTINGS FOR PROJECTS
we are able to organise special purpose fittings for different applications
(This is subject to design, quantity and time limitations.)

Glass Door Pull Handles Door Handle



Glass Door Pull Handles Door Handle




ESDH 1300 Series Glass Door Pull Handle

Features:


• Glass Thickness: 10mm to 12mm

• Material : Stainless Steel

Article No.	Finish
ESDH 1300	Satin Stainless steel(SSS)



CODE	SIZE A	SIZE B	SQUARE C
ESDH-1310	250MM	272mm	22mm
ESDH-1312	300mm	322mm	22mm
ESDH-1315	375mm	397mm	22mm
ESDH-1318	450mm	475mm	25mm
ESDH-1324	600mm	625mm	25mm
ESDH-1336	900mm	925mm	25mm



ESDH - 1400 Series Glass Door Pull Handle


Features:

• Glass Thickness: 10mm to 12mm


• Material : Stainless Steel

Article No.	Finish
ESDH 1400	Satin Stainless steel(SSS)

Glass Door Pull Handle



CODE	SIZE A	SIZE B	ØС
ESDH-1410	250MM	270mm	20mm
ESDH-1412	300mm	320mm	20mm
ESDH-1415	375mm	395mm	20mm
ESDH-1418	450mm	475mm	25mm
ESDH-1424	600mm	625mm	25mm
ESDH-1436	900mm	925mm	25mm
ESDH-1448	1200mm	1225mm	25mm




★ CUSTOMISED FITTINGS FOR PROJECTS we are able to organise special purpose fittings for different applications (This is subject to design, quantity and time limitations.)


ESDH 102

Glass Door Pull Handle (Single Side)

- Glass Thickness: 10mm to 12mm
- Material : Stainless Steel
- Total length 293 mm
- Center to Center distance 250 mm

Article No.	Finish
ESDH 102	Satin Stainless steel(SSS)





ESDH - 1515


Glass Door Pull Handle Ø25mm (Single Side)

Features:

- Glass Thickness: 10mm to 12mm
- Material : Stainless Steel
- Total length 375 mm
- Center to Center distance 300 mm

Article No.	Finish
ESDH 1515	Satin Stainless steel(SSS)

Glass Door Pull Handle





★ CUSTOMISED FITTINGS FOR PROJECTS we are able to organise special purpose fittings for different applications (This is subject to design, quantity and time limitations.)

Legal Disclaimer

Whilst every effort has been made to ensure that the information contained in this brochure is accurate at the time of publication, ENOX recommends that you consult ENOX or its agents or its authorised dealer or its authorised distributor prior to placing an order to ascertain current information on specific product, as ENOX reserves the right to make changes without prior notice. ENOX will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. This brochure does not constitute an offer for the sale of any particular product.



MUMBAI

EcoStar, 11th Floor, 1101 / 1103, Off Aarey Road, Vishweshwar Nagar Goregoan (East), Mumbai - 400063, Tel: +91-22-6180 5555 displaycentre@enox.in

PUNE

Sr. No.36, Hissa No.1, Plot No.11, Village Pisoli Haveli Kondhwa, Pune - 411 028, Maharashtra Tel: +91-9702203659/63 displaycentre.pun@enox.in

SURAT

Plote No.11, 1St Floor, Shiv Ashish Industrail Estate, Off Udhana/ Magadal Road, Nr.Hyundai Showrrom, Surat, Gujarat Tel:+91-8511148472 displaycentre.sur@enox.in

BENGALURU

#36/2, Third & Fourth Floor,
Patalamma Temple Street,
Near South-end Circle, Basavanagudi,
Bengaluru-560 004, Karnataka
Tel:+91-7207217088/92
displaycentre.blr@enox.in

HYDERABAD

2nd Floor, Alcazar Mall, Plot No. 497/498, Road No. 36, Jubilee Hills, Hyderabad-500 033, Telangana Tel:+91-7207217085 displaycentre.hyd@enox.in

CHENNAI

23-2, Old No 39-2, Cenotaph Road, 1st Lane, Near to Crown Plaza Hotel, Opp Canara Bank, Teynampet, Chennai-600 018 Tel:+91-9940360525/9840330292 displaycentre.che@enox.in