

ENOX E

ASSA ABLOY



Wooden Sliding Solutions

ASSA ABLOY is the global leader in door opening solutions

Since its formation in 1994, ASSA ABLOY has grown rapidly over the last 20 years, from a regional company to an international Group with around 44,000 employees.

ASSA ABLOY is represented on both mature and emerging markets world-wide with leading positions in Europe, North America and Asia Pacific.

ASSA ABLOY's leading market presence in the Asia Pacific region is based on the industry's largest and most valuable brand portfolio.

ASSA ABLOY recently acquired major stake in ENOX Hardware India Private Limited, a privately owned company with deep rooted family values.



ASSA ABLOY

ENOX in brief

ENOX as a brand is extensively used in mid level markets across all sectors of the industry like Hospitality, Commercial, Residential, Infrastructure and Healthcare. ENOX Hardware has a diversified product portfolio ranging from door controls' hardware to aluminum profiles to furniture fittings but our major business churning products are Glass Architectural Hardware and Glass Sliding Solutions. With the continuous support of and untiring efforts of our in-house product management team, we've developed an entire range of sliding systems be it manual or automatic, wood or glass.

ENOX in India, started its journey from selling door hardware in 2007 and now has successfully managed to grow exponentially with about 225 employees.

Mission Statement

Superior customer service, Quality and Commitment with Profitable Growth

Vision

- To be India's leading consumer company for Glass Hardware and Sliding Solutions
- To be the company that best understands and satisfies the product, service and self-fulfillment needs of our customers.
- To offer a pleasant working environment to our employees.

CONTENT



Cabinet Sliding Fittings

003



Wardrobe Sliding Fittings

017



Wooden Sliding Fittings

079



Accessories

129




Cabinet Sliding Fitting

Cabinet Sliding Fitting

Wooden Sliding Fitting

ESLD - 055




ESLD - 055 Sliding Fitting for Wooden/Profile Cabinet Door

- Features :**
- Top track, groove mounted.
 - No groove required in the floor.
 - With clip on running gear for concealed fixing.
 - For 2 wooden & Alu. profile sliding doors.
 - Finish : Grey.
 - Maximum door weight : 20 kgs/Panel.



ESLD - 055 - 2 Doors kit


ESLD - 055
Maximum door weight : 20 kgs/Panel.

 4X	 4X	 4X	 2X
			


ESC - 055

ESC - 055
Aluminium anodized single top track non-drilled


- Features :**
- Finish : Aluminium Anodized.
 - Size : 3000 mm.



Mounting example



Red number - door treatment




Abbreviations : DH - Door Height ICH - Internal Cabinet Height

Ordering Information - for ESLD - 055

Product code	EslD - 055	Esc - 055		
Quantity for 2 doors	1 Set	1 Pcs		

Cabinet Sliding Fitting
Wooden Sliding Fitting

ESLD - 002




ESLD - 002
Wooden Sliding Fitting for Cabinet Door

- Features :**
- Top track with bottom track, groove mounted.
 - Without fascia.
 - With running gear for concealed fixing.
 - For 1 wooden door.
 - Finish : Black.
 - Maximum door weight : 40 kgs/Panel.



ESLD - 002 - 1 Doors kit


ESLD - 002
Maximum door weight : 40 kgs/Panel.




ESC - 002 Alu

ESC - 002 Alu
Aluminium anodized single top track or bottom track non-drilled


- Features :**
- Finish : Aluminium Anodized.
 - Size : 2400 / 3000 mm.



Mounting example



Red number - door treatment



Abbreviations : DH - Door Height ICH - Internal Cabinet Height


Ordering Information - for ESLD - 002

Product code	ESLD - 002	ESC - 002 Alu			
Quantity for 1 door	1 Set	1 Pcs			

Cabinet Sliding Fitting

Wooden Sliding Fitting

ESLD - 031




ESLD - 031 Wooden Sliding Fitting for Cabinet Door

- Features :**
- Top track with bottom track, groove mounted.
 - Without fascia.
 - With running gear for concealed fixing.
 - For 1 wooden door.
 - Finish : Zinc Alloy
 - Maximum door weight : 40 kgs/Panel.



ESLD - 031 - 1 Doors kit


ESLD - 031
Maximum door weight : 40 kgs/Panel.




ESC - 026 Alu

ESC - 026
Aluminium anodized single top track or bottom track non-drilled

- Features :**
- Finish : Aluminium Anodized.
 - Size : 2400 / 3000 mm.



Mounting example



Red number - door treatment



Abbreviations : DH - Door Height ICH - Internal Cabinet Height

Ordering Information - for ESLD - 031

Product code	ESLD - 031	ESC - 026			
Quantity for 1 door	1 Set	1 Pcs			

Cabinet Sliding Fitting

Wooden Sliding Fitting

ESLD - 003

ESLD - 003

Wooden Sliding Fitting for Cabinet Door

Features :


- Top track with bottom track, groove mounted.
- Without fascia.
- With running gear for concealed fixing.
- For 1 wooden door.
- Finish : Black
- Maximum door weight : 40 kgs/Panel.



ESLD - 003- 1 Doors kit

ESLD - 003

Maximum door weight : 40 kgs/Panel.




ESC - 003 Alu

ESC - 003 Alu


Aluminium anodized single top track or bottom track non-drilled

Features :


- Finish : Aluminium Anodized.
- Size : 2400 / 3000 mm.



Mounting example



Red number - door treatment



Abbreviations : DH - Door Height ICH - Internal Cabinet Height


Ordering Information - for ESLD - 003

Product code	ESLD - 003	ESC - 003 Alu			
Quantity for 1 door	1 Set	1 Set			

Cabinet Sliding Fitting

Wooden Sliding Fitting

ESLD - 041



ESLD - 041

Wooden Sliding Fitting for Cabinet Door

Features :


- Top track with bottom track, groove mounted.
- Without fascia.
- With running gear for concealed fixing.
- For 1 wooden door.
- Finish : Black
- Maximum door weight : 40 kgs/Panel.



ESLD - 041- 1 Doors kit

ESLD - 041

Maximum door weight : 40 kgs/Panel.




ESC - 041 Alu

ESC - 041 Alu


Aluminium anodized single top track or bottom track non-drilled

Features :


- Finish : Aluminium Anodized.
- Size : 3000 mm.



Mounting example



Red number - door treatment



Abbreviations : DH - Door Height ICH - Internal Cabinet Height


Ordering Information - for ESLD - 041

Product code	ESLD - 041	ESC - 041 Alu		
Quantity for 1 door	1 Set	1 Set		

Cabinet Sliding Fitting

Wooden Sliding Fitting

ESLD - 075




ESLD - 075 Wooden Sliding Fitting for Cabinet Door

- Features :**
- Top track with bottom track, groove mounted.
 - Without fascia.
 - With running gear for concealed fixing.
 - For 1 wooden door.
 - shielded ball bearing.
 - Easy installation
 - Material : Nylon roller with teflon covered wheels.
 - Maximum door weight : 45 kgs/Panel.



ESLD - 075- 1 Doors kit


ESLD - 075
Maximum door weight : 45 kgs/Panel.




ESC - 075

ESC - 075
Aluminium anodized single top track or bottom track non-drilled

- Features :**
- Finish : Aluminium Anodized.
 - Size : 3000 mm.





Mounting example



Red number - door treatment

Abbreviations : DH - Door Height ICH - Internal Cabinet Height



Ordering Information - for ESLD - 075


Product code	ESLD - 075	ESC - 075			
Quantity for 1 door	1 Set	1 Pcs			



Wardrobe Sliding Fitting

Wardrobe Sliding Fitting
Wooden Sliding Fitting

ESLD - 101



ESLD - 101
Wardrobe Sliding fitting

- Features :**
- Top & bottom track groove mount.
 - Without optional soft close.
 - Door thickness 18mm to 20mm
 - Door width 1000mm
 - Door Height 2400mm
 - Applicable for wooden door.
 - Maximum door weight :80 kgs/Panel.



ESOFT - 101

ESOFT - 101
Soft close for.



ESLD - 101


ESLD - 101
Wooden sliding fitting for
wardrobe (80kgs / panel)





- Features :**
- Finish : Aluminium Anodized.

ESC - 101
Top and Bottom Track for
ESLD - 101

- Features :**
- Finish : Aluminium Anodized.
 - Size : 2440mm / 3000mm




Mounting example



Ordering Information - for ESLD - 101 Wardrobe sliding fitting (soft close) - 2 Door					
Product code	ESLD - 101	ESC - 101	ESOFT - 101		
Quantity for 2 door	2 Set	1 Pcs	2 Pcs		

Wardrobe Sliding Fitting
Wooden Sliding Fitting

ESLD - 009




- ESLD - 009**
Wooden Sliding Fitting for Wardrobe Door
- Features :**
- Top track with bottom track.
 - Without fascia.
 - With running gear for concealed fixing.
 - For 1 wooden door.
 - Top & bottom track groove mount.
 - Finish : Chrome Plated.
 - Maximum door weight : 60 kgs/Panel.



ESLD - 009- 1 Doors kit


ESLD - 009
Maximum door weight : 60 kgs/Panel.




ESC - 009 Alu

ESC - 009
Aluminium anodized single top track or bottom track non-drilled

- Features :**
- Finish : Aluminium Anodized.
 - Size : 3000 mm.



Mounting example




Red number - door treatment

Abbreviations : DH - Door Height ICH - Internal Cabinet Height

Ordering Information - for ESLD - 009					
Product code	ESLD - 009	ESC - 009 Alu			
Quantity for 1 door	1 Set	1 Pcs			

Wardrobe Sliding Fitting
Wooden Sliding Fitting

ESLD - 076




ESLD - 076
Heavy Sliding Fitting for Wardrobe Door

- Features :**
- Top & bottom track, groove mounted.
 - Without fascia.
 - With running gear for concealed fixing.
 - For 1 wooden door.
 - Shielded ball bearing.
 - Easy installation.
 - Maximum door weight : 60 kgs/Panel.



ESLD - 076- 1 Doors kit


ESLD - 076
Maximum door weight : 60 kgs/Panel.




ESC - 073

ESC - 073
Aluminium anodized single top track or bottom track

- Features :**
- Finish : Aluminium Anodized.
 - Size : 3000 mm.




Mounting example



Red number - door treatment

Abbreviations : DH - Door Height ICH - Internal Cabinet Height




Ordering Information - for ESLD - 076

Product code	ESLD - 076	ESC - 073			
Quantity for 1 door	1 Set	1 Pcs			

Wardrobe Sliding Fitting

Wooden Sliding Fitting

ESLD - 074

ESLD - 074

Heavy Sliding Fitting for Wardrobe Door

Features :


- Top & bottom track, groove mounted.
- Without fascia.
- With running gear for concealed fixing.
- For 1 wooden door.
- Shielded ball bearing.
- Easy installation.
- Maximum door weight : 60 kgs/Panel.



ESLD - 074- 1 Doors kit

ESLD - 074

Maximum door weight : 60 kgs/Panel.




ESC - 073

ESC - 073


Aluminium anodized single top track or bottom track

Features :


- Finish : Aluminium Anodized.
- Size : 3000 mm.




Mounting example



Red number - door treatment



Abbreviations : DH - Door Height ICH - Internal Cabinet Height





Ordering Information - for ESLD - 074

Product code	ESLD - 074	ESC - 073			
Quantity for 1 door	1 Set	1 Pcs			

Wardrobe Sliding Fitting

Wooden Sliding Fitting

ESLD - 073**ESLD - 073**

Heavy Sliding Fitting for Wardrobe Door

Features :


- Top & bottom track, groove mounted.
- Without fascia.
- With running gear for concealed fixing.
- For 1 wooden door.
- Shielded ball bearing.
- Easy installation.
- Maximum door weight : 80 kgs/Panel.



ESLD - 073- 1 Doors kit

ESLD - 073

Maximum door weight : 90 kgs/Panel.




ESC - 073

ESC - 073


Aluminium anodized single top track or bottom track

Features :


- Finish : Aluminium Anodized.
- Size : 3000 mm.




Mounting example



Red number - door treatment



Abbreviations : DH - Door Height ICH - Internal Cabinet Height




Ordering Information - for ESLD - 073

Product code	ESLD - 073	ESC - 073			
Quantity for 1 door	1 Set	1 Pcs			

Wardrobe Sliding Fitting
Wooden Sliding Fitting

ESLD - 047




ESLD - 047
Heavy Wooden Sliding Fitting for Wardrobe Door

- Features :**
- Top & bottom track, groove mounted.
 - Without fascia.
 - With running gear for concealed fixing.
 - For 1 wooden door.
 - Top & bottom track groove mount
 - Material : PVC with nylon ball bearing
 - Finish : Gray
 - Maximum door weight : 90 kgs/Panel.



ESLD - 047- 1 Doors kit


ESLD - 047
Maximum door weight : 90 kgs/Panel.



ESC - 021

ESC - 021
Aluminium anodized single top track or bottom track


- Features :**
- Finish : Aluminium Anodized.
 - Size : 2440 / 3000 mm.




ESC - 022

ESC - 022
Aluminium anodized double top track with bottom track


- Features :**
- Finish : Aluminium Anodized.
 - Size : 2440 / 3000 / 3600 mm.



Mounting example



Red number - door treatment




Abbreviations : DH - Door Height ICH - Internal Cabinet Height

Ordering Information - for ESLD - 047					
Product code	ESLD - 047	ESC - 021 [#]	ESC - 022 [#]		
Quantity for 1 door	1 Set	1 Set	1 Set		

[#] Req. any one, one set, Please check accordingly.

Wardrobe Sliding Fitting
Wooden Sliding Fitting

ESLD - 047 Soft Close




ESLD - 047 Soft Close
Heavy Wooden Sliding Fitting for Wardrobe Door


- Features :**
- Top & bottom track, groove mounted.
 - Without fascia.
 - With running gear for concealed fixing.
 - For 1 wooden door.
 - Top & bottom track groove mount
 - Material : PVC with nylon ball bearing
 - Finish : Gray
 - Maximum door weight : 70 kgs/Panel.




Mounting example



Red number - door treatment




Abbreviations : DH - Door Height ICH - Internal Cabinet Height



ESLD - 047- 1 Doors kit


ESLD - 047
Maximum door weight : 90 kgs/Panel.



ESC - 021

ESC - 021
Aluminium anodized single top track or bottom track


- Features :**
- Finish : Aluminium Anodized.
 - Size : 3000 mm.



ESC - 022

ESC - 022
Aluminium anodized double top track with bottom track

- Features :**
- Finish : Aluminium Anodized.
 - Size : 3600 mm.



E-Soft - 1003

E-Soft - 1003
Soft Close




Ordering Information - for ESLD - 047

Product code	ESLD - 047	ESC - 021 [#]	ESC - 022 [#]	E-Soft-1003	
Quantity for 1 door	1 Set	1 Set	1 Set	1 Set	

[#] Req. any one, one set, Please check accordingly.

Wardrobe Sliding Fitting
Wooden Sliding Fitting

ESLD - 022




ESLD - 022
Heavy Wooden Sliding Fitting for Wardrobe Door

- Features :
- Top & bottom track, groove mounted.
 - Without fascia.
 - With running gear for concealed fixing.
 - For 1 wooden door.
 - Maximum door weight : 80 kgs/Panel.



ESLD - 022- 1 Doors kit


ESLD - 022
Maximum door weight : 90 kgs/Panel.



ESC - 021

ESC - 021
Aluminium anodized single top track or bottom track


- Features :
- Finish : Aluminium Anodized.
 - Size : 2440 / 3000 mm.




ESC - 022

ESC - 022
Aluminium anodized double top track with bottom track

- Features :
- Finish : Aluminium Anodized.
 - Size : 2440 / 3000 / 3600 mm.



Mounting example



Red number - door treatment

Abbreviations : DH - Door Height ICH - Internal Cabinet Height

Wardrobe Sliding Fitting

Red number - door treatment

Abbreviations : DH - Door Height ICH - Internal Cabinet Height


Ordering Information - for ESLD - 022

Product code	ESLD - 022	ESC - 021 [#]	ESC - 022 [#]		
Quantity for 1 door	1 Set	1 Set	1 Set		

[#] Req. any one, one set, Please check accordingly.

Wardrobe Sliding Fitting
Wooden Sliding Fitting

ESLD - 022 Soft Close




ESLD - 022 Soft Close
Heavy Wooden Sliding Fitting for Wardrobe Door


- Features :
- Top & bottom track, groove mounted.
 - Without fascia.
 - With running gear for concealed fixing.
 - For 1 wooden door.
 - Maximum door weight : 70 kgs/Panel.




Mounting example



Red number - door treatment




Abbreviations : DH - Door Height ICH - Internal Cabinet Height



ESLD - 022- 1 Doors kit


ESLD - 022
Maximum door weight : 90 kgs/Panel.



ESC - 021

ESC - 021
Aluminium anodized single top track or bottom track


- Features :
- Finish : Aluminium Anodized.
 - Size : 3000 mm.



ESC - 022

ESC - 022
Aluminium anodized double top track with bottom track

- Features :
- Finish : Aluminium Anodized.
 - Size : 3600 mm.



E-Soft - 1003

E-Soft - 1003
Soft Close



Red number - door treatment

Abbreviations : DH - Door Height ICH - Internal Cabinet Height


Ordering Information - for ESLD - 022

Product code	ESLD - 022	ESC - 021 [#]	ESC - 022 [#]		
Quantity for 1 door	1 Set	1 Set	1 Set		

[#] Req. any one, one set, Please check accordingly.


Wardrobe Sliding Fitting
Wooden Sliding Fitting

ESLD - 058




ESLD - 058
Wooden Sliding Fitting for Wardrobe Door



- Features :
- Overlay sliding door system.
 - With running gear for concealed fixing.
 - For 2 or 3 wooden doors.
 - Material : Nylon roller with steel ball bearing.
 - Maximum door weight : 50 kgs/Panel.



anti jumper for inner door




Mounting example



Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / TH - Total Height


ESLD - 058 - 2 Doors kit

ESLD - 058
Maximum door weight - 50 kgs/Panel.



ESLD - 058 - 3 Doors kit

ESLD - 058 A
Maximum door weight - 50 kgs/Panel.




ESC - 058

ESC - 058
Aluminium anodized single top track


Features :

- Finish : Aluminium Anodized.
- Size : 3000mm.




ESLD - 039 - 2 Doors kit

ESLD - 039
Bottom door guide for base
with deep access For ESLD - 053
(Note: Please refer page no-073)




ESLD - 060 - 2 Doors kit

ESLD - 060
Bottom door guide for base
with deep access for ESLD - 058
(Note: Please refer page no-067)




ESLD - 060 A - 3 Doors kit

ESLD - 060 A
Bottom door guide for base
with deep access for ESLD - 058 A
(Note: Please refer page no-067)




ESLD - 061 - 2 Doors kit

ESLD - 061
Bottom door guide for base
with narrow access for ESLD - 058
(Note: Please refer page no-069)




ESLD - 061 A - 3 Doors kit

ESLD - 061 A
Bottom door guide for base
with narrow access for ESLD - 058 A
(Note: Please refer page no-069)




ESLD - 062 - 2 Doors kit

ESLD - 062
Bottom door guide for base
with narrow access for ESLD - 058
(Note: Please refer page no-071)



ESLD - 062 A - 3 Doors kit

ESLD - 062 A
Bottom door guide for base
with narrow access for ESLD - 058 A
(Note: Please refer page no-071)



Ordering Information - for ESLD - 058


Product code	Esld - 058	Esc - 058	Esld - 060 [#]	Esld - 061 [#]	Esld - 062 [#]	Esld - 039 [#]
Quantity for 2 doors	1 Set	1 Pcs	1 Set	1 Set	1 Set	1 Set
Product code	Esld - 058 A	Esc - 058	Esld - 060 A [#]	Esld - 061 A [#]	Esld - 062 A [#]	
Quantity for 3 doors	1 Set	1 Pcs	1 Set	1 Set	1 Set	

[#] Req. any one, one set, Please check accordingly.


Wardrobe Sliding Fitting

Wooden Sliding Fitting

ESLD - 058 / 058A Soft Close




Mounting example




ESLD - 058 / 058A Soft Close Wooden Sliding Fitting for Wardrobe Door

Features :


- Overlay sliding door system.
- With running gear for concealed fixing.
- For 2 or 3 wooden doors.
- Material : Nylon roller with steel ball bearing.
- Maximum door weight : 50 kgs/Panel.



Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / TH - Total Height




anti jumper for inner door



ESLD - 058 - 2 Doors kit

ESLD - 058


Maximum door weight - 50 kgs/Panel.



ESLD - 058 - 3 Doors kit

ESLD - 058 A

Maximum door weight - 50 kgs/Panel.




ESC - 058

ESC - 058

Aluminium anodized single top track

Features :

- Finish : Aluminium Anodized.
- Size : 3000mm.



E-Soft - 1001

E-Soft - 1001

Soft Close



E-Soft - 1002


E-Soft - 1002

Soft Close




Wardrobe Sliding Fitting
Wooden Sliding Fitting



ESLD - 059



- ESLD - 059**
Wooden Sliding Fitting for Wardrobe Door
- Features :**
- Overlay sliding door system.
 - With bottom guide.
 - With running gear for concealed fixing.
 - For 2 or 3 Aluminium fram doors.
 - Material : Plastic roller with steel ball bearing.
 - Maximum glass weight : 50 kgs/Panel.




Mounting example



Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / TH - Total Height


ESLD - 059 - 2 Doors kit

ESLD - 059
Maximum door weight - 50 kgs/Panel.



ESLD - 059 - 3 Doors kit

ESLD - 059 A
Maximum door weight - 50 kgs/Panel.




ESC - 058

ESC - 058
Aluminium anodized single top track


Features :

- Finish : Aluminium Anodized.
- Size : 3000mm.




ESLD - 060 - 2 Doors kit

ESLD - 060
Bottom door guide for base
with deep access for ESLD - 058
(Note: Please refer page no-067)




ESLD - 060 A - 3 Doors kit

ESLD - 060 A
Bottom door guide for base
with deep access for ESLD - 058 A
(Note: Please refer page no-067)




ESLD - 061 - 2 Doors kit

ESLD - 061
Bottom door guide for base
with narrow access for ESLD - 058
(Note: Please refer page no-069)




ESLD - 061 A - 3 Doors kit

ESLD - 061 A
Bottom door guide for base
with narrow access for ESLD - 058 A
(Note: Please refer page no-069)




ESLD - 062 - 2 Doors kit

ESLD - 062
Bottom door guide for base
with narrow access for ESLD - 058
(Note: Please refer page no-071)



ESLD - 062 A - 3 Doors kit

ESLD - 062 A
Bottom door guide for base
with narrow access for ESLD - 058 A
(Note: Please refer page no-071)



Ordering Information - for ESLD - 059					
Product code	Esld - 059	Esc - 058	Esld - 060 [#]	Esld - 061 [#]	Esld - 062 [#]
Quantity for 2 doors	1 Set	1 Pcs	1 Set	1 Set	1 Set
Product code	Esld - 059 A	Esc - 058	Esld - 060 A [#]	Esld - 061 A [#]	Esld - 062 A [#]
Quantity for 3 doors	1 Set	1 Pcs	1 Set	1 Set	1 Set

[#] Req. any one, one set, Please check accordingly.




Wooden Sliding Fitting

www.enox.in

Wardrobe Sliding Fitting

Wooden Sliding Fitting

ESLD - 053




ESLD - 053 Heavy Sliding Fitting for Wardrobe Door



- Features :**
- Top ceiling mounting track.
 - With running gear for concealed fixing.
 - For 2 wooden doors.
 - Material : Nylon roller with steel ball bearing.
 - Maximum door weight : 60 kgs/Panel.




Assembly runner profile




Preparing the door



Mounting example



Red number - door treatment




Abbreviations : DH - Door Height ICH - Internal Cabinet Height

ESLD - 053 - 2 Doors kit

ESLD - 053

Maximum door weight - 60 kgs/Panel.




ESLD - 054

ESC - 054

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium Anodized.
- Size : 3000mm.




ESC - 054 A Alu

ESC - 054 A Alu

Aluminium anodized single top track non-drilled

Features :


- Finish : Aluminium Anodized.
- Size : 3000mm.



ESLD - 060 - 2 Doors kit

ESLD - 060


Bottom door guide for base
with deep access for ESLD - 058
(Note: Please refer page no-067)



ESLD - 061 - 2 Doors kit

ESLD - 061


Bottom door guide for base
with narrow access for ESLD - 058
(Note: Please refer page no-069)



ESLD - 062 - 2 Doors kit

ESLD - 062


Bottom door guide for base
with narrow access for ESLD - 058
(Note: Please refer page no-071)



ESLD - 039 - 2 Doors kit

ESLD - 039

Bottom door guide for base
with deep access For ESLD - 053
(Note: Please refer page no-073)



Ordering Information - for ESLD - 053

Product code	ESLD - 053 [#]	ESC - 054 [#]	ESC - 054 A Alu [#]	ESLD - 060 [#]	ESLD - 061 [#]	ESLD - 062 [#]	ESLD - 039 [#]
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	1 Set	1 Set	1 Set	1 Set


* Req. any one, one pcs track, Please check accordingly. # Req. any one, one set, Please check accordingly.



Wardrobe Sliding Fitting


Wooden Sliding Fitting

ESLD - 054




ESLD - 054 Heavy Sliding Fitting for Wardrobe Door


- Features :**
- Top ceiling mounting track.
 - With running gear for concealed fixing.
 - For 2 wooden doors.
 - Material : Nylon roller with steel ball bearing.
 - Maximum door weight : 90 kgs/Panel.




Assembly runner profile




Preparing the door



Mounting example




Red number - door treatment



Abbreviations : DH - Door Height ICH - Internal Cabinet Height

ESLD - 054 - 2 Doors kit


ESLD - 054
Maximum door weight - 90 kgs/Panel.



ESLD - 054

ESC - 054
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium Anodized.
 - Size : 3000mm.



ESC - 054 A Alu


ESC - 054 A Alu
Aluminium anodized single top track non-drilled

- Features :
- Finish : Aluminium Anodized.
 - Size : 3000mm.




ESLD - 060 - 2 Doors kit

ESLD - 060
Bottom door guide for base
with deep access for ESLD - 058
(Note: Please refer page no-067)




ESLD - 061 - 2 Doors kit

ESLD - 061
Bottom door guide for base
with narrow access for ESLD - 058
(Note: Please refer page no-069)




ESLD - 062 - 2 Doors kit

ESLD - 062
Bottom door guide for base
with narrow access for ESLD - 058
(Note: Please refer page no-071)



ESLD - 039 - 2 Doors kit

ESLD - 039
Bottom door guide for base
with deep access For ESLD - 053
(Note: Please refer page no-073)




Ordering Information - for ESLD - 054

Product code	ESLD - 054	ESC - 054 *	ESC - 054 A Alu*	ESLD - 060 #	ESLD - 061#
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs	1 Set	1 Set
	ESLD - 062 #	ESLD - 039 #			
	1 Set	1 Set			

* Req. any one, one pcs track, Please check accordingly. # Req. any one, one set, Please check accordingly.

Wardrobe Sliding Fitting
Wooden Sliding Fitting



ESLD - 060




ESLD - 060
Bottom Door Guide

- Features :
- Bottom mounted track for deep access.
 - Bottom door guide for bases.
 - With running gear.
 - For 2/3 wooden doors.
 - Material : Nylon roller with steel ball bearing.

Mounting example




Abbreviations : ICW - Internal Cabinet Width / DW - Door Width




ESLD - 060 - 2 Doors kit

ESLD - 060
Bottom door guide



ESLD - 060 A - 3 Doors kit

ESLD - 060 A
Bottom door guide




ESC - 060

ESC - 060
Aluminium anodized single bottom track non-drilled

Features :

- Finish : Aluminium Anodized.
- Size : 3000mm.




Ordering Information - for ESLD - 060

Product code	Esld - 060	Esc - 060			
Quantity for 2 doors	1 Set	1 Pcs			
Product code	Esld - 060 A	Esc - 060			
Quantity for 3 doors	1 Set	1 Pcs			

Wardrobe Sliding Fitting
Wooden Sliding Fitting




ESLD - 061



ESLD - 061
Bottom Door Guide


- Features :
- Bottom mounted track for deep access.
 - Bottom door guide for bases.
 - With running gear.
 - For 2/3 wooden doors.
 - Material : Nylon roller with steel ball bearing.

Mounting example




ESLD - 061 - 2 Doors kit

ESLD - 061
Bottom door guide



ESLD - 061 A - 3 Doors kit

ESLD - 061 A
Bottom door guide




ESC - 061

ESC - 061
Aluminium anodized single bottom track non-drilled

Features :

- Finish : Aluminium Anodized.
- Size : 3000mm.




Ordering Information - for ESLD - 061

Product code	Esld - 061	Esc - 061			
Quantity for 2 doors	1 Set	1 Pcs			
Product code	Esld - 061 A	Esc - 061			
Quantity for 3 doors	1 Set	1 Pcs			

Wardrobe Sliding Fitting

Wooden Sliding Fitting



ESLD - 062




ESLD - 062
Bottom Door Guide

- Features :
- Bottom mounted track for deep access.
 - Bottom door guide for flush bases.
 - With running gear.
 - For 2/3 wooden doors.
 - Material : Nylon roller with steel ball bearing.

Mounting example




Abbreviations : ICW - Internal Cabinet Width / DW - Door Width




ESLD - 062 - 2 Doors kit

ESLD - 062
Bottom door guide



ESLD - 062 A - 3 Doors kit

ESLD - 062 A
Bottom door guide




ESC - 062

ESC - 062
Aluminium anodized single bottom track non-drilled

Features :

- Finish : Aluminium Anodized.
- Size : 3000mm.




Ordering Information - for ESLD - 062

Product code	Esld - 062	Esc - 062			
Quantity for 2 doors	1 Set	1 Pcs			
Product code	Esld - 062 A	Esc - 062			
Quantity for 3 doors	1 Set	1 Pcs			

Wardrobe Sliding Fitting

Wooden Sliding Fitting


ESLD - 039




ESLD - 039
Bottom Door Guide

- Features :
- Bottom mounted track for inset access.
 - Bottom door guide for inset bases.
 - With running gear.
 - For 2 wooden doors.
 - Material : Plastic.


Mounting example



Red number - door treatment




Abbreviations : ICW - Internal Cabinet Width / DW - Door Width



ESLD - 039 - 2 Doors kit

ESLD - 039
Bottom door guide




ESC - 039

ESC - 039
PVC Single track non-drilled

Features :

- Material : PVC.
- Size : 3000mm.




Ordering Information - for ESLD - 039

Product code	Esld - 039	Esc - 039			
Quantity for 2 doors	1 Set	1 Pcs			

Wardrobe Sliding Fitting

Wooden Sliding Fitting

ESLD - 004




ESLD - 004
Wooden Sliding Fitting for Wardrobe Door


- Features :
- Overlay sliding door system.
 - With running gear, for concealed fixing.
 - With running gear, for concealed fixing.
 - For 2 wooden doors.
 - Maximum door weight : 70 kgs/Panel.



Mounting example




Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / DH - Door Height / TH - Total Height



ESLD - 004 - 2 Doors kit

ESLD - 004
Maximum door weight - 70 kgs/Panel.




ESC - 004

ESC - 004
Aluminium anodized single top & bottom track non-drilled

Features :

- Finish : Aluminium Anodized.
- Size : 3000mm.





Ordering Information - for ESLD - 004

Product code	Esld - 004	Esc - 004			
Quantity for 2 doors	1 Set	1 Pcs			

Wardrobe Sliding Fitting


Wooden Sliding Fitting

ESLD - 056**ESLD - 056**


Wooden Sliding Fitting for Wardrobe Door

Features :



- Overlay sliding door system.
- With bottom track.
- With running gear for concealed fixing.
- For 2 wooden doors.
- Material : Nickel - plated steel with grey plastic.
- Maximum door weight : 20 kgs/Panel.



Mounting example




Drilling pattern




Calculation of door width/door panels
 Door width = inside cabinet width + (2 x overlay)
 Door panel width = inside cabinet width - (1 x reveal) + (2 x overlay*) ÷ 2
 * Overlay : max. 15 mm

Assembly

**ESLD - 056 - 2 Doors kit**

ESLD - 056

Maximum door weight - 20 kgs/Panel.




ESC - 056

ESC - 056

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium Anodized.
- Size : 2000mm.




ESC - 057

ESC - 057

Aluminium anodized single bottom track non-drilled

Features :


- Finish : Aluminium Anodized.
- Size : 2000mm.

**Ordering Information - for ESLD - 056**

Product code	Esld - 056	Esc - 056	Esc - 057		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs		

Wardrobe Sliding Fitting
Wooden Sliding Fitting

ESLD - 057




ESLD - 057
Sliding folding Fitting for Wardrobe Door


- Features :
- Overlay sliding door system.
 - With bottom track.
 - With running gear for concealed fixing.
 - For 2 Aluminium gear for concealed fixing.
 - Material : Nickel - plated steel with grey plastic.
 - Maximum door weight : 20 kgs/Panel.





Milling diagram




Mounting example



Drilling pattern




2-panel folding door
Panel width max. 500 mm
Door weight/panel max. 20 kg
Door panel height max. 2000 mm





Calculation of door width/door panels
Door width = inside cabinet width + (2 x overlay)
Door panel width = inside cabinet width - (1 x reveal) + (2 x overlay*) ÷ 2
* Overlay : max. 15 mm

Assembly



ESLD - 057 - 2 Doors kit


ESLD - 057
Maximum door weight - 20 kgs/Panel.

 1X	 1X	 5X	
 4X			

ESC - 056

ESC - 056
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium Anodized.
 - Size : 2000mm.



ESC - 057

ESC - 057
Aluminium anodized single bottom track non-drilled

- Features :
- Finish : Aluminium Anodized.
 - Size : 2000mm.




Ordering Information - for ESLD - 057

Product code	Esld - 057	Esc - 056	Esc - 057		
Quantity for 2 doors	1 Set	1 Pcs	1 Pcs		


Wardrobe Sliding Fitting

ESLD - 063




ESLD - 063
Wooden Sliding folding for Wardrobe Door


- Features :
- Overlay sliding door system.
 - With bottom track.
 - With running gear for concealed fixing.
 - For 2 wooden / frame doors.
 - Material : Chromated steel.
 - Maximum door weight : 25 kgs/Panel.





Mounting example



Drilling pattern




Assembly




Pivot offset	Offset door
0 mm	3 mm
3 mm	6 mm
6 mm	12 mm

- * Reveal adjustment: Continuously from hairline + 4 mm
- * Gradually adjusting the pivot offset (0/3/6) allows door offset to be set to 3, 6 or 12 mm

4 Panel Folding Door




2 Panel Folding Door



ESLD - 063 - 2 Doors kit

ESLD - 063
Maximum door weight - 25 kgs/Panel.




ESC - 063

ESC - 063
Aluminium anodized single top track

Features :

- Finish : Aluminium Anodized.
- Size : 3000mm.




Ordering Information - for ESLD - 063

Product code	Esld - 063	Esc - 063			
Quantity for 2 doors	1 Set	1 Pcs			

Wardrobe Sliding Fitting
Wooden Sliding Fitting

ESLD - 034




ESLD - 034
Wooden Sliding folding for Wardrobe Door


- Features :
- Light weight folding door system.
 - Bottom guide with track.
 - With running gear.
 - For 2 wooden doors.
 - Material : Nylon roller with steel ball bearing.
 - Maximum door weight : 45 kgs/Panel.



Mounting example




Drilling pattern



ESLD - 034 - 2 Doors kit


ESLD - 034
Maximum door weight - 45 kgs/Panel.



ESC - 033

ESC - 033 (10)
ESC - 033 (12)
ESC - 033 (16)
Aluminium anodized single top track
Features :


- Finish : Aluminium Anodized.
- Size : 3000mm, 3600mm, 4800mm.



ESC - 043


ESC - 043 (12)
ESC - 043 (16)
Bottom track for ESLD - 034

- Features :
- Aluminium track integrated with PVC for silent running.
 - Size : 3600mm, 4800mm.



ESC - 035

ESLD - 035
Bottom roller for ESLD - 034



Ordering Information - for ESLD - 034

Product code	Esld - 034	Esc - 033	Esc - 043	Esc - 035	
Quantity for 2 doors	1 Set	1 Pcs	Optional	Optional	

Wardrobe Sliding Fitting

Wooden Sliding Fitting

ESLD - 5001



ESLD - 5001

Wooden INLINE Sliding Fitting for Wardrobe


- Features :
- It is a sliding movement for two wooden door with the same size, coplanar lock, that can be applied on vertical door.
- The systems are suitable for the following door types:
- Width : min. 700mm & max. 1500mm.
 - Maximum recommended height : 2200mm.
 - Maximum door weight : 35 kgs/Panel.
 - For 2 Wooden doors.



ESLD - 5001 - 2 Doors kit


ESLD - 5001

Maximum door weight - 35 kgs/Panel.




Ordering Information - for ESLD - 5001	
	Product code
Quantity for 2 doors Cabinet width 1400mm	ESLD - 5001 - 700
Quantity for 2 doors Cabinet width 1600mm	ESLD - 5001 - 800
Quantity for 2 doors Cabinet width 1800mm	ESLD - 5001 - 900
Quantity for 2 doors Cabinet width 2000mm	ESLD - 5001 - 1000
Quantity for 2 doors Cabinet width 2200mm	ESLD - 5001 - 1100
Quantity for 2 doors Cabinet width 2400mm	ESLD - 5001 - 1200
Quantity for 2 doors Cabinet width 2600mm	ESLD - 5001 - 1300
Quantity for 2 doors Cabinet width 2800mm	ESLD - 5001 - 1400
Quantity for 2 doors Cabinet width 3000mm	ESLD - 5001 - 1500

Mounting example



Abbreviations : DW - Door Width / ICW - Internal Cabinet Width / TH - Total Height / DH - Door Height / ICH - Internal Cabinet Height






Wooden Sliding Solution

Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 005

ESLD - 005

Wooden Sliding Fitting

Features :


- Running track for ceiling mounting.
- Installation height 40 mm.
- Nylon wheels with integrated bearings.
- Easy to assemble.
- Trouble free operation.
- For 1 wooden door.
- Maximum door weight : 80 kgs/Panel.



ESLD - 055 - 2 Doors kit

ESLD - 005

Maximum door weight : 90 kgs/Panel.



ESC - 005


ESC - 005 (12)

ESC - 005 (16)


Aluminium anodized single top track non-drilled

Features :


- Finish : Aluminium Anodized.
- Size : 3600 mm, 4800 mm.



Mounting example



Red number - door treatment



Abbreviations : DH - Door Height / TH - Total Height


Ordering Information - for ESLD - 005

Product code	Esld - 005	Esc - 005			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 005 H



ESLD - 005 H

Wooden Sliding Fitting - Synchro



- Features :
- Running track for ceiling mounting.
 - Installation height 40 mm.
 - (Update) nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 2 wooden synchronized doors.
 - Maximum door weight : 80 kgs/Panel.



ESLD - 055 H - 2 Synchronized wooden doors

ESLD - 005 H

Maximum door weight : 90 kgs/Panel.

			
4X	4X	2X	2X
			
2X	1X		


ESC - 005

ESC - 005 (12)


ESC - 005 (16)

Aluminium anodized single top track non-drilled

- Features :
- Finish : Aluminium Anodized.
 - Size : 3600 mm, 4800 mm.




Mounting example



Red number - door treatment


Abbreviations : DH - Door Height / TH - Total Height



Ordering Information - for ESLD - 005 h					
Product code	Esld - 005 H	Esc - 005			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution
Wooden Sliding Fitting

ESLD - 072







ESLD - 072
Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Installation height 49 mm.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 1 wooden doors.
 - Maximum door weight : 80 kgs/Panel.



ESLD - 072 - 1 Door kit


ESLD - 072
Maximum door weight : 100 kgs/Panel.

 4X	 4X	 2X	 2X
 1X	 1X	 1X	 1X


ESC - 066

ESC - 066 (12)
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium Anodized.
 - Size : 3600 mm.



Mounting example



Red number - door treatment



Abbreviations : DH - Door Height / TH - Total Height


Ordering Information - for ESLD - 072

Product code	Esld - 072	Esc - 066			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 072 H




ESLD - 072 H Wooden Sliding Fitting - Synchro

- Features :**
- Running track for ceiling mounting.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 2 wooden Synchronized doors.
 - Maximum door weight : 80 kgs/Panel.



ESLD - 072 H - 2 Synchronized wooden doors


ESLD - 072 H
Maximum door weight : 100 kgs/Panel.

 4X	 2X	 2X	 2X
 1X	 1X	 1X	 1X


ESC - 066

ESC - 066 (12)
Aluminium anodized single top track non-drilled

- Features :**
- Finish : Aluminium Anodized.
 - Size : 3600 mm.




Mounting example



Red number - door treatment


Abbreviations : DH - Door Height / TH - Total Height



Ordering Information - for ESLD - 072 H					
Product code	Esld - 072 H	Esc - 066			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution
Wooden Sliding Fitting

ESLD - 078




ESLD - 078
Wooden Sliding Fitting

- Features :
- Running track for ceiling or wall mounting.
 - Installation height 58 mm.
 - Nylon wheels with integrated bearings.
 - Trouble free operation.
 - For 1 wooden door.
 - Maximum door weight : 100kgs/Panel.




Mounting example



Abbreviations : ICW - Internal Cabinet Width / DW - Door Width

ESLD - 078 - 1 Doors kit

ESLD - 078
Maximum door weight - 100kgs/Panel




SGSF - 029

SGSF - 029
Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium Anodized.
- Size : 2400 / 3600 mm.



SGSF - 023

SGSF - 023
Stopper for ESLD - 078

- Features :
- Material : PVC.
 - Finish : White.



SGSF - 024 B

SGSF - 024 B
Bracket for fixing sliding track
SGSF - 029 into wall

- Features :
- Material : PVC.
 - Finish : White.



SGSF - 024

SGSF - 024
Bracket for SGSF - 029 open end

- Features :
- Material : PVC.
 - Finish : Black.



SGSF - 025

SGSF - 025
'L' clamp for fixing sliding track into wall


- Features :
- Material : Stainless Steel.
 - Finish : Satin Stainless Steel.



SGSF - 132

SGSF - 132
Sliding Track SGSF - 029 with SS Cover Profile

- Features :
- Material of Cover Profile : Stainless Steel.
 - Finish of Cover Profile : Satin Stainless Steel.
 - Size : 3600mm.




Ordering Information - for ESLD - 078

Product code	EslD - 078	Sgsf - 029 #	Sgsf - 023	Sgsf - 024	Sgsf - 024 B	Sgsf - 025	Sgsf - 132 #
Quantity for 1 door	1 Set	1 Pcs	2 Pcs	2 Pcs	2 Pcs	Optional	1 Pcs

Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 078 H

ESLD - 078 H
Wooden Sliding Fitting - Synchro

Features :


- Running track for ceiling mounting.
- Installation height 58 mm.
- Nylon wheels with integrated bearings.
- Trouble free operation.
- For 2 wooden Synchronized doors.
- Maximum door weight : 100 kgs/Panel.



ESLD - 078 H - 2 Synchronized wooden doors

ESLD - 078 H

Maximum door weight : 100 kgs/Panel.




SGSF - 029

SGSF - 029


Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium Anodized.
- Size : 2400 / 3600 mm.




Mounting example



Red number - door treatment

Abbreviations : DH - Door Height / TH - Total Height




Ordering Information - for ESLD - 078 H

Product code	Esld - 078 H	Sgsf - 029			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 013



ESLD - 013

Wooden Sliding Fitting



- Features :
- Running track for ceiling mounting.
 - Installation height 46 mm.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 1 wooden door.
 - Maximum door weight : 100 kgs/Panel.



ESLD - 013 - 1 Door kit

ESLD - 013

Maximum door weight : 100 kgs/Panel.

 2X	 2X	 2X	 2X
 1X	 1X		

ESC - 007

ESC - 007 (08)


ESC - 007 (12)

ESC - 007 (16)


Aluminium anodized single top track non-drilled

Features :


- Finish : Aluminium Anodized.
- Size : 2440 mm / 3600 mm / 4800 mm.



Mounting example



Red number - door treatment



Abbreviations : DH - Door Height / TH - Total Height

Ordering Information - for ESLD - 013

Product code	Esld - 013	Esc - 007			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution
Wooden Sliding Fitting

ESLD - 013 H





ESLD - 013 H
Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 2 wooden synchronized door.
 - Maximum door weight : 100 kgs/Panel.




ESLD - 013 H - 1 Door kit

ESLD - 013 H
Maximum door weight : 100 kgs/Panel.


 4X	 4X	 2X	 2X
 2X	 1X	 2X	

ESC - 007

- ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track non-drilled
- Features :
- Finish : Aluminium Anodized.
 - Size : 2440 mm / 3600 mm / 4800 mm.




Mounting example



Red number - door treatment

Abbreviations : DH - Door Height / TH - Total Height




Ordering Information - for ESLD - 013

Product code	Esld - 013	Esc - 007			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 013 SD / DD Soft




- ESLD - 013 SD / DD Soft**
Wooden Sliding Fitting
- Features :**
- Running track for ceiling mounting.
 - Installation height 51 mm.
 - Nylon whels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation
 - For 1 Wooden door.
 - Maximum door weight : 70kgs/Panel.




ESLD - 013 SD - 1 Door kit

ESLD - 013 SD
Maximum door weight : 70 kgs/Panel.




ESLD - 013 DD - 1 Door kit

ESLD - 013 DD
Maximum door weight : 70 kgs/Panel.








ESLD - 007 S

- ESC - 007 S**
Aluminium anodized single top track non-drilled
- Features :**
- Finish : Aluminium Anodized.
 - Size : 3600 mm.




Mounting example



Wooden Sliding Solution

Wooden Sliding Fitting


ESLD - 033

ESLD - 033

Wooden Sliding Fitting for Single Door

Features :

- Running track for ceiling mounting.
- Without bottom track.
- For 1 wooden door.
- Maximum door weight : 100 kgs/Panel.

**ESLD - 033 - 1 Door kit**

ESLD - 033

Maximum door weight - 100kgs/Panel

 2X	 2X	 2X	 2X
 1X			

ESC - 033

ESC - 033 (10)


ESC - 033 (12)

ESC - 033 (16)


Aluminium anodized single top track non-drilled

Features :


- Finish : Aluminium Anodized.
- Size : 3000mm, 3600mm, 4800mm.



Mounting example



Red number - door treatment




Abbreviations : DH - Door Height / TH - Total Height

Ordering Information - for ESLD - 033

Product code	Esld - 033	Esc - 033			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution


ESLD - 045



- ESLD - 045**
Wooden Sliding Fitting
- Features :**
- Running track for ceiling mounting.
 - Installation height 42mm
 - Polycarbon wheel with integrated bearings.
 - Easy to assemble.
 - Trouble free operation
 - For 1 wooden door.
 - Maximum door weight : 100 kgs/Panel.



Mounting example




Red number - door treatment

Abbreviations : DH - Door Height / TH - Total Height

ESLD - 045 - 1 Door kit

ESLD - 045
Maximum door weight - 120kgs/Panel


 2X	 2X	 1X	 2X
			

ESC - 037

ESC - 037
Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium Anodized.
- Size : 2440mm / 3600 mm.



SGSF - 135

SGSF - 135
'L' clamp for fixing sliding track into wall

Features :

- Material : Stainless Steel.
- Finish : Satin Stainless Stee.





Ordering Information - for ESLD - 045

Product code	Esld - 045	Esc - 037	Sgsf - 135		
Quantity for 1 door	1 Set	1 Pcs	Optional		

Wooden Sliding Solution
Wooden Sliding Fitting

ESLD - 045 H




ESLD - 045 H
Wooden Sliding Fitting - Synchro

- Features :
- Running track for ceiling mounting.
 - Polycarbon wheel with integrated bearings.
 - Easy to assemble.
 - Trouble free operation
 - For 2 wooden door.
 - Maximum door weight : 100 kgs/Panel.




Mounting example




Red number - door treatment

Abbreviations : DH - Door Height / TH - Total Height



ESLD - 045 - 1 Door kit


ESLD - 045
Maximum door weight - 120kgs/Panel



ESC - 037

ESC - 037
Aluminium anodized single top track non-drilled


- Features :
- Finish : Aluminium Anodized.
 - Size : 2440mm / 3600 mm.



SGSF - 136

SGSF - 136 ALU
SGSF - 136 SS
Fascia cover panel, non-drilled

- Features :
- Finish : Aluminium Anodized / Stainless Steel
 - Size : 3600 mm.




Ordering Information - for ESLD - 045 H

Product code	EslD - 045 H	Esc - 037	Sgsf - 136		
Quantity for 1 door	1 Set	1 Pcs	Optional		

Wooden Sliding Solution
Wooden Sliding Fitting

ESLD - 045 SD / DD Soft




- ESLD - 045 SD / DD Soft
Wooden Sliding Fitting**
- Features :**
- Running track for ceiling mounting.
 - Installation height 52 mm.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation
 - For 1 Wooden door.
 - Maximum door weight : 70kgs/Panel.




ESLD - 045 SD - 1 Door kit

ESLD - 045 SD
Maximum door weight : 70 kgs/Panel.




ESLD - 045 DD - 1 Door kit

ESLD - 045 DD
Maximum door weight : 70 kgs/Panel.





ESLD - 034 S


- ESC - 034 S**
Aluminium anodized single top track non-drilled
- Features :**
- Finish : Aluminium Anodized.
 - Size : 3600 mm.





Mounting example



ESLD - 045 DD
Two Side Softclose




ESLD - 045 SD
One Side Softclose



Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 046




ESLD - 046

Heavy Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Installation height 50 mm.
 - Polycarbon wheel with integrated bearings.
 - Easy to assemble.
 - Trouble free operation
 - For 1 wooden door.
 - Maximum door weight : 160 kgs/Panel.



Mounting example




Red number - door treatment

Abbreviations : DH - Door Height / TH - Total Height

ESLD - 046 - 1 Door kit


ESLD - 046
Maximum door weight - 160kgs/Panel



ESC - 038

ESC - 038
Aluminium anodized single top track non-drilled

- Features :
- Finish : Aluminium Anodized.
 - Size : 2440mm / 3600 mm.



SGSF - 135

SGSF - 135
'L' clamp for fixing sliding track into wall

- Features :
- Material : Stainless Steel.
 - Finish : Satin Stainless Stee.



Ordering Information - for ESLD - 046

Product code	Esld - 046	Esc - 038	Sgsf - 135		
Quantity for 1 door	1 Set	1 Pcs	Optional		

Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 046 H


ESLD - 046 H
Wooden Sliding Fitting - Synchro

Features :

- Running track for ceiling mounting.
- Polycarbon wheel with integrated bearings.
- Easy to assemble.
- Trouble free operation
- For 1 wooden door.
- Maximum door weight : 160 kgs/Panel.




Mounting example



Red number - door treatment


Abbreviations : DH - Door Height / TH - Total Height



ESLD - 046 H - 2 Synchronized wooden doors

ESLD - 046 H

Maximum door weight - 160kgs/Panel




ESC - 038

ESC - 038

Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium Anodized.
- Size : 2440mm / 3600 mm.



Wooden Sliding Fitting


Ordering Information - for ESLD - 046 H

Product code	Esld - 046 H	Esc - 038			
Quantity for 2 door	1 Set	1 Pcs			

Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 046 SD / DD Soft




- ESLD - 046 SD / DD Soft
Wooden Sliding Fitting**
- Features :**
- Running track for ceiling mounting.
 - Installation height 56 mm.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation
 - For 1 Wooden door.
 - Maximum door weight : 70kgs/Panel.




ESLD - 046 SD - 1 Door kit

ESLD - 046 SD
Maximum door weight : 70 kgs/Panel.





ESLD - 046 DD - 1 Door kit

ESLD - 046 DD
Maximum door weight : 70 kgs/Panel.




ESLD - 038 S


- ESC - 038 S**
Aluminium anodized single top track non-drilled
- Features :**
- Finish : Aluminium Anodized.
 - Size : 3600 mm.







Mounting example



ESLD - 046 DD
Two Side Softclose





ESLD - 046 SD
One Side Softclose



Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 015

ESLD - 015

Heavy Wooden Sliding Fitting

Features :

- Running track for ceiling mounting.
- Installation height 46 mm.
- Nylon wheels with integrated bearings.
- Easy to assemble.
- Trouble free operation.
- For 1 wooden door.
- Maximum door weight : 150 kgs/Panel.



ESLD - 015 - 1 Door kit

ESLD - 015

Maximum door weight - 150kgs/Panel

 2X	 2X	 2X	 2X
			

ESC - 007

ESC - 007 (08)


ESC - 007 (12)

ESC - 007 (16)


Aluminium anodized single top track non-drilled

Features :





- Finish : Aluminium Anodized.
- Size : 3600 mm / 4800 mm.



Mounting example



Red number - door treatment



Abbreviations : DH - Door Height / TH - Total Height


Ordering Information - for ESLD - 015

Product code	Esld - 015	Esc - 007			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 014




- ESLD - 014
Heavy Wooden Sliding Fitting**
- Features :**
- Running track for ceiling mounting.
 - Installation height 46 mm.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 1 wooden door.
 - Maximum door weight : 150 kgs/Panel.




ESLD - 014 - 1 Door kit

ESLD - 014
Maximum door weight - 150kgs/Panel


			
2X	2X	1X	2X
			

ESC - 007


- ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track non-drilled
- Features :**
- Finish : Aluminium Anodized.
 - Size : 3600 mm / 4800 mm.



Mounting example



Red number - door treatment




Abbreviations : DH - Door Height / TH - Total Height

Ordering Information - for ESLD - 014					
Product code	Esld - 014	Esc - 007			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 014 H





ESLD - 014 H Wooden Sliding Fitting - Synchro

- Features :**
- Running track for ceiling mounting.
 - Installation height 54 mm.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 2 wooden door synchronized doors.
 - Maximum door weight : 150 kgs/Panel.



ESLD - 014 H - 2 Synchronized wooden doors

ESLD - 014H
Maximum door weight - 150kgs/Panel


			
4X	4X	2X	2X
			
2X	1X		

ESC - 007


ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized single top track non-drilled

Features :

- Finish : Aluminium Anodized.
- Size : 3600 mm / 4800 mm.




Mounting example



Red number - door treatment

Abbreviations : DH - Door Height / TH - Total Height




Ordering Information - for ESLD - 014 H

Product code	Esld - 014 H	Esc - 007			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 016



ESLD - 016

Heavy Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Installation height 55 mm.
 - Steel wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 1 wooden door.
 - Maximum door weight : 200 kgs/Panel.



ESLD - 016 - 1 Door kit

ESLD - 016

Maximum door weight - 200kgs/Panel

 2X	 2X	 1X	 2X
			

ESC - 016


ESC - 016 (12)

ESC - 016 (16)


Aluminium anodized single top track non-drilled

Features :




- Finish : Aluminium Anodized.
- Size : 3600 mm, 4800 mm.



Mounting example



Red number - door treatment




Abbreviations : DH - Door Height / TH - Total Height

Ordering Information - for ESLD - 016

Product code	Esld - 016	Esc - 016			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution
Wooden Sliding Fitting

ESLD - 016 A




- ESLD - 016 A
Heavy Wooden Sliding Fitting**
- Features :**
- Running track for ceiling mounting.
 - Installation height 55 mm.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 1 wooden door.
 - Maximum door weight : 200 kgs/Panel.




ESLD - 016 A - 1 Door kit

ESLD - 016 A
Maximum door weight - 200kgs/Panel


 2X	 2X	 1X	 2X
			

ESC - 016




- ESC - 016 (12)
ESC - 016 (16)
Aluminium anodized single top track non-drilled
- Features :**
- Finish : Aluminium Anodized.
 - Size : 3600 mm, 4800 mm.



Mounting example



Red number - door treatment




Abbreviations : DH - Door Height / TH - Total Height

Ordering Information - for ESLD - 016 A

Product code	Esld - 016 A	Esc - 016			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 077

ESLD - 077

Heavy Wooden Sliding Fitting

Features :


- Running track for ceiling mounting.
- Installation height 95 mm.
- Polycarbon wheels with integrated bearings.
- Easy to assemble.
- For 1 wooden door.
- Maximum door weight : 250 kgs/Panel.



ESLD - 077 - 1 Door kit

ESLD - 077

Maximum door weight - 250kgs/Panel



ESC - 077


ESC - 077 (12)

ESC - 077 (16)


Aluminium anodized single top track non-drilled

Features :


- Finish : Aluminium Anodized.
- Size : 3600 mm , 4800 mm.



Mounting example



Red number - door treatment



Abbreviations : DH - Door Height / TH - Total Height


Ordering Information - for ESDL - 077

Product code	Esld - 077	Esc - 077			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution

Wooden Sliding Fitting

ESLD - 008




- ESLD - 008
Heavy Wooden Sliding Fitting**
- Features :**
- Running track for ceiling mounting.
 - Installation height 78 mm.
 - Steel wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 1 wooden door.
 - Maximum door weight : 280 kgs/Panel.



ESLD - 008 - 1 Door kit

ESLD - 008
Maximum door weight - 280kgs/Panel


 2X	 2X	 2X	 2X
 2X	 1X	 2X	

ESC - 042


ESC - 042
Aluminium anodized top track, non-drilled

Features :


- Finish : Aluminium anodized
- Size : 3600mm / 4800mm.



Mounting example



Red number - door treatment




Abbreviations : DH - Door Height / TH - Total Height

Ordering Information - for ESLD - 008

Product code	Esld - 008	Esc - 042			
Quantity for 1 door	1 Set	1 Pcs			

Wooden Sliding Solution
Wooden Sliding Fitting

ESLD - 006





- ESLD - 006
Heavy Wooden Sliding Fitting**
- Features :**
- Running track for ceiling mounting.
 - Installation height 76 mm.
 - Steel wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - For 1 wooden door.
 - Maximum door weight : 500 kgs/Panel.



ESLD - 006 - 1 Door kit


ESLD - 006
Maximum door weight - 500kgs/Panel

 2X	 2X	 2X	 2X
 1X	 1X		


ESC - 006

ESC - 006 (12)
ESC - 006 (16)
Aluminium anodized single top track non-drilled


- Features :**
- Finish : Aluminium Anodized.
 - Size : 3600 mm, 4800 mm.



Mounting example



Red number - door treatment



Abbreviations : DH - Door Height / TH - Total Height

Ordering Information - for ESLD - 006

Product code	Esld - 006	Esc - 006			
Quantity for 1 door	1 Set	1 Pcs			



Accessories

Accessories

Wooden Sliding Door Lock / Handle / Hinge

ESL - 001





ESL - 001

Sliding Door Lock For Wooden

Features :

- Door thickness : 40mm to 50mm.
- Material : White metal (Zinc Alloy).
- Finish : Brush Nickel.
- Both side knob.



ESL - 002





ESL - 002

Sliding Door Lock For Wooden

Features :

- Door thickness : 40mm to 50mm.
- Material : White metal (Zinc Alloy).
- Finish : Brush Nickel.
- One side knob and one side operate with coin in emergency.



Accessories

Wooden Sliding Door Lock / Handle / Hinge

ESL - 003





ESL - 003

Sliding Door Lock For Wooden

Features :

- Door thickness : 40mm to 50mm.
- Material : Zinc Alloy.
- Finish : Brush Nickel.
- One side knob one side key.



ESL - 004





ESL - 004

Sliding Door Lock For Wooden (For overlay)

Features :


- Door thickness : 40mm to 50mm.
- Material : Zinc Alloy.
- Finish : Brush Nickel.
- One side knob one side key.



Accessories

Wooden Sliding Door Lock / Handle / Hinge



ESL - 006



ESL - 006 Sliding Door Lock For Wooden

Features :

- Door thickness : 40mm to 50mm.
- Material : White metal (Zinc Alloy).
- Finish : Brush Nickel.
- One side knob one side key.





ESL - 008



ESL - 008 Sliding Door Lock For Wooden

Features :

- Door thickness : 40mm to 50mm.
- Material : Zinc Alloy.
- Finish : Brush Nickel.
- One side knob and one side key.



Accessories

Wooden Sliding Door Lock / Handle / Hinge



ESL - 009



ESL - 009 Sliding Door Lock For Wooden

Features :

- Door thickness : 40mm to 50mm.
- Material : White metal (Zinc Alloy).
- Finish : Brush Nickel.
- One side knob one side key.





ESL - 010



ESL - 010 Sliding Door Lock For Wooden

Features :

- Door thickness : 40mm to 50mm.
- Material : White metal (Zinc Alloy).
- Finish : Brush Nickel.
- One side knob one side key.



Accessories

Wooden Sliding Door Lock / Handle / Hinge


EDL - 008



EDL - 008 Sliding Dead Lock

Features :

- Door thickness : 25mm to 50mm.
- Material : SS + Brush.




EDL - 004



EDL - 004 Starkey Sliding Lock

Features :

- Door thickness : Min 25mm.
- Material : SS + Brush.



Accessories

Wooden Sliding Door Lock / Handle / Hinge



EML - 002



EML - 002 Sliding Push Lock (For overlay)

Features :

- Material : Zinc Alloy
- Finish : Brush steel (BN)
- Cylinder : D19mm X L22mm.
- Function : locking - By pushing in the cylinder.
- Unlocking : Only with a key.





EML - 006



EML - 006 Sliding Lock

Features :


- Material : Zinc Alloy.
- Finish : Brushed steel (BN)
- Cylinder : D19mm X L22mm.
- Unlocking : Only with a key.



Accessories

Wooden Sliding Door Lock / Handle / Hinge

EHSL - 10/11/12/13




EHSL - 10/11/12/13

Round Concealed Handle


Features :

- Door thickness : Min 19mm.
- Material : Stainless Steel
- Material : SS



MODEL NO.	SIZE	TYPE
EHSL 10	40 x 40 x 14mm	Flush Round Handle
EHSL 11	50 x 50 x 14mm	Flush Round Handle
EHSL 12	60 x 60 x 16mm	Flush Round Handle
EHSL 13	75 x 75 x 16mm	Flush Round Handle


EHSL - 06/07/08/09



EHSL - 06/07/08/09
Square Concealed Handle

Features :

- Door thickness : Min 19mm.
- Material : Stainless Steel
- Material : SS



MODEL NO.	SIZE	TYPE
EHSL 06	40 x 40 x 14mm	Flush Square Handle
EHSL 07	50 x 50 x 14mm	Flush Square Handle
EHSL 08	60 x 60 x 16mm	Flush Square Handle
EHSL 09	75 x 75 x 16mm	Flush Square Handle

Accessories

Wooden Sliding Door Lock / Handle / Hinge

ESOSS - 01/02/03/04/05/06




ESOSS - 01/02/03/04/05/06

Features :

- Door thickness : 19mm to 50mm.
- Material : Stainless Steel.
- Finish : Satin brush.

Concealed soss hinges



Dimension	Model No.					
	1#	2#	3#	4#	5#	6#
A	13	13	16	19	27	34
B	45	60	70	95	118	139
C	8.5	9.0	10.5	13	23.5	28


ESOSS - 011

ES00S - 011

Concealed Flap Hinges

Features :

- Door thickness: Min 19mm
- Material : White metal (Zinc Alloy).
- Suitable for folding drawer.
i.e. key board table



Accessories

Wooden Sliding Door Lock / Handle / Hinge

EHSL - 10 / 11 / 12 / 13
Round Concealed Handle


ESPHS - 001/002



ESPHS - 001/002
Single Spring Hinge

Features :

- Material : Stainless Steel.
- One side openable.



Stainless steel single action spring hinges

MODEL	A	B	C	D	E	F	G	H
ESPHS-01	4"	40	15	26	24	10	Ø5	78
ESPHS-02	5"	47.5	15.5	32	25	16.5	5.5	64


ESPHD - 001/002



ESPHD - 001/002
Double Spring Hinge

Features :

- Material : Stainless Steel.
- Both side openable.



Stainless steel double action spring hinges

MODEL	A	B	C	D	E	F	G	H
ESPHD-01	4"	40	15	26	25	16.3	5	54.5
ESPHD-02	5"	47.5	15.5	32	25	16.5	5.5	64

Accessories

Wooden Sliding Door Lock / Handle / Hinge


ESSH - 4303



ESSH - 4303
Ball Bearing Hinge

Features :

- Material : Stainless Steel 304.



MODEL NO.	SIZE	TYPE
ESSH 4303	4 x 3 x 3mm	2 BALL BEARING
ESSH 4353	4 x 3.5 x 3mm	4 BALL BEARING
ESSH 5303	5 x 3 x 3mm	4 BALL BEARING
ESSH 5353	5 x 3.5 x 3mm	4 BALL BEARING


EDF - 007



EDF - 007
Automatic Drop Down Seal


Features :


- 1,00,000 cycle tested
- Energy, drought & dust Protection
- Smoke, Noise & Light resistance
- Concealed Fixing
- Suitable for single & double Leaf Hinged door
- Size - 1000, 1200, 1400mm



Calculation panel weight


Wooden Sliding

	CHIPBOARD			
D mm	16 mm	19 mm	22 mm	25 mm
B x H				
500 x 1200	6.6	7.8	8.7	9.9
500 x 1800	9.9	11.7	13.1	14.9
600 x 1800	11.9	14.4	15.7	17.8
600 x 2200	14.5	17.2	19.1	21.8
600 x 2400	15.8	18.7	20.9	23.8
800 x 1800	15.8	18.7	20.9	23.8
800 x 2200	19.4	22.9	25.5	29.0
800 x 2400	21.1	25.0	27.8	31.7
1000 x 1200	13.2	15.6	17.4	19.8
1000 x 2400	26.4	31.2	34.8	39.6
kg m²	11.0	13.0	14.5	16.5

	MDF			
D mm	16 mm	19 mm	22 mm	25 mm
B x H				
500 x 1200	8.2	9.7	11.3	12.8
500 x 1800	12.3	14.6	16.9	19.2
600 x 1800	14.7	17.5	20.2	23.0
600 x 2200	18.0	21.4	24.7	28.1
600 x 2400	19.6	23.3	27.0	30.6
800 x 1800	19.6	23.3	27.0	30.6
800 x 2200	24.0	28.5	33.0	37.4
800 x 2400	26.2	31.0	36.0	40.8
1000 x 1200	16.4	19.4	41.2	25.5
1000 x 2400	32.7	38.8	44.9	51.0
kg m²	13.6	16.2	18.7	21.3

Calculation panel weight

Wooden Sliding

	PLYWOOD			
D mm	16 mm	19 mm	22 mm	25 mm
B x H				
500 x 1200	6.7	8.0	9.3	10.5
500 x 1800	10.1	12.0	13.9	15.8
600 x 1800	12.1	14.4	16.6	18.9
600 x 2200	14.8	17.6	20.3	23.1
600 x 2400	16.1	19.2	22.2	25.2
800 x 1800	16.1	19.2	22.2	25.2
800 x 2200	19.7	23.4	27.1	23.8
800 x 2400	21.5	25.6	29.6	33.6
1000 x 1200	13.5	16.0	18.5	21.0
1000 x 2400	26.9	31.9	37.0	42.0
kg m²	11.2	13.3	15.4	17.5

- The maximum door weights and door dimensions see respective catalogue pages.
- The maximum door weight may not be exceeded!
- Subject to technical modifications.
- Details without responsibility for correctness.

Product Code	Page No.
ESLD - 002	005
ESLD - 003	009
ESLD - 004	061
ESLD - 005	077
ESLD - 005 H	079
ESLD - 006	123
ESLD - 008	121
ESLD - 009	019
ESLD - 013	089
ESLD - 013 H	091
ESLD - 013 SD/DD SOFT	093
ESLD - 014	111
ESLD - 014 H	113
ESLD - 015	109
ESLD - 016	115
ESLD - 016 A	117
ESLD - 022	031
ESLD - 022 SOFT	033
ESLD - 031	007
ESLD - 033	095
ESLD - 034	069
ESLD - 039	059
ESLD - 041	011
ESLD - 045	097
ESLD - 045 H	099
ESLD - 045 SD/DD SOFT	101
ESLD - 046	103
ESLD - 046 H	105
ESLD - 046 SD/DD SOFT	107
ESLD - 047	027
ESLD - 047 SOFT	029
ESLD - 053	046
ESLD - 054	050
ESLD - 055	003
ESLD - 056	063
ESLD - 057	065
ESLD - 058	035
ESLD - 058 A SOFT	039
ESLD - 059	041
ESLD - 060	053
ESLD - 061	055
ESLD - 062	057
ESLD - 063	067
ESLD - 072	081

Product Code	Page No.
ESLD - 072 H	083
ESLD - 073	025
ESLD - 074	023
ESLD - 075	013
ESLD - 076	021
ESLD - 077	119
ESLD - 078	085
ESLD - 078 H	087
ESLD - 101	017
ESLD - 5001	073
ESLD - 6001	071
EHSL - 006	133
EHSL - 007	133
EHSL - 008	133
EHSL - 009	133
EHSL - 010	133
EHSL - 011	133
EHSL - 012	133
EDF - 007	136
ESL - 001	127
ESL - 002	127
ESL - 003	128
ESL - 004	128
ESL - 006	129
ESL - 008	129
ESL - 009	130
ESL - 010	130
EDL - 004	131
EDL - 008	131
EML - 002	132
EML - 006	132
ESOSS - 001	134
ESOSS - 002	134
ESOSS - 003	134
ESOSS - 004	134
ESOSS - 005	134
ESOSS - 006	134
ESOSS - 011	134
ESPHS - 001	135
ESPHS - 002	135
ESPHD - 001	135
ESPHD - 002	135
ESSH - 4303	136

Notes :



ASSA ABLOY

Wooden Sliding Solutions

Edition : 1-2021

The technical presentations and dimensions in the illustrations and drawings are non binding. We reserve the right to make changes to specifications at any time. We do not accept any responsibility for any errors which may occur in the production of this catalogue. All sizes in millimeter (mm).

The products in this list are the ones that are currently in the ENOX product range. Since our product range is updated frequently, please feel free to contact us if you cannot find any particular information.

The printed colours indicating the surface finishes are not 100% true, but do provide a useful guide.

Pictures may show designs which are different to the scope of delivery.

Legal Disclaimer

Whilst every effort has been made to ensure that the information contained in this brochure is accurate at the time of publication, ENOX recommends that you consult ENOX or its agents or its authorised dealer or its authorised distributor prior to placing an order to ascertain current information on specific product, as ENOX reserves the right to make changes without prior notice. ENOX will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. This brochure does not constitute an offer for the sale of any particular product.

MUMBAI

EcoStar, 11th Floor, 1101 / 1103,
Off Aarey Road, Vishweshwar Nagar
Goregoan (East), Mumbai - 400063,
Tel : +91-22-6180 5555
displaycentre@enox.in

PUNE

Sr. No.36, Hissa No.1, Plot No.11,
Village Pisoli Haveli Kondhwa,
Pune - 411 028, Maharashtra
Tel : +91-9702203659/63
displaycentre.pun@enox.in

SURAT

Plote No.11, 1St Floor, Shiv Ashish
Industrail Estate, Off Udhana/
Magadal Road, Nr.Hyundai Showrrom,
Surat, Gujarat
Tel : +91-8511148472
displaycentre.sur@enox.in

BENGALURU

#36/2, Third & Fourth Floor,
Patalamma Temple Street,
Near South-end Circle, Basavanagudi,
Bengaluru-560 004, Karnataka
Tel : +91-7207217088/92
displaycentre.blr@enox.in

HYDERABAD

2nd Floor, Alcazar Mall, Plot No. 497/498,
Road No. 36, Jubilee Hills,
Hyderabad-500 033, Telangana
Tel : +91-7207217085
displaycentre.hyd@enox.in

CHENNAI

23-2, Old No 39-2, Cenotaph Road,
1st Lane, Near to Crown Plaza Hotel,
Opp Canara Bank, Teynampet,
Chennai-600 018
Tel : +91-9940360525 / 9840330292
displaycentre.che@enox.in

Website



Android App



IOS App

