



Wooden Sliding Fitting



CONTENT


ESLD - 005	01
ESLD - 072	03
ESLD - 078	05
ESLD - 013	07
ESLD - 013 H	09
ESLD - 013 SD/DD Soft	11
ESLD - 033	13
ESLD - 045	15
ESLD - 045 H	17
ESLD - 045 SD/DD Soft	19
ESLD - 046	21
ESLD - 046 H	23
ESLD - 046 SD/DD Soft	25
ESLD - 015	27
ESLD - 014	29
EGSF - 016	31
EGSF - 016 A	33
EGSF - 008	35
EGSF - 006	37



Wooden Sliding Fitting

Wooden Sliding Fitting


Sliding Fitting





ESLD - 005

Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation for 1 wooden door.
 - Maximum door weight : 80 Kgs/Panel.




Installation Details




Abbreviations : DH - Door Height / TH - Total Height

Wooden Sliding Fitting

Sliding Fitting




ESLD - 005 (2 Doors kit)
Maximum door weight : 80 Kgs/Panel



ESC - 005 (12)
ESC - 005 (16)
Aluminium anodized track, non drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600 mm, 4800 mm.



Ordering Information ESLD - 005

Product code	ESLD - 005	ESC - 005		
Quantity for one synchronised system	1 Set	1 Pcs		

Wooden Sliding Fitting


Sliding Fitting





ESLD - 078

Wooden Sliding Fitting

- Features :
- Running track for ceiling or wall mounting.
 - Nylon wheels with integrated bearings.
 - Trouble free operation.
 - Maximum door weight : 100 kgs/Panel.



Installation Details




Abbreviations : DH - Door Height / TH - Total Height

Wooden Sliding Fitting

Sliding Fitting




ESLD - 078 (Single door kit)
Maximum door weight : 100 Kgs/Panel



SGSF - 029
Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2400mm / 3600 mm.



SGSF - 023
Stopper for ESLD - 078

- Features :
- Material : PVC.
 - Finish : White.



SGSF - 024
End cap for top track

- Features :
- Material : PVC.
 - Finish : Black.



SGSF - 025
'L' clamp for fixing sliding track on wall

- Features :
- Material : Stainless Steel.
 - Finish : Satin Stainless Steel.



Ordering Information ESLD - 078

Product code	ESLD - 078	SGSF - 029 #	SGSF - 023	SGSF - 024	SGSF - 025	SGSF - 132 #
Quantity for one synchronised system	1 Set	1 Pcs	2 Pcs	2 Pcs	Optional	1 Pcs

Wooden Sliding Fitting

Sliding Fitting



Wooden Sliding Fitting


Sliding Fitting



ESLD - 013

Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - Maximum door weight : 100 kgs/Panel.




ESLD - 013 (1 Door kit)
Maximum door weight : 100 Kgs/Panel



			
2X	2X	2X	2X
			
1X	1X		

ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440 mm / 3600 mm / 4800 mm.



Installation Details



Abbreviations : DH - Door Height / TH - Total Height

Ordering Information ESLD - 013

Product code	ESLD - 013	ESC - 007		
Quantity for one synchronised system	1 Set	1 Pcs		

Wooden Sliding Fitting

Sliding Fitting


Wooden Sliding Fitting

Sliding Fitting


ESLD - 013 H

Wooden Sliding Fitting - Synchro System


- Features :
- Running track for ceiling mounting.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - suitable for double door synchronised system
 - Maximum door weight : 100 kgs/Panel.



Installation Details



Abbreviations : DH - Door Height / TH - Total Height




In the middle 1 stopper with retention spring (right door)

ESLD - 013 H (For Synchronized wooden doors)
Maximum door weight : 100 Kgs/Panel

			
4X	4X	2X	2X
			
2X	1X		

ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440 mm / 3600 mm / 4800 mm.



Ordering Information ESLD - 013 H

Product code	ESLD - 013 H	ESC - 007		
Quantity for one synchronised system	1 Set	1 Pcs		

Wooden Sliding Fitting



Sliding Fitting




ESLD - 013 SD / DD Soft

Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation
 - Maximum door weight : 70 kgs/Panel.



Installation Details




Abbreviations : DH - Door Height / TH - Total Height

Wooden Sliding Fitting


Sliding Fitting



ESLD - 013 SD (1 Door kit)
Maximum door weight : 70 Kgs/Panel




ESLD - 013 DD (1 Door kit)
Maximum door weight : 70 Kgs/Panel



ESC - 007 S
Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600 mm.



Ordering Information ESLD - 013 SD / DD

Product code	ESLD - 013 SD	ESLD - 013 DD	ESC - 007 S	
Quantity for one synchronised system	1 Set	-	1 Pcs	
Quantity for Double synchronised system	-	1 Set	1 Pcs	

Wooden Sliding Fitting


Sliding Fitting





ESLD - 033

Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Without bottom track.
 - Maximum door weight : 100 kgs/Panel.



Installation Details




Abbreviations : ICW - Internal Cabinet Width / DW - Door Width

Wooden Sliding Fitting

Sliding Fitting




ESLD - 033 (1 Door kit)
Maximum door weight : 100 Kgs/Panel



ESC - 033 (10)
ESC - 033 (12)
ESC - 033 (16)
Aluminium anodized track non-drilled


- Features :
- Finish : Aluminium anodized.
 - Size : 3000mm / 3600mm / 4800mm.



Ordering Information ESLD - 033

Product code	ESLD - 033	ESC - 033		
Quantity for one synchronised system	1 Set	1 Pcs		

Wooden Sliding Fitting




ESLD - 045



Wooden Sliding Fitting

Features :

- Running track for ceiling mounting.
- Polycarbon wheel with integrated bearings.
- Easy to assemble.
- Trouble free operation
- Maximum door weight : 120 kgs/Panel.



Installation Details




Abbreviations : DH - Door Height / TH - Total Height

Wooden Sliding Fitting



ESLD - 045 (1 Door kit)
Maximum door weight : 120 Kgs/Panel




ESC - 037

Aluminium anodized track non-drilled

Features :

- Finish : Aluminium anodized.
- Size : 2440mm / 3600mm.



SGSF - 135

'L' clamp for fixing sliding track on wall

Features :

- Finish : Aluminium anodized.



Ordering Information ESLD - 045

Product code	ESLD - 045	ESC - 037	SGSF - 135	
Quantity for one synchronised system	1 Set	1 Pcs	Optional	

Wooden Sliding Fitting


Sliding Fitting




ESLD - 045 H

Wooden Sliding Fitting - Synchro System

- Features :
- Running track for ceiling mounting.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - Suitable for double door synchronised system
 - Maximum door weight : 100 kgs/Panel.



Installation Details




Red number - door treatment

Abbreviations : DH - Door Height / TH - Total Height

Wooden Sliding Fitting

Sliding Fitting




ESLD - 045 H (For synchronised wooden doors)
Maximum door weight : 100 Kgs/Panel

			
4X	4X	2X	2X
			
2X	2X		


ESC - 037
Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



SGSF - 136 ALU
SGSF - 136 SS
Fascia cover panel, non-drilled

- Features :
- Finish : Aluminium Anodized / Stainless Steel
 - Size : 3600mm.



Ordering Information ESLD - 045 H

Product code	ESLD - 045 H	ESC - 037	SGSF - 136		
Quantity for 1 door	1 Set	1 Pcs	Optional		

Wooden Sliding Fitting



Sliding Fitting




ESLD - 045 SD / DD Soft

Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation
 - Maximum door weight : 70 kgs/Panel.



Installation Details




Wooden Sliding Fitting


Sliding Fitting



ESLD - 045 SD (1 Door kit)
Maximum door weight : 70 Kgs/Panel




ESLD - 045 DD (1 Door kit)
Maximum door weight : 70 Kgs/Panel



ESC - 037 S
Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600 mm.



Ordering Information ESLD - 045 SD / DD

Product code	ESLD - 045 SD	ESLD - 045 DD	ESC - 037 S	
Quantity for one synchronised system	1 Set	-	1 Pcs	
Quantity for Double synchronised system	-	1 Set	1 Pcs	

Wooden Sliding Fitting


Sliding Fitting




ESLD - 046

Heavy duty Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Polycarbon wheel with integrated bearings.
 - Easy to assemble.
 - Trouble free operation
 - Maximum door weight : 160 kgs/Panel.



Installation Details




Abbreviations : DH - Door Height / TH - Total Height

Wooden Sliding Fitting

Sliding Fitting




ESLD - 046 (1 Door kit)
Maximum door weight : 160 Kgs/Panel



ESC - 038
Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



Ordering Information ESLD - 046

Product code	ESLD - 046	ESC - 038	SGSF - 135	
Quantity for one synchronised system	1 Set	1 Pcs	Optional	


Wooden Sliding Fitting

Sliding Fitting


ESLD - 046 H

Wooden Sliding Fitting - Synchro System

- Features :
- Running track for ceiling mounting.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - Maximum door weight : 100 kgs/Panel.




Installation Details



Abbreviations : DH - Door Height / TH - Total Height

Wooden Sliding Fitting






Sliding Fitting



In the middle 1 stopper with retention spring (right door)

ESLD - 046 H (2 synchronised wooden doors)


Maximum door weight : 100 Kgs/Panel

 4X	 2X	 1X	 2X
 4X	 2X	 2X	

ESC - 038

Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2440mm / 3600mm.



Ordering Information ESLD - 046 H

Product code	ESLD - 046 H	ESC - 038			
Quantity for 2 door	1 Set	1 Pcs			

Wooden Sliding Fitting



Sliding Fitting




ESLD - 046 SD / DD Soft

Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Polycarbon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation
 - Maximum door weight : 70 kgs/Panel.



Installation Details




Wooden Sliding Fitting


Sliding Fitting



ESLD - 046 SD (1 Door kit)
Maximum door weight : 70 Kgs/Panel




ESLD - 046 DD (1 Door kit)
Maximum door weight : 70 Kgs/Panel



ESC - 038 S
Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600 mm.



Ordering Information ESLD - 046 SD / DD

Product code	ESLD - 046 SD	ESLD - 046 DD	ESC - 038 S	
Quantity for one synchronised system	1 Set	-	1 Pcs	
Quantity for Double synchronised system	-	1 Set	1 Pcs	

Wooden Sliding Fitting

Sliding Fitting



Wooden Sliding Fitting


Sliding Fitting




ESLD - 015

Medium Duty Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - Maximum door weight : 150 kgs/Panel.




ESLD - 015 (1 Door kit)
Maximum door weight : 150 Kgs/Panel




ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2400mm / 3600mm / 4800mm.



Installation Details




Abbreviations : DH - Door Height / TH - Total Height

Ordering Information ESLD - 015


Product code	ESLD - 015	ESC - 007		
Quantity for one synchronised system	1 Set	1 Pcs		

ESLD - 014
Medium Duty Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - Maximum door weight : 150 kgs/Panel.




ESLD - 014 (1 Door kit)
Maximum door weight : 150 Kgs/Panel




ESC - 007 (08)
ESC - 007 (12)
ESC - 007 (16)
Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 2400mm / 3600mm / 4800mm.



Installation Details




Abbreviations : DH - Door Height / TH - Total Height

Ordering Information ESLD - 014

Product code	ESLD - 014	ESC - 007		
Quantity for one synchronised system	1 Set	1 Pcs		

ESLD - 016
Heavy Duty Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Steel wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - Maximum door weight : 200 kgs/Panel.




ESLD - 016 (1 Door kit)
Maximum door weight : 200 Kgs/Panel


 2X	 2X	 1X	 2X
			

ESC - 016 (12)
ESC - 016 (16)
Aluminium anodized single track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm / 4800mm.



Installation Details



Abbreviations : DH - Door Height / TH - Total Height

Ordering Information ESLD - 016

Product code	ESLD - 016	ESC - 016		
Quantity for one synchronised system	1 Set	1 Pcs		

Wooden Sliding Fitting

Sliding Fitting


Wooden Sliding Fitting

Sliding Fitting

ESLD - 016 A

Heavy Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Nylon wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - Maximum door weight : 200 kgs/Panel.




ESLD - 016 A (1 Door kit)
Maximum door weight : 200 Kgs/Panel


			
2X	2X	1X	2X
			

ESC - 016 (12)
ESC - 016 (16)
Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm / 4800mm.



Installation Details



Abbreviations : DH - Door Height / TH - Total Height

Ordering Information - for ESLD - 016 A

Product code	ESLD - 016 A	ESC - 016		
Quantity for one synchronised system	1 Set	1 Pcs		

Wooden Sliding Fitting

Sliding Fitting


Wooden Sliding Fitting

Sliding Fitting


ESLD - 008

Heavy Duty Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Steel wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - Maximum door weight : 280 kgs/Panel.




ESLD - 008 (1 Door kit)
Maximum door weight : 280 Kgs/Panel





ESC - 042 (012)
ESC - 042 (016)
Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm / 4800mm.



Installation Details



Abbreviations : DH - Door Height / TH - Total Height

Ordering Information ESLD - 008

Product code	ESLD - 008	ESC - 042		
Quantity for one synchronised system	1 Set	1 Pcs		

Wooden Sliding Fitting

Sliding Fitting


Wooden Sliding Fitting

Sliding Fitting


ESLD - 006

Heavy Duty Wooden Sliding Fitting

- Features :
- Running track for ceiling mounting.
 - Steel wheels with integrated bearings.
 - Easy to assemble.
 - Trouble free operation.
 - Maximum door weight : 500 kgs/Panel.




ESLD - 006 (1 Door kit)
Maximum door weight : 500 Kgs/Panel





ESC - 006 (12)
ESC - 006 (16)
Aluminium anodized track non-drilled

- Features :
- Finish : Aluminium anodized.
 - Size : 3600mm / 4800mm.



Installation Details



Abbreviations : DH - Door Height / TH - Total Height

Ordering Information - for ESLD - 006

Product code	ESLD - 006	ESC - 006		
Quantity for one synchronised system	1 Set	1 Pcs		

Legal Disclaimer

Whilst every effort has been made to ensure that the information contained in this brochure is accurate at the time of publication, ENOX recommends that you consult ENOX or its agents or its authorised dealer or its authorised distributor prior to placing an order to ascertain current information on specific product, as ENOX reserves the right to make changes without prior notice. ENOX will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. This brochure does not constitute an offer for the sale of any particular product.

ENOX

ASSA ABLOY

MUMBAI

EcoStar, 11th Floor, 1101 / 1103,
Off Aarey Road, Vishweshwar Nagar
Goregoan (East), Mumbai - 400063,
Tel : +91-22-6180 5555
displaycentre@enox.in

PUNE

Sr. No.36, Hissa No.1, Plot No.11,
Village Pisoli Haveli Kondhwa,
Pune - 411 028, Maharashtra
Tel : +91-9702203659/63
displaycentre.pun@enox.in

SURAT

Plote No.11, 1St Floor, Shiv Ashish
Industrail Estate, Off Udhana/
Magadal Road, Nr.Hyundai Showrrom,
Surat, Gujarat
Tel : +91-8511148472
displaycentre.sur@enox.in

BENGALURU

#36/2, Third & Fourth Floor,
Patalamma Temple Street,
Near South-end Circle, Basavanagudi,
Bengaluru-560 004, Karnataka
Tel : +91-7207217088/92
displaycentre.blr@enox.in

HYDERABAD

2nd Floor, Alcazar Mall, Plot No. 497/498,
Road No. 36, Jubilee Hills,
Hyderabad-500 033, Telangana
Tel : +91-7207217085
displaycentre.hyd@enox.in

CHENNAI

23-2, Old No 39-2, Cenotaph Road,
1st Lane, Near to Crown Plaza Hotel,
Opp Canara Bank, Teynampet,
Chennai-600 018
Tel : +91-9940360525 / 9840330292
displaycentre.che@enox.in